

MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 1

JANUARY, 1968

LIBRARY

N.O. A.A.

U.S. Dept. 19: Countmorce

991 .E3 M6 v.11 (1968)

J.D.C. 551, 506,1 (62)

MINISTRY OF SCIENTIFIC RESEARCH - METEOROLOGICAL DEPARTMENT
CAIRO

National Oceanic and Atmospheric Administration Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

PUBLICATIONS OF THE METEOROLOGICAL DEPARTMENT OF THE UNITED ARAB REPUBLIC—CAIRO

In fulfilment of its duties as the National Meteorological service for the U.A.R., the Meteorological Department issues several reports and publications on weather, climate and agrometeorology. The principal publications are described on this page.

Orders for publications should be adressed to: "The Director General, Meteorological Department, Kubri-el-Qubbeh—CAIRO".

THE DAILY WEATHER REPORT

This report is printed daily in the Meteorological Department. It contains surface and upper air observations carried by the relevant networks of the Republic and made at the four main synoptic hours of observations (00, 06, 12 and 18 U.T.); as well as ship observations over the Eastern Mediterranean and north Red Sea made at the same times.

It also contains two surface synoptic charts at 00 and 12 U.T. and two upper air charts for the standard isobaric surfaces 700 & 500 mbs. at both 00 and 12 U.T. In compliance with resolution 8 (EC-XIII) of WMO, foreign upper air data included in Cairo Subregional Broadcast are also given in this report.

As from January 1968, the daily weather report contents are pressed into a rather less but representative selection of synoptic weather observations and charts.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for U.A.R.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of the U.A.R. as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

The normals, long averages and statistical data are given in one edition for stations in Egypt from the date of opening of each station up to 1945. A new voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.



MONTHLY WEATHER REPORT

VOLUME 11 NUMBER 1

JANUARY, 1968



U.D.C. 551. 506,1 (62)

CONTENTS

	PAGE
Foreword	1, 2
Introduction and Explanation of the Tables	3-12
List of Stations Appearing in the Report	13
General Summary of Weather Conditions	4-15
SURFACE DATA	
Table A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	16
" A2.—Maximum and Minimum Air Temperatures	17
" A3. Sky Cover and Rainfall	18
" A4Number of Days of Occurrence of Miscellaneous Weather Phenomena	19
" A5.—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	20, 21
UPPER AIR DATA	
Table B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surface	22
" B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	23
,, B3.—Number of Occurrences of Wind Direction Within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	24, 25
AGRO-METEOROLOGICAL DATA	
Reviews of Agro-meteorological stations	26, 27
Table C1.—Air Temperature at 2 Metres Above Ground	28
" C2.—Absolute Values of Air Temperature at 2 Metres Above Ground, Absolute Minimum Air Temperature at 5 Cms Above Ground Over Different Fields	28
" C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 2 Metres Above Ground, Evaporation and Rainfall	28
" C4.—Extreme Soil Temperature at Different Depths in Different Fields	29
" C5.—Surface wind	29

FOREWORD

Since 1909 the Meteorological Department of Egypt has been issuing regularly the Monthly Weather Report, giving a brief summary of the weather conditions prevailing over Egypt during the month. These reports used to include a table giving limited climatological data for some selected surface observations.

On January 1954, the Monthly Weather Report has been revised and the general summary of the weather conditions has been extended to give a more detailed description of the synoptic situations and the associated weather prevailing during the month.

On February 1955 a further extension took place, the general summary of the weather conditions has been classified into different items to give more comprehensive information. More detailed surface climatological tables for selected stations and table for miscellaneous weather phenomena have been added to the Report.

On January 1956, the climatological tables included in the Report have been extended to include upper air climatological data to meet the increasing demand for this information.

In addition the full text of the monthly report of the standard observations taken at the Central Agro-Meteorological Station at Giza has been included in this Report instead of issuing it as a separate bulletin.

On January 1957, the Report has been completely revised, a new set of meteorological tables has been introduced to give, as far as possible, complete information for surface and upper air data from a more representative network of stations.

In addition, a general review of the observations taken in the fields of the plant breeding farm at Giza is included in the Report. The review gives a brief summary of the characteristic features of the different meteorological and micrometeorological elements of the month, more weight is given in this review to those elements which are of interest to agriculturists.

Starting from the Report of January 1958, the Monthly Weather Report for the U.A.R. included a detailed description of the synoptic situations and the associated weather experienced all over the Republic during the month. The Report included a new set of tables giving more detailed surface and upper air climatological data for selected stations in the Republic. The review of the Agrometeorological station at Giza and the normal observations made at the field of the station were also included in the Report.

As from January 1960, these tables have been totally revised and some new tables have been introduced to include more detailed climatological data.

In order to explain how the tables included in these Monthly Weather Reports have been compiled, detailed notes are included in the Report of January 1960 giving informations about the instruments used and their exposure, the methods of observations and the methods of computing the means and frequencies.

As from January 1964, the Monthly Weather Report was again totally revised. The number of meteorological stations appearing in the Report have been concentrated in the main synoptic stations working mostly continuously 24 hours. In addition

climatological data included in the Report will be confined to the monthly mean values, monthly totals, monthly frequencies and monthly absolute values. More specific climatological data have to be requested from the Meteorological Department.

Starting from the Report of January 1958, the monthly Weather Report of the U.A.R. carries serial reference in volume and number; each year carries a serial number in volume, Number I, being for January and 12 for December. The reference number of January 1958 is volume I, number I.

M. F. TAHA

Under Secretary of State
Director General
Meteorological Department

Cairo, 8-10-1970

INTRODUCTION AND EXPLANATION OF THE TABLES

For the purpose of this Monthly Weather Report, the United Arab Republic is divided into six climatic districts as follows:

Number	District	Number	District
I	Mediterranean Area	IV	Upper Egypt
11	Lower Egypt	v	Western Desert
111	Cairo Area	VI	Red Sea Area

The data included in Tables A1, A2, A3, A4 & A5, are based on surface observations made at a representative selection of the basic network of synoptic stations. The data included in Tables B1, B2 & B3 refer to Upper Air observations. The data included in Tables C1,C2, C3,C4 & C5, are based on observations taken at the Agro-Meteorological stations at El Kasr, Tahrir, Bahtim and Kharga. The observation fields are considered for the moment as dry and bare fields. At Kharga Oasis, the observation field is of the size of about 4000 - 6000 square metres.

The soil characteristics of these fields are:

	EL KASR	TAHRIR	BAHTIM	KHARGA
Top soil type	not available at present	Pure sand	not available at present	Sandy loam granular non-compact
Top soil depth	,,	More than 3 metres.		20 cms.
Sub soil type	**	Puro sand	,,	Platy clay non-compact
Slope of ground and its direction	••	1/2 %towards East& North	,,,	Flat (0-0.3%)
Level of water table	*1	More than 5 metres	23	More than 5 metres

Except for the wind speed which is expressed in knots, the metric units are used throughout this report and are as follows:

- The atmospheric pressure is expressed in millibars (one millibar = 1000 dynes per square centimetre = the pressure due to 0.7501 millimetre of mercury at 0°C at latitude 45°),
- Air and soil temperatures in degrees celsius (°C),
- Relative humidity (%),
- Rainfall in millimetres,
- Snow depth in centimetres,
- Duration of bright sunshine in hours,
- Sky cover in octas,
- Evaporation in millimetres,
- Altitude of pressure surface in geopotential metres.
- Mean wind speed of the whole day, and of the day time and the night time intervals in metres per second,
- (Solar + Sky) radiation in gram-calories per centimetre square,
- Vapour pressure in millimetres.

TABLE A1.— Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration & Piche Evaporation

Atmospheric Pressure.

The monthly mean values of the daily atmospheric pressure corrected to Mean Sea Level (M.S.L.) are the arithmetic means over the month of their corresponding daily hourly values or of the daily observations taken at the 8 synoptic hours (00,03, 06, 09, 12, 15, 18 & 21 UT). The atmospheric pressure is measured by mercury barometers installed indoors; The Mean Sea Level Pressure (M.S.L.) is the barometer reading corrected for the height of the barometer cistern above or (below) the Mean Sea Level at the station. Corrections for index, temperature and latitude have been applied to the barometer readings before reduction to M.S.L. Deviations from normals appear besides monthly mean values in a separate column.

Air Temperature.

The monthly mean values of the maximum (A) and of the minimum (B) air temperatures are computed from their corresponding daily routine values observed over the month. The maximum (mercury) and the minimum (alcohol) thermometers are freely exposed in the louvred screens with their bulbs at a height of 160 to 170 centimetres above the ground. Deviations from normals appear besides monthly mean values.

The monthly mean values of (A + B)/2 are computed from their corresponding daily calculated values over the month.

The monthly mean values of the dry and of the wet bulb air temperatures are the arithmetic means over the month of their corresponding daily hourly values or of their corresponding values at the 8 synoptic hours (00,03, 06, 09, 12, 15, 18 & 21 UT). The dry and wet bulb thermometers used are of the mercury type and are freely exposed in sloping double roofed louvred screens with their bulbs at a height of 140-150 centimetres above the ground. Deviations from normals appear besides monthly mean values in a separate column.

Relative Humidity

The mean daily R. Humidity during the month is derived from the mean daily values of the dry and wet bulb temperatures using Jellink's Psychrometer Tables (Liepzing 1911). The mean daily values of the dry and wet bulb air temperatures are as indicated in the last paragraph. No corrections for wind speeds or atmospheric pressure are applied. Deviations from normals appear besides monthly mean values in a separate column.

Bright Sunshine Duration

The actual duration of bright sunshine for the month is the sum of the actual daily bright sunshine durations. The total possible duration for the month is the sum of the daily calculated periods between sunrise and sunset. In calculating the possible duration of sunshine for a given day, the periods of cut-off for that day caused by obstacles, such as mountains are eliminated from the possible duration with an ideal flat horizon. In case of stations where the record of day or more is or are missing, the total actual duration is given between brackets and a note is added at the end of the table giving the actual number of records (days) used in summing up this total actual. In such cases the corresponding total possible duration is also given in brackets and it is the sum of the possible duration of the days of the available records. The percentage of the actual to the possible duration appears besides the total possible values in a separate column. The duration of bright sunshine is measured by the Campbell-Stokes sunshine recorders which are suitably exposed.

Evaporation (Piche)

The monthly mean value of Piche evaporation is computed from its daily routine values observed at 0600 UT over the month. Evaporation measurements are taken once daily at 0600 UT and give the evaporation for the previous 24 hours. The evaporation readings are measured by a Piche tube freely exposed in sloping double roofed louvred screens, the evaporation disc has an effective area of 10.1 centimetres square, white in colour, and at a height of 140-150 centimetres above the ground.

TABLE A2.—Maximum & Minimum Air Temperatures

Higher and lower limits of both maximum and minimum temperatures and their corresponding dates of occurrences during the month are extracted from the daily readings of maximum (mercury) and minimum (alcohol) thermometers respectively. These dates are included for acutal occurrences up to three; when exceeding three, the symbol * is added beside the last three dates.

The number of days during the month with maximum air temperature above 25°C, 30°C, 35°C, 40°C & 45°C and with minimum air temperature below 10°C, 5°C, 0°C & --5°C are included also in this table under separate columns.

The types and exposure of the maximum and of the minimum thermometers are as indicated in the notes on table A1.

The monthly mean values of grass minimum temperatures are the arithmetic means over the month of their corresponding daily values. The grass minimum temperatures are measured by ordinary minimum (alcohol) thermometers suitably exposed in the open air at the station field on special stands with their bulbs at a height of 5 centimetres above ground just touching the grass tops if there is any. Grass minimum theromometers readings are taken daily as a routine base at 0600 U.T. Deviations from normals appear besides mean values in a separate column.

TABLE A3.-Sky Cover & Rainfall

The monthly mean values of the total sky cover at the principal hours (00,06,12 & 18 UT) are computed from their corresponding daily routine values observed during the month. Mean values of the daily total sky cover is the arithmetic mean over the month of the daily hourly values or of the daily observations taken at the 8 synoptic hours (00, 03, 06, 09, 12, 15, 18 & 21 U.T). Sky cover is in octas.

The monthly total rainfall is the total rainfall during the month. The maximum daily rainfall and the number of days with rain < 0.1 and more than or equal 0.1.1.5, 10.25 & 50 mms are extracted from the routine daily rainfall totals during the month. The rainfall for a given day is the amount of rain which has fallen during the 24 hours commencing at 0600U.T of that day; when the amount of rain which has fallen is not large enough to be measured (less than 0.1 mm) the term "Trace" is entered as (Tr.). The amount of rainfall measured includes the water equivalent of the rain water which has frozen after falling and the water equivalent of solid precipitation if any such as hail. Dates of maximum rain in 24 hours are included for actual occurrences up to three; when exceeding three, the symbol* is added besides the last three dates.

The amount of rainfall is normally measured by ordinary rain gauges. Some selected stations are also equipped with a recording type of rain gauge. The rim of both types of gauges are at a height of 90-100 centimetres above the ground.

TABLE A4.- Number of Days of Occurrence of Miscellaneous Weather Phenomena

This table gives the number of days of occurrence of rain, snow, ice pellets, hail, frost. thunderstorm, mist, fog, haze, thick haze, dust or sandrising, dust or sandstorm, gale, clear sky & cloudy sky. Except for rain (see notes on table A3) the days of occurrence of these weather phenomena are those days during which the phenomenon has occurred at any time between 2200, and 2200 U.T.

In compiling this table, the terminology and definitions of these different weather phenomena are as follows.

- A day of rain is the day during which the total amount of rainfall is 0.1 millimetre or more.
- A day of snow is the day druing which snow or snow flakes or snow showers is or are observed even if it is or (they are) so small in quantity as to yield no measurable amounts of precipitation in the rain-gauge.
- A day of ice pellets is the day during which ice pellets are observed even if they are so small in quantity as to yield no measurable amounts of precipitation in the rain-gauge.
- A day of hail is the day during which either one or more of the following types of precipitation is or are observed, even if they are so small in quantity as to yield no measurable precipitation in the rain-gauge:
 - Soft hailSmall hailHail stone
 - A day of frost is the day during which frost is observed at the station.
- A day of thunderstorm is the day during which thunder is heard at the station whethe lightning is seen or not. A day on which lightning is seen but thunder is not heard at the station is not ounted as a day of thunderstorm.

- A day of mist is the day during which the surface horizontal visibility at the station has deteriorated and became equal to or greater than 1000 metres due to mist.
- A day of fog is the day during which the surface horizontal visibility at the station has deteriorated and fell below 1000 metres due to fog.
- A day of haze is the day during which the horizontal visibility at the ation has deteriorated and became equal to or greater than 1000 metres due to haze.
- A day of thick haze is the day during which the horizontal visibility at the station has deteriorated and fell below 1000 metres due to thick haze.
- A day of dust or sandrising is the day during which the horizontal visibility at the station has deteriorated and became equal to or greater than 1000 metres due to dust or sandrising.
- A day of dust or sandstorm is the day during which the horizontal visibility at the station has deteriorated and fell below 1000 metres due to dust or sandstorms.
- A day of gale is the day during which the mean surface wind speed reached or exceeded 34 knots at the station for at least 10 minutes.
 - A day of clear sky is the day on which the mean cloud amount at the station is less than 2/8.
 - A day of cloudy sky is the day on which the mean cloud amount at the station is 6/8 or more

As regards the last two items above, the mean cloud a mount for a day is the mean of the 24 hours, the 8 synoptic hours or the 4 main synoptic hours of cloud observations according to the number of the routine observations taken at the station.

TABLE A5.— Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges.

The elements used in preparing this table are the mean hourly values of the surface wind spectra and the corresponding mean hourly values of direction taken from the daily records of the surface wind instruments intsalled at the station. These mean hourly values are extracted for every hour of each day of the month and they refer to a period of 60 minutes centred at the hour.

The number in hours of occurrences of the surface wind falling within the ranges of speed and direction indicated in the table is the number of cases when the mean hourly values of the surface wind as defined have satisfied these ranges.

The number in hours of "variable" winds is the number of cases where the surface wind showed no definite direction over the period of the 60 minutes centred at the hour or when the wind vane was sticking over that period due to the lightness of the wind and not responding to the variation in wind direction; in such cases the mean wind speed over this period is normally less than 5 knots. The number in hours of "calm" winds is the number of cases where the surface wind has a mean speed of less than one knot over that period, whatever the mean wind direction over the same period is. The number in hours during which the recording instrument failed to record over the whole month is given under a separate column.

The instruments used for recording the surface wind are of the Dines Pressure Tube Anemograph.

This table follows the general lines of Model B of chapter 12 part IV of the WMO Technical Regulations 1959. The ranges of wind speed are (1-10), (11-27), (28-47) knots and 48 knots or more; the ranges for wind direction are twelve ranges of 30° each, beginning with the range (345°-014°) as being the true north.

This table gives the following data:

- The total number in hours of simultaneous occurrences of surface wind satisfying the specified ranges of speed and direction during the month,
- The total number in hours of occurrences of surface wind satisfying the specified ranges of speed during the month irrespective of their direction,
- The total number in hours of occurrences of surface wind blowing from the specified ranges of direction during the month irrespective of their speed.

TABLE B1.-Upper Air Climatological Data

The routine upper air observations are taken at 0000 and 1200 U T, a separate table of this type is prepared for each hour. The number of cases the height of each of the pressure surfaces indicated in the table has been attained during the month, and the number of cases the temperatures and the dew points have been observed at each of these surfaces are given in the table against each element under column (N).

The monthly mean values of the altitude, temperature and dew piont at each of these pressure surfaces are the arithmetical means of the corresponding daily values over the number of cases (N) indicated against each element.

The instruments used are of the radiosonde modulating frequency recording type; the types of transmitters used do not need to apply any corrections for radiation.

This table follows the general lines recommended by the commission for climatology of the World Meteorological Organization Rec. 34 (CCL-1); it gives the following data for the hour of observation indicated at the top of the table:

- The number of cases the height of each of the pressure surfaces has been attained during the month and the number of cases the temperature and dew point at these surfaces have been observed,
- The monthly mean values of the atmospheric pressure corrected to the ground level of the station (H); the highest and lowest values of this pressure observed during the month,
- The monthly mean values of the air temperature and of the dew point at the surface; the highest and lowest values of the surface air temperature observed during the month,
- The monthly mean, the highest and the lowest values of the altitude for each of the pressure surfaces,
- The monthly mean, the highest and the lowest values of air temperature; and the mean dew point at each of the pressue surfaces.

TABLE B2.— Mean and Extreme Values of the Freezing Level and the Tropopause; The Highest Wind Speed in the Upper Air.

The routine upper air observations are taken at 0000 and 1200 UT; a separate table of this type is prepared for each hour as indicated in the notes on table B1. The number of cases the altitude of the freezing level and of the first tropopause have been attained during the month and the number of cases the pressures and the dew points or temperatures have been observed at these levels are given in the table against each element in the (N) box.

The monthly mean values of the altitudes of the freezing level and of the first tropopause and the monthly mean values of the pressures and of the dew points or temperatures at each of these levels are the arithmetical means of the corresponding daily values over the number of cases (N) indicated in the box of each element.

The first tropopause is determined in accordance with the definition adopted by the Executive Committee of the World Meteorological Organization Resolution 21 (Ec - IX).

This table is based on wind observations taken by the SCR — 658 or the Metox radiotheodolites working simultaneously with the radiosonde observations. The types of radiosonde instruments used are given in the notes on table BI.

This table gives the following data for each hour of observation indicated at the top of the table:

- The number of cases the freezing level has been attained during the month and the number of cases the pressure and dew point have been observed at this level.
- The number of cases the altitude of the first tropopause has been attained during the month and the number of cases the pressure and the temperature have been observed at this level,
 - The monthly mean values of the altitude, pressure and dew point of the freezing level,
- The altitudes, pressures and dew points of the highest and lowest freezing level observed during the month,
 - The monthly mean values of the altitudes, pressures and temperatures of the first tropopause,
- The altitudes, pressures and temperatures of the highest and lowest first tropopause observed during the month,
- -- The direction and speed of the highest wind speed observed during the month, the altitude at which this wind has been observed.

TABLE B3.—Number of Occurrences of Wind Direction Within Specified Ranges and the Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces

The routine upper air observations are taken at 0000 and 1200 U.T. A separate table of this type is used for each station.

The mean scalar wind speed "ffm" of winds blowing from each range of directions at a given pressure surface, is the arithmetical mean of the corresponding daily values of wind speed for the number of cases "N" during the month.

The term "Calm" is used in this table to denote wind speed of less than one knot.

This table is based on the wind observations taken at the station as indicated in the notes on table B2.

This table, as in the case of table B1, follows the general lines recommended by the commission for Climatology of the World Meteorological Organization REC. 34 (CCL-I); the ranges of wind direction used are twelve ranges of 30° each beginning with the range (345°—014°) as being the true north. It gives the following data for the hour of observation indicated:

- The number of cases (N) the wind has been observed from the specified ranges of direction at the surface of the station and at the different pressure surfaces during the month.
- The total number of cases (TN) the wind has been observed at the surface of the station and at the different pressure surfaces during the month irrespective of the wind direction,
- The mean scalar wind speeds (ffm) blowing from the specified ranges of direction at the surface of the station and at the different pressure surfaces,
- The number of cases of "calm" winds at the surface of the station and at the different pressure surfaces,
- The mean scalar wind speeds at the surface of the station and at the different pressure surfaces blowing from all directions.

AGRO METEOROLOGICAL DATA

Reviews of Agrometeorological Stations at El-Kasr, Tahrir, Bahtim & Kharga.

The monthly review of all agrometorological elements that have been observed at each agro-meteorological station includes a general summary of pronounced weather phenomena that prevailed during the month together with a comparison between the monthly values of this year and last year of specified elements that are of great interest to agriculturists as well as to agrometeorologists. For some elements, when observations are of a long time, departure from normal values appears also in the monthly review.

During winter, the monthly review includes normally the days of minimum air temperature below 0°C at the height of five centimeters above the ground

TABLE C! -Air Temperature at 11/2 Metres Above Ground

The monthly mean values of the maximum, minimum, night-time mean, day-time mean and mean of day of air temperatures are the arithmetic means over the month of their corresponding daily values. The mean air temperature of a day is the mean of the eight values of the dry bulb temperature occurring at each of the principal and secondary observation hours, the value at 0000, 0300, & 2100 U.T. being extracted from the record of the dry bulb thermometer of a mercury in steel hygrograph, except at Kharga where they are obtained from visual readings.

The night-time mean temperature of a day is the mean temperature for the period from sunset of the previous day to sunrise of the same day. The day-time mean temperature refers to the period from sunrise to sunset of the same day. Both night-time and day-time mean temperatures are computed from empirical formulae, which may vary from month to month but are common for all centres. These formulae were found by trial comparison with true means of the year 1966. The errors were never permitted to reach a whole degree, and usually stayed equal to or lower than 0.5°C.

The duration of air temperatures above a specified limit of temperature is obtained graphically from the same recording charts, daily to the nearest whole hour.

The maximum (mercury), the minimum (alcohol) and the dry bulb (mercury ventilated) thermometers are freely exposed in louvred Stevenson screens of the Egyptian type with their bulbs at a height of 190 - 195 centimetres above ground for the maximum and minimum thermometers, and 170 cms approximately for the dry bulb thermometer; the recording thermometer used is of the bi-metallic type and is exposed in a similar screen; the height of the bi-metallic piece is 165 centimetres approximately above the ground.

TABLE C 2.—Extreme Values of Maximum & Minimum Air Temperatures at 1 ½ metres above Ground, Absolute Minimum Air Temperature at 5 cms above Ground over Different Fields.

The extreme values of maximum and minimum air temperatures at $1\frac{1}{2}$ metres above ground and of minimum air temperatures at 5 cms above ground over dry fields are extracted from their routine values. Dates of occurrences are included in separate columns beside the extreme value. Extreme values of maximum & minimum air temperature at $1\frac{1}{2}$ metres include the Highest & Lowest limits of the daily corresponding routine values during the month.

The thermometer used for minimum air temperature at 5 cms above ground is of the ordinary minimum type (alcohol) with the bulbs screened with small separate screens of horizontal 5 cm. length and 2 cm. diameter metal tubing painted white outside and black inside, and centered on the thermometer bulbs.

TABLE C 3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity, Vapour Pressure at 1½ meters above Ground, Evaporation & Rainfall.

The monthly total values of the (solar+sky) Radiation, Bright Sunshine duration, Evaporation & Rainfall are the sums of their corresponding daily values for the month. The monthly mean values of the (Solar + Sky) Radiation, Relative Humidity & Vapour pressure at $1\frac{1}{2}$ metres and Evaporation are the arithmetic means of their corresponding daily values for the month respectively.

The (solar + Sky) Radiation is obtained from the records of a Robitzsch Actinograph; the Robitzch values at Bahtim and Tahrir are regularly compared with the records of an Epply pyrheliometer installed at the station. The sensitive elements of the Robitzsch Actiongraph and of the Epply pyrheliometer are at 100 cm² approximately above the ground.

The types of insturments used for the measurement of the duration of birght sunshine, their exposure and the evaluation of the durations are as given in the notes on table A1.

The relative humidity and vapour pressure values are derived from the readings of ventilated dry and wet bulb mercury thermometers freely exposed in the screen using the Aspirations psychrometer Tafeln of the Deutschen Wetterdienst 1955. The height of the bulbs in 170 cms approximately above the ground.

The mean relative humidity or vapour pressure for a given day is obtained from the eight principal and secondary observation values which are extracted from the readings of the dry and wet bulb thermometers, the values at 0000, 0300, and 2100 U.T. being extracted from the records of the mercury in steel hygrograph except at Kharga where these values are obtained from visual readings of the dry and wet bulb thermometers.

The monthly values of the relative humidity or vapour pressure are the means of the corresponding mean daily values during the month. The lowest value of the relative humidity and its date of occurrence are obtained from the records of a hair hygrograph exposed in the screen, the height of the hair is 170 centimetres approximately above the ground.

The absolute maximum and minimum values of vapour pressure during the month are extracted from the values of the eight principal and seconday observations.

Evaporation measurements are taken once daily at 0600 U.T. from a Piche tube and also a class "A" evaporation pan and give the evaporation for the previous 24 hours. The Piche tube is installed in the screen with the dry bulb, maximum and minimum thermometers; the colour and effective area of the evaporation disc are as given in the notes on table A1. The class "A" evaporation pan is of the type recommended by the commission of instruments and methods of observation of the World Meteorological Organization Rec 42 (CIMO-56); it is of a cylindrical shape, 254 centimetres deep, 120.6 centimetres in diameter (inside dimentions). The pan is freely exposed in the open air in the dry field, its rim at a height of 41 centimetres above ground away from obstacles such as buildings or trees.

The types of instruments used for measuring the amount of rainfall, their exposure and the evaluation of these amounts are given in the notes on table A3.

TABLE C 4.—Extreme Soil Temperature at Different Depths in Dry Fields (cms)

The highest and lowest values of soil temperatures at the selected depths in dry fields are extracted from their corresponding daily routine values.

The soil temperature readings are taken in the dry fields at the specified depths ranging from 2 cms to 300 cms; in each field as indicated in the table. These readings are taken regularly during the period from 0600 to 1800 U.T. according to the following schedule except at Kharga where the observations are as appropriate but extend in the peirod between 1800 & 0600 U.T.

- at 0600 U.T. and every three hours for the 2,5 and 10 cms depths.
- at 0600 U.T. and every six hours for the 20 and 50 cms depths.
- at 1200 U.T. for the 100 and 200 cms, depths.
- at 0900 U.T. once every 3 days for the 300 cms depth.

The thermometers used are of the Fuess or the Friedrich types.

TABLE C 5.—SURFACE WIND.

The monthly values of the daily mean, the night time mean and of the day time mean of the surface wind speed is the arithmetic mean of their corresponding daily evaluated values for the month respectively. The mean wind speed of the day is computed for the period of 24 hours from 1800 U.T. of the previous day; the night-time mean wind speed of the day is obtained from the totol run of air during the period 1800 U.T. of the previous day to 0600 U.T. of that day; the day-time mean is similarly computed for the period 0600 to 1800 U.T. of the same day. The type of the wind instrument used is of the run counter of the Lambrecht type; the cups of which are at $1\frac{1}{2}$ metres above the ground.

The number of days with surface wind speed reaching or exceeding specified values of velocities (\geq 10 Knots, \geq 15 Knots, \geq 20 Knots, \geq 25 Knots, \geq 30 Knots, \geq 35 Knots and \geq 40 Knots) for at at least 5 minutes at any time between 2200 & 2200 U.T. irrespective of its direction are extracted from the daily routine analysis of surface winds records during the whole month. The daily records of the Dine pressure Tube Anemograph are used, the highest gust refer to the highest excursive made by the velocity pen on the records during the month.

LIST OF STATIONS APPEARING IN THE REPORT - SYNOPTIC AND CLIMATOLOGICAL STATIONS

District.	Station	Index Number II iii		Longitude °E Elevation of the ground	in metres (H or Ha) Altitude of the Station in metres (Hp)	Altitude of the barometer Cistern in metres	reco	ght of Vind ording uments etres)		0	-	opti vati		1	hourly Observations (i1) Half hourly obs. is (h) (0000-2400)	ָ֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖֖	er air c P (Pilot W (Radi	Ballon lio wind))	Remarks
		In		Elevat	in m Altitue	Altitud Cist	above build- ing	ab. ve grou- nd	00	03	08 0	12	15	18 21	hourly Half h	00	06	12	18	
Meditor.	Sallum	62 300 306 318 333 336 338	31 20 27 31 12 29 31 17 32 31 07 33	13 57 — 14 45 — 1	4.0 8.3 30.0 3.4 7.0 6.1 5.0 17.1 9.7 15.7	30.0 6.8 6.1 17.1	8 10 10 10	14 15 18 19 15	×××	× × × × × ×	× × × × × ×	×××	× × × ×	× × × × × × × × × × × × ×	(H (H (H (H (H (H (H (H (H (H	P RW P P P	P P P P	P RW P P P	P P P P	
Luwer	Tanta	348	30 47 31	00	4.0	15.4	10	1#	×	×	×	×	×	×	H			_	_	
Cairo Area	Cairo (A) H el wan	366 378	30 08 31 29 52 31	34 20 13	4.7 74 5 9.3 •-	74.0 —	1 t 10	18 20	×	× .	×	×	×	× ×	h —	- RW	w	RW	w	
Upper Egypt	Fayoum	387 2 393 2	27 11 31 25 40 32	44 2 06 7 42 9	2.0 23.3 9.0 40.0 1.6 69.6 4 9 88.5 0.0 193.5	44.2 69.5 88.4	10 7 15 7 10	20 15	×		< X	×××	×	× - × × × × × ×	H H	P P P RW	P P P W	P P P RW	P P P W	
Western Deert	Siwa Bahariya Falafra Dakhla Kharga	417 2 420 2 423 2 432 2 435 2	28 20 28 27 03 27 25 29 29	54 12 58 9 00 11	5.0 —13.5 8.0 129.5 91.8 91.8 111.5 72.6	129.6 92.1	10 - - 10 10	_ _ 15	× ×	× > > > > > > > > > > > > > > > > > > >	X X	×	×××	× × × × × × × ×	H	P P P P	P P P P	P P P P	P P P P	
Red	Tor	459 2 462 2 465 2		46	2.2 4.2 1.0 2.8 3.0 11.3	2.2 2.8 11.3	10 8 12	12	X.	× × × ×	X	××××	\times	××××	H	P P P	P P P	P P P	P P P	

GENERAL SUMMARY OF WEATHER CONDITIONS

JANUARY 1968

Remarkably cold and subnormally rainy in general, widespread sand storms round the 9th, 13th and 14th. Abnormally large number of transitory depressions.

GENERAL DESCRIPTION OF WEATHER

Weather was remarkably cold most of this month particulary during the period (12th-16th). In addition air was rather humid most of the second half of the month. Light to moderate rain fell over the Mediterranean district during several days and extended sometimes inland till Cairo area. Rain was heavy over local parts in the Mediterranean coast on the 14th.

Rising sand occurred on a wide scale most of the second week with scattered sandstorms over north of the Republic round the 9th, 13th & 14th. Early morning mist and fog developed during several days over few places in Delta, Cairo and north of Upper Egypt.

PRESSURE DISTRIBUTION

The most outstanding pressure systems over the surface maps during this month were:

- The Siberian anticyclone.
- The Atlantic anticyclone and its southeast extension over the Mediterranean.
- Deep low pressure systems passing through North Urasia.
- Travelling secondary depressions which developed over Italy or its vicinities.

This month was characterized by eight secondary depressions, seven of which passed through East Mediterranean.

During the first ten days of the month, four secondary depressions developed. first secondary appeared over Italy on the 1st reaching the Black Sea on the 3rd and moved north-eastwards. The second depression developed over Central Mediterranean on the 3rd, moved slowly eastwards and traversed East Mediterranean on the 6th. The third and fourth depressions appeared over Italy on the 7th & 10th respectively, proceeded eastwards and their troughs passed through East Mediterranean on the 9th & 13th respectively. It is noteworthy that these two depressions were deep & associated with steep pressure gradient and the second of which was the most deepest depression during this month.

From the 14th till the 17th, high pressure over the Atlantic extended south-eastwards through the Mediterranean and North Africa.

On the 18th the fifth secondary depression appeared over Italy, then moved slowly south-eastwards and passed through East Mediterranean on the 21st. The sixth secondary developed over Central Mediterranean on the 22nd, proceeded eastwards and traversed East Mediterranean on the 24th. The seventh depression appeared over Italy on the 25th, then moved eastwards and its trough traversed East Mediterranean on the 28th. The last depression developed over Central Mediterranean on the 29th and traversed East Mediterranean on the last day of the month.

According to transits of the above mentioned secondary depressions or their troughs through East Mediterranean, the barometric

pressure in U.A.R. experienced varient oscillations which reached their minima round the 3rd, 6th, 9th, 13th, 20th, 24th & 27th respectively.

The most important features of pressure distribution over the 500 mb, upper air chart were:

- The deep low pressure systems over North Atlantic & North Urasia and their southward: extensions through middle latitudes.
- Transits of seven secondary troughs (or lows) through East Mediterranean & U.A.R. round the 4th, 6th, 9th, 14th, 21st, 24th & 28th.
- High pressure system over the subtropical latitudes south of 30° N.

SURFACE WIND

The prevailing winds during this month were mostly light to moderate, W/SW in north of the Republic till Cairo area, and vecred to NWly after the passage of the travelling Mediterranean troughs. In the central and southern parts, light to moderate NWly winds prevailed most days of the month in general. Winds became fresh to strong over scattered places of the Mediterranean and Red Sea districts during several days mostly in the second week.

Gales were reported over Sallum. Sidi Barrani, El Kasr and Zaher on the 12th & 13th; Mersa Matruh & Ras El Teen on the 9th, 12th & 13th; Ras El Hikma & Dabaa on the 9th, 12th, 13th & 14th; Alexandria on the 9th; Fayed on the 12th, 13th & 14th and over Dekheila, Farafra and Hurghada on the 12th.

Cairo 28 | 10 | 1970

TEMPERATURE

This month was characterized by consecutive cold waves covering most days of the month. The most pronounced wave was experienced round the period (12th - 16th).

Maximum air temperature remained moderately below normal most of the month and remarkably below normal round the period (12th - 16th). Maximum air temperature values ranged generally between 14°C & 19°C in the northern parts, between 16°C & 22°C in the central parts and between 18°C & 25°C in the southern parts.

The absolute maximum air temperature was 29.6°C reported at Kom Ombo on the 5th.

Minimum air temperature oscillated moderately round normal in the northern parts and moderately below normal in the central and southern parts. Minimum air temperature values ranged generally between 4°C & 11°C in the northern & southern parts, and between 1°C & 7°C in the central parts. It is noteworthy that minimum temperature fell below 0°C during several days in scattered parts of the Western Desert district.

The absolute minimum air temperature was --3.4°C reported at Dakhla on the 14th.

PRECIPITATION

Light to moderate rain fell during several days over the Mediterranean coastal district and extended sometimes southwards to Lower Egypt and Cairo. Rain was heavy over few localities in the Mediterranean district on the 14th. The monthly rainfall was generally below its normal.

The highest daily rainfall was 26.6 mms reported at Balteam on the 14th.

The highest monthly rainfall was 47.6 mms reported at Balteam.

M. F. TAHA

Under Secretary of State
Director General
Meteorological Department

Table A 1. — MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION.

JANUARY — 1968

		ospheric	1			Air '	Temperat	ure sC				Rela	ti v e	Brig	ht Sunshi	ne	1m8.
		re (mhs) I.S.L	Mix	imum	Min	imum		Dry	Bulb	Wet	Bulb	Humid	ity %		tion (Hou		tion n
STATION	Mean	D.F Normal or Average	(A) Mean	D.F Normal or Average	(B) Mean	D.F Normal or Average	A+B 2	Mean	D.F Normal or Average	Mean	D.F Normal or Average	Mean	D.F Normal or Average	Total Actual	Total Possible	%	Piche Evaporation mms. Mean
Sallum	1016.6 1017.1 1017.2 1016.7	- 0.9 - 0.3 - 0.5 - 0.7 -	17.3 16.8 17.5 16.7	-1.6 -1.4 -1.0 -1.4	8.6 7.9 7.9 10.0	- 0.6 - 0.4 - 1.4 - 1.4	12 9 12.4 12.7 13.4	12.6 11.9 12.7 13.0	- 1.6 1.0 0.9 1.3	8.8 8.8 9.5 10.3	- 1.5 - 1.0 - 1.5 - 1.6	57 65 63 69	I 7 4 	192.0 213.3 —	322.3 322.3	- 60 66 -	7.4 8.3 5.2 4.3
Tauta	1016.8	- 06	17.9	_ 1.8	7.1	+ 0.9	12.5	11.9	- 0.7	8.7	- 1.3	63	— 7	227.3	323.4	70	3.8
Сыю . , (А)	1017.9	0,1	17.7	- 1.3	8.6	- 0.2	13.2	13.0	- 0.8	8.7	1.4	52	— 7	-	-	-	11.4
	1017.9 1019.1 1018.8 1018.2 1017.9	$ \begin{array}{c} -0.4 \\ +0.5 \\ +0.3 \\ +1.1 \\ +0.9 \end{array} $	18.6 19.5 19.5 21.9 22.4	- 1 8 - 1.2 - 1.3 - 1.2 - 1.8	5.0 3.2 6.1 4.7 7.3	- 1.3 - 0.8 - 0.7 - 0.9 - 1.1	11.8 11.4 12.8 13.3 14.9	11.4 11.0 12.4 13.1 14.6	- 1.9 - 0 9 - 1.2 - 1.1 - 1.4	8.4 7.2 7.7 8.5 7.9	1.5 1.0 0.7 1.0 1.2	64 54 47 49 32	+ 3 - 4 + 1 - 3 - 1	254.8 ————————————————————————————————————	328.8 — — —	77 —	3.5 4.5 8.2 4.6 9.2
Bahariya	1020.8 1019.7	$ \begin{array}{c c} -0.5 \\ +0.5 \\ +0.5 \\ +1.6 \\ +1.0 \end{array} $	18.1 18.9 18.8 20.3 21.2	$ \begin{array}{c c} -1.6 \\ -1.1 \\ -2.0 \\ -1.2 \\ 0.0 \end{array} $	5.6 5.6 2.9 1.7 4.9	$ \begin{array}{c} + 1.3 \\ - 0.7 \\ - 2.5 \\ - 2.6 \\ - 1.0 \end{array} $	11.9 12.3 10.8 11.0 13.1	11.6 12.0 10.6 10.9 13.2	$ \begin{array}{c c} -0.3 \\ -1.7 \\ -2.0 \\ -1.6 \\ -1.0 \end{array} $	7.3 6.7 6.3 5.8 6.9	- 0.6 - 1.7 - 0.3 - 1.2 - 1.9	49 40 48 40 38	$ \begin{array}{r} -3 \\ -10 \\ +6 \\ +3 \\ -7 \end{array} $	 294.6	 333.8		6.7 5.8 8.1 7.6 9.2
	1017.2 1017.5	+ 0.5 + 1.0		- 0.5 - 1.1		- 1.3 - 1.2	14.4 17.1	14.4 17.1	- 1.5 - 1.2	9.7 11.7	- 1.3 - 1.2	50 48	- 2 - 1	_ _ _	<u>-</u>		12.3 12.3

Table A2. - MAXIMUN AND MINIMUM AIR TEMPERATURES

JANUARY — 1968

			M	aximum	Temper	ature °(2			Grass Ten	Miu.			Minin	num Tem	peratur	• °C		
Station	ısı	÷	ret	ė.	No.	of Day	s with	Max-Te	mp.	Mean	From Normal	Highest	ā	est	Date		lo. of I Min.	•	ith
	Highest	Date	Lowest	Date	> 25	>30	>35	>40	>45	Me	D. From	High	Date	Lowest	Da	<10	<5	<0	<-
Sallum Mersa Matruh (A) Vexandria (A) Port Said (A) El Arish Chazza	21.4 21.0 20.6 19.8	2 2 2 3	10.6 10.0 12.0 11.0	15 14 14 15	0 0 0	0 0 0	0 0 0 0	0 0 0 -	0 0 0 0 0 -	8.3 		14 0 13 2 14 9 15.0	2 2 3 3 —	4.0 4.5 2.5 4.4	14,15 14 11 15 -	24 29 25 14 —	2 2 5 1	0 0 0 0 -	0 0 0 -
anta	21.0	2	10.4	15	0	0	0	0	0	<u>-</u>		13.4	3	3.0	23	28	6	0	0
Zairo (A)	2 2 .4	2	12.2	8	0	0	0	0	0	***		15.2	3	4 6	15	26	1	0	0
Sayoum	22.4 24.5 25.3 28.8 28.5	1 3 2 4 4	13 1 13.5 12.3 12.7 15.0	15 15 15 15 15	0 0 1 4 10	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	3.3 1.1 4.7 1.9		11.1 8.2 10.8 9.8 12.6	3 5 4 6 4	1.5 0.8 3.1 0.6 1.6	22.30 28 16 16 16	29 31 30 31 27	21 25 9 19 5	0 1 0 0 0	0 0 0
ahariya arafra vakhla harga	23.3 26.5 27.0 27.4 27.6	2 2 2 3 3	18.0 12.6 12.0 12.2 13.6	1 5 5 15 15	0 1 1 5 4	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	4 0 4.0 2.6 3 4		11.5 12.9 9.9 8.6 13.8	17 3 3 4 4	0.2 0.8 2.6 3.4 0 1	22 11.30 11 14 11.16	27 28 31 31 28	12 13 24 26 17	1 0 4 12 0	0 0 0
or	24.8 28.0	4 9	14.5 17.0	15 15	0 3	 0 0	0	 0 0	- 0 0	7.6 11.8		12.0 16.4	5 4	5.8 9.4	31 16	25 2	 0 0	0 0	000

Table A 3.-SKY COVER AND RAINFALL

JANUARY - 1968

		Mean	Sky Cove	r Oct.					Ra	sintall m	ms.					
Station	00	, 06	12	18	Daily	Total	D. From	Max.			Numher	of Dayı	with .	Amount	of Ra	in
nt e	U.T.	U.T.	U.T.	U.T.	Mean	Amount	Normal	Amount	Date	<0.1	≥0.1	≥1.0	≥5 0	≥10	≥25	≥50
Sallum (A) Mersa Matruh (A) Alexandria (A) Port Said	4.1 2.3 2.5	3 L 3.9 4.4 1.9	4.1 4.1 5.2 4.0	2.6	3.4 3.3 3.7	5,3 13,5 39,6 16,9	-13.5 -17.2 -9.5 + 4.4	3 0 6,0 12.1 5.4	14 14 14 14	2 3 1 0	5 7 11 8	2 2 9 4	0 1 2 1	0 0 1 0	() () () ()	0 0 0 0
Tanta	1.5	3.1	3.8	1.7	2.3	6.1	4.1	2 1	15	6	7	2	19	4)	11	G
Cairo	2.0	3.1 3.0 2.5	3.4 3.0	2.2 2.8 2.3	2.9	5.0 0 1 Tr.	0.9 0.4	2 2 0.1 Tr.	30 30 14	0 1 1	6	0 0	0	() ()	() ()	0
Minya (A) Assyout (A) Luxor (A) Aswan	1.6 0.9 1.2 1.2	1.5 1.8 2.0	2 2 2 2 1 8	$\frac{2.3}{1.3}$ $\frac{2.0}{1.5}$	1.4 1.8 0.6	0,0 0.0 0.0	Tr. 0,1 0,0	0.0		0 0	0	0	0	0	0	()
Siwa	1.9 1.8 0.2 0.7	2.0 2.8 2.0 0.5 1.1	3.4 3.0 2.1 0.8 1.6	2.1 2.2 2.1 0.4 0.9	2.3 2.3 0.5 1.2	0.7 Tr- 0.0 0.0 0.0	0.2 0.0 - Tr. Tr. 0.1	0.7 Tr. 0.0 0.0 0.0	13	0 1 0 0	1 0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0	0 0 0 0
Tor	1.2 0 4	1.8 2.1	2.6 2.2	1.7 1.2	1.7 1.5	() ()	Tr. Tr.	0.0		0	. 0	0 0	0	()	0	; 0 0

JANUARY 1968

		Precip	ítation			rm) metres	s	in tres	Vis Iros	drising detres	lstorm Metres		C)	cu 1
Station	Rain	Snow	len. Pellets	Hail	Frost	Thundersterm	Mist Vis > 1000	Fog Vis	Haze Vis	Thick Haze Vis < loom Metres	Dust or Nandrising Vis > 1000 Metres	Dust or Sandstorm Vis <1000 Metros	Gale	Clear Sky	Cloady Sky
Sallum (A) Mersa Matruh (A) Alexandria (A) Port Said (A) Al Arish Ghazza	5 7 11 8	0 0	0 0	0 0	0 0 0 0	1 0 0 0 	0 0 1 0	0 0 2 0	0 1 1 0	0 0 0 0 0	3 5 3 2	5 3 3 1	2 3 1 0	10 12 4	5 5 4 —
Tanta	7	0	O	0	0	0	(5	0	1)	0	4	0	0	14	1
Cairo (A)	6	0	0	0	0	()	7	0	11	0	10	3	0	14	2
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Aswan (A)	1 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	2 9 0 0	0 0 0 0	0 11 4 7 4	0 0 0 1 0	1 () 5 4 12	0 0 1 0	0 0	8 21 20 17	0 0 1 0
Siwa	1 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 4 13 4	0 0 0 0 0	3 4 6 13 5	0 1 2 0 0	0 0 1 0 0	19 16 24 24	4 2 -0 0
Tor	0 0	0 .	0 0	0 0	0 0	0 0	0 0	0 0	0 6	0 0	1 5		1 0	23 21	2 0

- 19 -

Table A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

JANUARY — 1968

) s	urs)	(ours)			Num	ber i		irs of					blow ted	ing f	rom	the
Station	calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	1	1	1	1	1	1	1	1	1	1	1	Į į
Sallum	10	0	0	1-10 11-27 28-47 ≥48 All speeds	19 2 0 0 21	10 0 0 0	9 0 0 0 9	11 0 0 0 11	14 0 0 0 14	11 3 0 0 14	13 1 0 0	15 17 0 0	17 80 1 0 98	32 200 14 0 246	47 145 3 0 195	38 31 1 0	236 479 19 0 734
Mersa Matruh . (A)	9	0	2	1-10 11-27 28-47 ≥48 All speeds	9 30 0 0 39	9 20 0 0 29	1 0 0 0	1 0 0 0	9 2 0 0	18 8 0 0 26	25 18 0 0 43	22 24 2 0 48	30 99 2 0 131	43 149 29 0 221	31 90 11 0 132	14 37 0 0 51	212 477 44 0 733
Alexandria (A)	3	0	0	1-10 11-27 28-47 ≥48 All speeds	5 0 0 5	23 0 0 0 23	21 0 0 0 24	26 I 0 0 27	32 2 0 0 34	21 3 0 0 24	42 10 0 0 52	97 46 2 0 145	24 91 23 0 138	13 61 5 0 79	39 60 0 99	36 55 0 0	382 329 30 0
Port Said (A)	1	1	0	1-10 11-27 28-47 ≥48 All speeds	5 0 0 0 5	24 0 0 0 24	48 I 0 0 49	20 0 0 0 20	26 1 0 0 27	42 9 0 0 51	56 48 12 0	79 95 7 0	74 61 3 0 138	53 31 0 0 84	18 15 0 0 33	14 0 0 0 14	459 261 22 0 742
Tanta	61	0	3	1-10 11-27 28-47 ≥48 All speeds	13 0 0 0 13	25 0 0 0 25	19 0 0 0 19	12 0 0 0 0	22 0 0 0 22	52 1 0 0 53	132 24 0 0 156	190 55 0 0 245	77 7 0 0 84	30 4 0 0 34	2 3 0 0 5	12 0 0 0 12	586 94 0 0 680
Cairo (A)	25	0	6	1-10 11-27 28-47 ≥48 All speeds	8 0 0 8	25 0 0 0 25	21 0 0 21	33 0 0 0 33	20 1 0 0 21	41 9 0 0 50	64 35 1 0	67 99 9 0 175	55 53 0 0	41 53 1 0 95	42 12 0 0 54	20 3 0 0 23	437 265 11 0 713
Fayoum	53	1	12	1-10 11-27 28-47 ≥48 All speeds	58 1 0 0 59	43 0 0 0 43	17 0 0 0 17	15 0 0 0 15	13 0 0 0 13	31 0 0 0 31	70 3 0 0 73	125 8 0 0 133	117 20 0 0 137	7i 10 0 0 81	44 0 0 0 44	30 2 0 0 32	634 44 0 0 678
Minya (A)	0	6	1	1-10 11-27 28-47 ≥48 All speeds	113 29 0 0 142	15 0 0 0 15	1 0 0 0	1 0 0 0	21 0 0 0	128 8 0 0 136	46 1 0 0 47	28 1 0 0 29	30 6 0 0 36	44 22 0 0 66	26 0 0	136 25 0 0 161	619 118 0 0 737

Table A 5 (contd)—NUMBER IN HOURS OF OCCURRENCE OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

JANUARY — 1968

	(£	urs)	hours)			Num	ber ir	n hou			rence:				ing fr	om t	he
Station	calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	1	1	/	105 / 1 34	135 / 164	1		1	1	1	1	<u>.</u>
Asyout (A)	16	0	2	l~10 11~27 28~47 ≥48 All speeds	13 9 0 0 22	15 0 0 0 15	16 2 0 0 18	27 0 0 0 27	31 3 0 0 34	31 2 0 0 33	12 1 0 0	9 5 0 0 14	20 15 0 0 35	184 36 0 0 229	112 57 0 0	68 58 0 0	538 188 0 0 726
Luxor (A)	14	58	0	1~10 11~27 28~47 ≥48 All speeds	71 2 0 0 73	50 0 0 0 50	22 0 0 0 22	38 0 0 0 38	33 0 0 0 33	27 0 0 0 27	89 0 0 0 8 9	41 0 0 0 41	34 0 0 0 34	70 1 0 0 71	84 13 0 0 97	90 7 0 0 97	649 23 0 0 672
Aswan (A)	34	12	2	1-10 11-27 28-47 ≥48 All speeds	2 1 0 0 3	3 0 0 0 3	9 0 0 0	48 0 0 0 48	33 4 0 0 37	17 6 0 0 23	23 9 0 0 32	3 0 0	117 33 0 0 150	187 71 2 0 260	40 36 0 0 76	12 1 0 0 13	530 164 2 0 696
Siwa	34	12	2	1-10 11-27 28-47 ≥48 All speeds	2 1 0 0 3	3 0 0 0 3	9 0 0 0 9	48 0 0 0 48	33 4 0 0 37	17 6 0 0 23	23 9 0 0 32	39 3 0 0 42	117 33 0 0 150	187 71 2 0 260	40 36 0 0 76	12 1 0 0 13	530 164 2 0 696
Dakhia	0	11	60	1-10 11-27 28-47 ≥48 All speeds	49 7 0 0 56	27 7 0 0 34	17 0 0 0 17	19 0 0 0 19	36 0 0 0 36	12 0 0 0 12	43 0 0 0 43	28 0 0 0 28	55 0 0 0 55	84 0 0 0 84	127 15 0 0 142	118 29 0 0 147	615 58 0 0 673
Kharga	31	2	7	1-10 11-27 28-47 ≥48 All speeds	129 61 0 0	45 2 0 0 47	30 0 0 0 30	9 0 0 0 9	17 0 0 0 17	10 0 0 0	12 0 0 0 12	7 0 0 0 7	10 0 0 0	49 5 0 0 54	83 12 0 0 95	168 55 0 0 223	569 135 0 0 704
Hurghada	15	O	0	1-10 11-27 28-47 ≥48 All speeds	20 70 5 0 95	20 1 0 0 21	9 0 0 0 9	5 0 0 0 5	5 0 0 5	5 0 0 0 5	3 0 0 3	6 0 0 0	6 1 0 0 7	35 0 0	12	21 153 11 0 185	239 462 28 0 729
Qusen	l	l	2	1—10 11—27 28—47 — 48 All speeds	43 49 0 0 9 2	48 0 0 0 48	6 0 0 6	8 0 0 8	8 0 0 0 8	3 0 0 0 3	5 0 0 0 5	19 2 0 0 21	45 8 0 0 53	61 0 0	110 45 0 0 155	28 74 0 0 102	501 239 0 0 740

Table B 1. UPPER AIR CLIMATOLOGICAL DATA

JANUARY - 1968

Station	Pressure Surface	Alt	itude of Pre	essure Surfac	e (gpm)		Тетре	rature (°C)		Dew P	oint (°C
Ste	(Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
	· · · · · · · · · · · · · · · · · · ·	<u> </u>	*	*	*	1		·		1	<u>, </u>
	Surface	2	1020m.b.	1023 m.b.	1017m.b.	$\frac{2}{2}$		13.5	10.5	2	7.8
, ,	1000	2	1	. 220	. 172	2	. (1.8	16.4	13.1	2	9.6
()	850	2	1557	1564	1550	2	[0], 0	12.4	7.7	1	4.8
1	700	2	3142	3144	3141] 2	0.6	1.3	0.1	1	0.1
E	600	2 2	4368	4371	4364	22	··· 6,0	- 5.2	6.8) 1	5.3
e i	500		5770	5781	5758	2	15.6	14.0	17.3	2	-21.4
- I	400	2	7414	7439	7390	- 2	27.4	25. 4	29.5	2	∄ 28.€
Mersa Matruh 0000 U.T	300	2	9416	9459	9372	2	42.8	41.4	44.3		·
°	$250 \cdot . \cdot]$	2	10622	10669	10576	2	- 51.0	-50.7	- 51.2)	1
- 19 / 1	200	2	12064	12110	12019	2	52.9	52.8	53.8	ļ.	
뒿시	150	2	13882	13921	13843) 2	61.2	-60.3	. 62.0) .	
≍)]	100	1	16319			1	67.8			1	
g } }	70	l	18480	;		1	65.7			ļ	
و	60	1	19417			1	-65.0				,
7 1	50	ì	20537			1 .	- 62.4				
11	40	<u> </u>	21926			1	59.3		*	}	
\ \	$\frac{30}{20}$	1 1	23746 26304		_	l l	56.4				
} }	$\begin{bmatrix} 20 \\ 10 \\ \end{bmatrix}$		40304		-	1	-58.7	-		}	1
					-						
1	Surface		*	*	* 1			· · · · · · · · · · · · ·		<u>'</u> I	
, }	1000	9	1001m.b.	100am,b,	997m.b.	9	11.0	16.1	\mathbf{s}, \mathbf{o}	ł	
11	850	9	157 1508	182	119	7	10.5	12.9	8.8	9	2.0
- 11	700	9	3092	1548	1478	9,	7.6	16.5	0,9	7	1.2
1 1	600	9	$\begin{array}{c} 3092 \\ 4317 \end{array}$	3155	3046	9	1.7	5.1	1.3	7	4.0
1 1	500	9	5722	4392 5802	4270	9	6,4	3.2	9.2	4	~ 5.8
_ i	4(N)	9	7377	7477	5670	9 :	14.9	13.4	- 16,6	1	19.0
⇒ } }	3 00 · · ·	9	9398	9542	7301	9	26.1	21.1	30.2	4	~ 20.0
2	250	9	10628	10797	9302	9 '	39.8	3 3.8	~ 45.2	4	30.7
ğ/l	200	8	12080	12281	10527 11984	9 :	48.0	41.7	~ 56,9		
= \ }	150	8	13872	14133		8	-55.3	49.5	- 58.0		
Helwan 0000 U.T.	100	6	16306	16648	13757 16195	8	65.3	57.1	70.1		
ق ا	70	3	18357	18410	18300	6 į	70.6	66,0	- 74.6	w	
_E	60	3	19274	19335	19217	3	-68.8	66.6	72.0	!	
11	50	3	20379	20452	20317	3	66.3	64.8	67.8		
11	40	2	21749	21835	21663	3	66.3	62.6	68,9		
11	3 0	2	23522	23646	23399	2 2 +	63.6	60.0	67.2		
1 1	2 0	1	2624 2	20070	4000	1	- 61.4 53.0	55.7	67.0		
1 1											

N =The number of cases the element has been observed during the month.

Note = No upper air observation were taken this month in Aswan at 0000 & 1200 U. T. and in Mersa Matruh & Helwan at 1200 U. T.

^{*} The atmospheric pressure corrected to the elevation of the radiosonde station.

Table B 2.-MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE.

THE HIGHEST WIND SPEED IN THE UPPER AIR

JANUARY -- 1968

					Fr	rezing le	evel							First	Tropop	ause				Highe	st wind s	pead
			Mean	-	1	lighest			Lowest			Mean	· ·		Highest			Lowest		(mdz	(; ·	nots
	Station	Altitude (gpm)	Pressure (mb.)	Dew point (2C)	Akitude (gpm)	Pressure (mb.)	Dew point (°(')	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Mitude (2p	Pressure (mb. Direction (400)*	Speed in K
		(N)	(N)	, (N)	-		: : : : : : : : : : : : : : : : : : : :	1		:	(S)	(N)	(N)					į				
	Mersa Matruh (A	3255 (2)	688 (2)	-1.2	3380	676	-1.2	3130	701		H285 (2)	22 (2)	-73 9 (2)	11300	224	53.2	11270	227	-54 6	12100	201 266	B _ 15 3
0000 U.T.	Helwan	3037 (9)	698 (9)	-14. l	3870	637	-6.8	16 00	810		14118	143 (6)	-70.3 (6)	14950	123	-71.5	13100	167	-64.6	13490	162 310) : I48 :
	Aswan (A	\ - -	=	_	-	_	_	_	and the second s		=	_	_	_		_	-		_	-		-

23

Table B 3.—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

MERSA MATRUH (A) -JANUARY 1968

									V	Vind	betwee	n ra	ınges	of di	rection	ı (00	00 - 36	D)°							E	Z S	ind
Time	Ptessure Surface (Millibar)		345 / 114		015 044		045 074	1	075 104		105 134		135 164		65 / 94		195 224		$\frac{225}{254}$		255 -/ 284		285 314	315 344	ver of Calm	Number itions (T	Scalar w
		N	! (fF)	N N	(ff)	N	(ff) m	N	(ff)	N	(ff)	Ŋ	(ff) m	N	(ff)	N	(ff)	N.	(ff)	N	! (ff) m	N	(ff)	(ff) N j m	Number	Total	Mean
0000 U.F.	Surface	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11	1 0 0 0 0 0 0 0 0 0 0	16	1 1 0 0 0 0 0 0 0 0 0	10 21 12	0 0 0 0 0 0 0 0	21	0 0 1 0 1 1 0 0 0 0 0 0 0 0	18 34	0 0 0 0 1 1 2 2 2 1 1 1 1 1	51 60 62 90 78 101 125 68 59	0 0 0 0 0 0 0	12	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	21 21 21 21 21 21 21 21 21 21	13 16 17 32 31 47 52 90 78 101 125 68 59
	30		-																					-		- ·-	-

N = The number of cases the element has been observed during the month,

TN = The total number of cases the wind has been observed for all dirictions during the month,

Table B 3.(contil.)—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES. HELWAN JANUARY 1968

				W	ind between ranges	of direction (000-	860)°			E	\\ \tau_{i}^{\hat{N}} \Big _{i}^{\text{T}}
Pressure Surface (Millibar)	315 / 014 N rff	N	045 074 (ff) N	075 / 104 X (ff) m	105 135	165 195 194 224 N (ff) N (ff m m	N	255 284 N (ff) N m 2	285 315 314 344	Number of Calm winds	Total Number Observations (T
EXT 6000	0	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	1 17 1 16 0	1 5 2 23 0 -	3 4 0 1 6 1 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0 -	0 3 22 7 43	0 - 1 4 0 1 4 2 22 1 21 0 1 61 2 25 0 1 1 29 0 1 1 30 0 1 1 68 0 1 1 129 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 7 5 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

N = The number of cases the element has been observed during the month,

TN = The total number of cases the wind has been observed for all directions during the month,

REVIEW OF AGRO-METEOROLOGICAL STATION AT EL KASR JANUARY 1968

This month was slightly cooler and less rainy than normal. The daily maximum air temperatures were slightly above normal most of the first week, and below normal most of the rest of the month. The month was characterized in particular by a pronounced cold wave during the period (12th - 16th) yeilding the lowest maximum air temperature for the month (10.9°C) and the maximum amount of rainfall in one day (9.2 mms.) on the 14th.

The extreme maximum soil temperatures were lower than the corresponding values of last January at depths between 2 & 20 cms and the differences ranged between 1.6°C at 5cms depth & 0.3°C at 20 cms. At depths between 50 & 100 cms., the extreme soil maxima were higher than last January, and the differences ranged between 0.7 & 0.1°C. The extreme minimum soil temperatures were higher than the corresponding values of last January at depths between 2 & 10 cms. and also at 100 cms depth, and the differences ranged between 1.2°C at 5 cms depth & 0.2°C at both 10 & 100 cms, depths. At 20 & 50 cms depths the extreme soil minima were lower than last January, and the differences ranged between 0.2° and 0.5°C.

The mean daily pan evaporation was 0.09 mms, less than the corresponding value of January 1967. The total actual duration of bright sunshine was 45.3 hours less than the corresponding value of January 1967.

REVIEW OF AGRO-METEOROLOGICAL STATION AT TAHRIR JANUARY 1968

Compared with last January, this month was slightly warmer and more rainy. The daily maximum air temperatures were slightly above normal during the first three days of the month and on the 20th, and below normal during the rest of the month. The month was characterized by two pronounced cold waves during the periods (12th-16th) and (27th - 31st). The first cold wave was the most pronounced and yielded the lowest maximum air temperature for the month (11.5°C) on the 15th.

The extreme maximum soil temperatures were higher than the corresponding values of last January at all depths between 2 & 50 and the differences ranged between 0.1.°C at 2 cms depth and 1.1°C at both 10 & 20 cms. At 100 cms depth the extreme maximum soil temperature was 0.4°C lower than last January. The extreme minimum soil temperatures were also higher than last January at all depths between 2 and 50 cms, and the differences ranged between 2.1°C at 2 cms and 0.6°C at 50 cms. At 100 cms depth the extreme minimum soil temperature was 0.4°C lower than last January.

The mean daily pan evaporation was 1.22 mms, more than the corresponding value of January 1967. The total actual duration of bright sunshine was 16.4 hours less than the corresponding value of January 1967.

REVIEW OF AGRO-METEOROLOGICAL STATION AT BAHTIM JANUARY 1968

This month was cooler and more rainy than normal. The daily maximum air temperatures at 1.5 metres above ground were slightly above normal on the 2nd and 31d only, and below normal during the rest of the month. The month was characterized in particular by two pronounced cold waves during the periods (12th - 16th) and 29th - 31st) respectively. The first cold wave was associated with the lowest maximum air temperature for the month (12.4°C) on the 15th.

The second cold wave was associated with the lowest minimum air temperature for the month (0°C) and the maximum amount of rainfall in one day (4.3 mms.) on the 30th. The minimum air temperature at 5 cms above ground fell below 0°C on five days. Its values on their five days are given in the following table:

Date	11	22	23	29	30
Minimum air temperature	1.60	-1.7	-0.2	-1.8	-3.6
at 5 cms above ground (°C)					

REVIEW OF AGRO - METEOROLOGICAL STATION AT KHARGA JANUARY 1963

This month was slightly cooler than normal and rainless. The month was characterized by a warm period from the 1st till the 5th and three cold waves during the periods: (10th - 11th), (13th - 18th) & (24th - 31st). The second cold wave was the most pronounced and yielded the lowest maximum air temperature for the month (13.6°C) on the 15th.

The extreme maximum soil temperatures were higher than the corresponding values of last January at all depths between 2 & 50 cms., and the differences ranged between 4.5°C at 2 cms. depth & 1.0°C at 50 cms. At 100 cms. depth the value was slightly (0.4°C) lower than last January. The extreme minimum soil temperatures were higher than the corresponding values of last January at 25 & 50 cms. depths and the differences ranged between 0.2°C & 0.6°C. At 10, 20 & 100 cms. depths the extreme soil minima were lower than last January, and the differences ranged between 1.1°C at 10 cms. depth & 0.1°C at 100 cms.

The mean daily pan evaporation was 0.12 mms. more than the corresponding value of January 1967. The total actual duration of bright sunshine was 24.1 hours less than the corresponding value of January, 1967.

Table C1.—AIR TEMPERATURE AT 12 METRES ABOVE GROUND JANUARY 1968

		Air Te	mperati	gre (°C)		Mean Duration in hours of daily air temperature above the following values												
STATION	Mean Max.	Mean Min.	of the	Night time mean	time	- 5°C	, orc	5°C	10°C {	15°C ,	20°C	! 25°C	30°C	35°C	40°C	45°		
El Kasr	17.1	7.8	12.2	10.4	14.0	24 0	24.0	24.0	16.8	5.4	0.1	. 0.0	0,0	0.0	0.0	O.		
Tahrir	18.3	6.6	11.8	9.5	14.2	24.0	24.0	23.1	14.3	6.7	0.1	0.0	0.0	0.0	0.0	0.		
Bahtim	17.9	5.3	11.0	8.5	13.6	24 0	24 0	21.9	13.3	4.9	0.3	0.0	0.0	0.0	0.0	0		
Kharga	21.2	5.0	13.2	10.1	16.4	24.0	24.0	21.9	16-6	9.4	2.9	i 0.3	0.0	0.0	0.0	0.		
			: i	!	:					:		1						

Table C 2.— ABSOLUTE VALUES OF AIR TEMPERATURE AT 12 METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS.

JANUARY 1968

	Max.	Temp. at	1½ metres	(°C)	Min.	Temp. at	11 metre	Min. Temp. at 5 cms. ahove (°C)					
STATION	Highest		Lowest		Highest		Lov	rest	Dry	soil	Gira	185	
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	
El Kasr	20.8	2	10.9	14	13.0	2	4.1	11	0.4	22			
Tahrir	22.3	2	11.5	15	13.4	3	2.9	30	0.6	30	;		
Bahtim	22.2	2	12.4	15	11.4	3	0.0	30	3.6	3 0		<u> </u>	
Kharga	27.6	3	13.6	15	13.8	4	0.1	11.16	2.6	14	*	:	
	ŀ						:						

Table C 3.—(SOLAR+SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY, VAPOUR PRESSURE AT 1½ METRES ABOVE GROUND, EVAPORATION & RAINFALL

JANUARY 1968

	y) Radia- oal/cm²	Durati Sunsh	Relative Humidity %					Vap	our pr	essure	(mms)	Eva _j tion(pora mms)	Rai	infall (ı	nms		
STATION	(Solar+Sky) I tion gm. oal	Total Actual monthly	Total Possible monthly	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 U.T.	Highest	Date	Lowest	Date	Piche	Pan class A	Total Amou- nt Monthly	Max. Fall in one day	. Pater
					Ī						. 1								
El Kasr	291.4	214.5	320.7	67	66	54	13	28	7.4	8.1	11.1	26	3.8	28	7.0	6.57	18.4	9.2	1
Tahrir	286.6	218.3	322.7	68	69	53	25	13	7.0	: : 7.7	11.4	1	2.4	13	5.4	4.53	5.6	2.8	3
Bahtim		217.0	324.1	67	67	51	28	12	6.5	. 7.3	11.0	3	2.4	13	5.0	4.20	5.5	4.3	3
Kharga	324 . 1	294.6	333.8	! 88	41	27	111	3	4:5	!		19	1	13,14		6.72		!	
				30,	''	!		."	'."				2.2	1.,,1.4	"."	0.72		.,.0	!

Table C 4. EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS
IN DIFFERENT FIELDS (cms)

JANUARY -- 1968

STATION	est (H)	Extr		temperatu ifferent de _l		•	field	Extreme soil temperature (°C) in grass field at different depths (cms·)								
	Highest Lowest	2	5 10	20 50 	100	200	300	2 : 5	10	20	50	100	200	300		
El Kasr	H L			19.0 17.5 11.3 14.1		19.4 18.8					_					
Tahrir	H L			$17.8 17.2 \\ 10.8 13.4$		21.5 19.3	23.1 21.4		_	_	_ _	<u>-</u>		=		
Bahtim	H L			18.4 19.4 14.2 17.0			<u> </u>			_	_			_		
Kharga	H L			21.0 21.8 14.6 19.2			28.6 27.5		-		_	_ _		_		

Table C 5. SURFACE WIND

JANUARY -1968

		l Speed m t 2 metres			Days w	ith surface	wind spe	eed at 10	metres		Max, Gus at 10 : value 44 41 31	st (knots) metres	
STATION	Mean of the day	Night time mean	Day time mean	≥10 knots	≥15 konts	≥20 knots	≥25 knots	≥30 knots	≥35 knots	≥40 knots	value	Date	
TO T			1			i	!						
El Kasr	3.9	3.4	4.5	-	-			_	_	-	-		
Tahrir	2.6	2 0	3 3	28	20	12	9	2			44	14	
Bahtim	2.9	2.4	3 4	26	19	12	7	3	_	_	41	13	
Kharga	2.7	1.9	3 4	21	14	3	1	0	0	0	31	24	
					:			ļ					



MONTHLY WEATHER REPORT

OLUME 11

NUMBER 2

FEBRUARY, 1968

.D.C. 551, 506,1 (62)

METEOROLOGICAL DEPARTMENT
C A I R O

PUBLICATIONS OF THE METEOROLOGICAL DEPARTMENT OF THE UNITED ARAB REPUBLIC—CAIRO

In fulfilment of its duties as the National Meteorological service for the U.A.R., the Meteorological Department issues several reports and publications on weather, climate and agrometeorology. The principal publications are described on this page.

Orders for publications should be adressed to:

"The Director General, Meteorological Department, Kubri-el-Qubbeh-CAIRO"

THE DAILY WEATHER REPORT

This report is printed daily in the Meteorological Department. It contains surface and upper air observations carried by the relevant networks of the Republic and made at the four main synoptic hours of observations (00, 06, 12 and 18 U.T.); as well as ship observations over the Eastern Mediterranean and north Red Sea made at the same times.

It also contains two surface synoptic charts at 00 and 12 U.T. and two upper air charts for the standard isobaric surfaces 700 & 500 mbs. at both 00 and 12 U.T. In compliance with resolution 8 (EC-XIII) of WMO, foreign upper air data included in Cairo Subregional Broadcast are also given in this report.

As from January 1968, the daily weather report contents are pressed into a rather less but representative selection of synoptic weather observations and charts.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for U.A.R.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of the U.A.R. as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

The normals, long averages and statistical data are given in one edition for stations in Egypt from the date of opening of each station up to 1945. A new voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.



MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 2

FEBRUARY, 1968

U.D.C. 551, 506,1 (62)

CONTENTS

		PAGE
	Genral Summary of Weather Conditions	1-2
	SURFACE DATA	
Table	A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	3
,,	A2.—Maximum and Minimum Air Temperatures	4
,,	A3.—Sky Cover and Rainfall	5
,,	A4.—Number of Days of Occurrence of Miscellaneous Weather Phenomens	6
,,	A.5—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	7,8
	UPPER AIR DATA	
Table	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surfaces	9
"	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	9
***	B3.—Number of Occurrences of Wind Direction Within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	9
	AGRO-METEOROLOGICAL DATA	
7 0.11	Reviews of Agro-meteorological stations	10,11
Table	C1.—Air Temperature at 1½ Metres Above Ground	12
"	C2.—Absolute Values, of Air Temperature at 1½ Metres Above Ground, Absolute Minimum Air Temperature at 5 Cms Above Ground Over Different Fields	12
"	C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ Metres Above Ground, Evaporation and Rainfall	12
,,	C4.—Extreme Soil Temperature at Different Depths in Different Fields	13
,,	C5.—Surface wind	13

GENERAL SUMMARY OF WEATHER CONDITIONS

FEBRUARY 1968

Generally cold with pronounced deficient rain. Widespread sandstorms on the 29th. Early morning low stratus & fog over Delta. Canal and Cairo areas.

GENERAL DESCRIPTION OF WEATHER

The prevailing weather this month was generally humid, cold in the northern & central parts and rather mild in the southern parts. The country enjoyed three warm periods, the last of which was the most pronounced.

Rain was light and fell in few days over the northern parts and its monthly total was subnormal and pronouncedly deficient.

Widespread rising sand and scattered sandstorms were reported by the passage of a deep frontal depression through East Mediterranean on the 29th. Scattered early morning mist and fog developed during several days over Delta, Canal & Cairo areas.

PRESSURE DISTRIBUTION

The most important features of pressure distribution during this month were:

- The Siberian anticyclone and its southwest extension to East Mediterranean.
 - The Atlantic anticyclone.
- Deep low pressure systems through North Europe.
- Secondary depressions through the Mediterranean and its vicinities.

During this month, four secondary depressions were distinguished.

The first secondary Mediterranean depression developed south of Tunisia on the 4th, moved north - eastwards to Central Mediterranean on the 5th and then continued its track eastwards passing through East Mediterranean on the 7th.

The second Mediterranean depression was observed over Italy on the 12th, moved southeastwards on the 13th, then continued its motion eastwards and passed through East Mediterranean on the 14th.

The third secondary Mediterranean depression formed over Central Mediterranean on the 16th, then moved northeastwards while deepening and its southern trough traversed East Mediterranean & U.A.R. on the 18th.

The last secondary depression during this month developed over West Mediterranean on the 25th, moved slowly eastwards and passed through East Mediterranean while deepening appreciably on the 29th.

As a result of the transit of these four secondary depressions through East Mediterranean, the barometric pressure in U.A.R. showed consecutive falls round the periods: (5th - 7th), (11th - 14th), (16th - 18th) & (25th - 29th).

During the rest periods of the month, the barometric pressure experienced rises when the Siberian anticyclone extended southwestwards to East Mediterranean, or when local high pressure established over East Mediterranean and NE Africa areas.

The most important features of pressure distribution over the 700 & 500 mb. upper air charts were.

- Two deep upper low pressure systems, one over North Atlantic and the other over North Urasia.
- Secondary upper lows (or troughs) through middle latitudes between 30° & 45°N, passing through East Mediterranean & U.A.R. on the 7th, 13th & 19th.
- Upper high pressure system south of latitude 30°N.

SURFACE WIND

Surface winds during this month were generally light to moderate and blew from the NE to SE directions in advance of the travelling Mediterranean depressions, from the SWly by their passages through East Mediterranean and from the NW in their rears. Winds became fresh to strong over scattered localities during few days, mainly by the passage of cold fronts.

Gales were reported at Sallum, Sidi Barrani, El Kasr, Mersa Matruh, Ras El Hikma and Dabaa on the 29th and over Cairo on the 19th & 29th.

TEMPERATURE

Maximum temperature was moderately below normal during the cold waves which prevailed most days of the month, and showed moderate to appreciable rises above normal during warm spells which were enjoyed round the periods (12th - 13th), (16th - 18th) & (26th-29th). Maximum air temperature values ranged generally between 16°C & 22°C in the northern parts, between 18°C & 25 °C in the central parts and between 22°C & 30°C in the southern parts.

The absolute maximum air temperature was 35.4°C reported at Nag Hammadi on the 29th.

Minimum temperature showed less variability than maximum temperature. It oscillated moderately round normal in general in the northern & southern parts and moderately below normal in the central parts. Minimum air temperature values ranged most days of the month between 6°C & 13°C in the northern & southern parts and between 0°C & 8°C in the central parts.

The absolute minimum air temperature was-3.8°C reported at Dakhla on the 3rd.

PRECIPITATION

Light rain fell during few days over scattered localities in the Mediterranean district and extended sometimes to few localities in Lower Egypt and Cairo.

For the month as a whole the monthly rainfall was subnormal and deficient particularly over the Mediterranean district

The highest daily rainfall was 13.5 mms reported at Ras El Teen on the 10th.

The highest monthly rainfall was 21.9 mms reported at Ras El Teen.

M. F. TAHA
Under Secretary of State
Director General
Meteorological Department

Table A 1.—MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION FEBRUARY --- 1968

		ospheric				Air T	emperatu	ire °C				Rel	ative	Brig	ght Sunshi	ine	mm8.
~		re (mbs) S.L.	Ma	x imum	Mir	nimum		Dry	Bulh	Wet	Bulb	Humi	dity %	Dura	ation (Hot	ırs)	
STATION	Mean	D.F. Normal or Average	(A) Mean	D.F.Normal or Average	(B) Mean	D.F. Normal or Average	$\frac{A+B}{2}$	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Total Actual	Total Possible	%	Piche Evaporation
Sallum	1016.9 1017.6 1017.8 1017.3	-0.4 +0.5 +0.6 +0.4	20.1 19.2 19.3 18.4	+0.4 +0.4 +0.1 -0.2	11.0 8.6 8.9 11.8	+1.3 +0.2 -0.6 -0.2 -	15.5 13.9 14.1 15.1	15.2 13.7 13.9 14.7	+0.6 +0.3 -0.3 -0.1	10.7 10.0 10.7 11.6	+0.2 -0.8 -0.5 -0.4	53 59 65 67 —	- I - 4 - 3 - 2 -	231.5 237.3 —	322.0 322.0 —	72 74 —	£
lanta	1017.2	-0.1	20.5	-0.4	7.2	+0.6	13.8	13.2	+0.4	9.9	0.0	63	-3	243.4	322.4	75	4
Cairo (A)	1017.5	+0.1	20.7	+0.1	9.0	-0.4	14.8	14.7	-0.1	9.9	-0.6	51	4	-		_	12
Fayoum (A) Minys (A) Assyout (A) Luxor (A)	1017.6 1017.3 1016.6 1016.3	-0.1 +0.1 +0.5 +0.7	22.3 23.0 22.5 25.2 25.9	+0.3 +0.6 -0.1 0.0 +0.1	4.9 4.0 7.2 6.2 9.0	-2.5 -1.2 -0.3 -0.5 -0.2	13.6 13.5 14.8 15.7 17.4	13.1 14.6 15.7 17.4	$ \begin{array}{c c} -0.2 \\ -0.5 \\ -0.2 \\ -0.1 \end{array} $	8.5 9.2 9.8 9.3	$ \begin{array}{c c} -0.4 \\ 0.0 \\ -0.2 \\ +0.3 \end{array} $	49 44 41 26	- 4 + 3 - 1 + 2	281.3	323.2	87 —	4 5 9 6 11
iwa	1017.4 1018.0 1019.1 1017.8 1017.3	$ \begin{array}{c} -0.3 \\ +0.9 \\ -0.4 \\ -0.2 \\ +0.3 \end{array} $	22.3 22.2 22.6 24.1 24.6	+0.6 0.0 +0.2 +0.4 +0.2	6.1 6.1 4.7 4.5 6.1	+0.4 -0.2 -0.7 -1.2 -1.0	14.2 14.2 13.6 14.3 15.3	14.0 14.1 13.5 13.8 16.0	+0.1 +0.4 -0.5 +0.2 +0.8	8.8 8.3 6.1 7.6 8.4	$\begin{vmatrix} +0.2 \\ -0.1 \\ -1.3 \\ +0.4 \\ -0.3 \end{vmatrix}$	45 39 35 35 33	+ 1 - 5 - 5 + 3 - 5	301.1	327.6	92	8 7 9 8 10
	 1016.2 1016.7	+0.6 +1.0	21.4 22.0		9.3 12.8	-0.6 -1.5	15.3 17.4	15.8 17.8	-0.7 -0.5	11.1 12.6	$\begin{bmatrix} -0.1 \\ +0.2 \end{bmatrix}$	 53 51	+ 5 + 6	<u>-</u> -	-	<u>-</u>	10

၂ ယ

Table A 2.—MAXIMUM AND MINIMUM AIR TEMPERATURES

FEBRUARY - 1968

			Maxin	mum Ten	nperatur	e °C	_			Grass Te	Min. mp.			Minimu	т Тетре	rature °	C		
Station	Higheat	Dave	Lowest	Date	Ns	of Day	ys with	Max-To	emp.	Mean	From Normal	Highest	Date	Lowest	Date	No		nys with Temp.	1
	H		I		>25	>30	>35	>40	>45		Dev. Fr	H		Ä		<10	<5	<0	<-5
Sallum (A) Mersa Matruh (A) Alexandria (A) Port Said (A) El Arish Ghazza	28.5	28 28 28 29 —	15.4 14.8 15.8 14.1	20 20 21 1	5 4 2 2 2	0 0 0 -	0 0 0 0	0 0 0	0 0 0	10.4 — — 11.1 —		16.0 13.6 12.5 17.4	17 28 14 29	7.8 2.8 6.0 6.8	20 22 12.16 1	11 22 23 5	0 1 0 0 -	0 0 0 -	0 0 0 0 -
Tanta	29.7	28	15.6	1	3	0	0	0	0	-		13.1	29	4.3	12	24	4	o	0
Cairo (A)	28.7	28	15.4	21	4	0	0	0	0		_	18. 6	29	5.9	22	20	0	o	0
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Aswan (A)		28 28 29 29 29	17.1 17.2 15.7 17.2 17.2	1 1 1 1 1	7 8 7 14 18	0 0 2 3 5	0 0 0 0	0 0 0 0	0 0 0 0	3.4 2.2 6.4 2.5		9.9 9.0 16.7 11.4 14.8	29 29 29 19 29	0.8 0.1 1.7 1.7 3.6	2 2 2 2 2 2	29 29 25 27 17	14 18 6 8 3	0 0 0 0	0 0 0 0
Siwa	32.4 30.1 31.0 32.2 34.6	17 28 28 28 28 29	17.1 16.8 17.2 16.7 17.4	1 1,2 1,2	4 5 6 11 14	2 1 2 2 3	0 0 0	0 0 0 0	0 0 0 0	4.0 4.2 4.5 — 3.6		13.0 15.5 11.9 12.4 11.5	18 29 29 29 29 19	2.0 -0.1 -1.3 -3.8 0.2	3,5 2 3 3 3	25 26 27 28 25	11 10 19 20 8	0 1 2 4 0	0 0 0 0
Tor Hurghada Quseir	25.0 27.6	27 14	16.6 17.9	1 2	0 3	0	0 0	0	- 0 0	8.6 11.9		17.8 16.0	29 19	5.6 8.8		20 1	0	0	0 0

Table A 3.—SKY COVER AND RAINFALL

FEBRUARY — 1968

		Mean	Sky Cov	er Oct						Rainfa	ll mms					
Station	00	06	12	18	Daily	Total	Dev. From	in on	. Fall e day		Numb	er of Day	s With A	mount of	Rain	
	U.T.	U.T.	U.T.	U.T.	Mean	Amount	Normal	Amount	Date	< 0.1	≥ 0.1	≥ 1.0	≥ 5.0	≥ 10	≥ 25	> 50
allum (A) lersa Matruh . (A) lexandria (A) ort Said (A) il Arish	2.7 2.9 3.1	4.0 4.6 5.4 3.0	4.0 4.5 5.2 3.7	2.5 2.8 3.2 —	2.7 3.5 4.0	0.5 4.0 5.0 0.6	-11.0 -13.7 -26.3 -11.4	0.2 2.6 2.4 0.5	8,9 20 9 20 —	2 0 2 3	3 4 3 2	0 1 2 0 -	0 0 0 0 0	0 0 0 0 1 3	0 0 0 0 0	0 0 0 0
anta (A)	1.1	1.9	4.1	1.3	2.0	0.2	- 7.7 - 4.7	0.2	20	0	1	0	0	0	0	0
Syoum (A) Syout (A) Syout (A) Swan (A)		1.8 1.3 0.5 0.7 0.5	3.8 2.5 1.3 1.2	2.0 0.8 1.1 1.4 0.8	1.2 0.7 0.9 0.6	tr. 0.0 0.0 0.0	- 1.4 - 1.2 - 0.3 - 0.2 0.0	tr. 0.0 0.0 0.0 0.0	1 	1 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0	
iwa	0.8 0.5 	1.5 1.3 4.1 0.0 0.5	2.4 2.7 1.9 0.8 0.9	1.2 0.9 1.1 0.4 0.7	1.5 1.3 - 9.6 0.6	tr. 0.0 0.0 0.0 0.0	- 2.5 - 1.2 - tr. - 0.3 - 0.3	tr. 0.0 0.0 0.0 0.0	6 	1 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	000000000000000000000000000000000000000
or;	0.4 0.4	0.9 1.0	1.9 1.6	1.3 1.3	 1.1 1.1	0.0 0.0	tr.	0.0 0.0		0 0	0	 0 0	- 0 0	0 0	_ 0 0	

5

Table A 4.—DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA FEBRUARY — 1968

		Precip	itation				netres			70	SE SE	rm es			
Sta tion	Rain	Snow	Ice. Pellets	Hail	Frost	Thunderstorm	Mist Vis > 1000 metres	ing Vis <1000 Metres	Haze Vis ≥1000 Metres	Thick Haze Vis <1000 Metres	Dust or Sandrising Vis >1000 Metres	Dust or Sandstorm Vis <1000 Metres	Gale	Clear Sky	Cloudy Sky
Sallum	3 4 3 2	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 -	0 2 5 0	0 0 3 0	0 0 0 -	0 0 0	5 5 2 2 	1 1 1 1	1 1 0 0	7 5 3 —	1 2 1
Tanta	Ī	0	0	0	0	0	3	3	0)	0	ø	0	17	0
Cairo (A)	0	0	0	0	0	0	5	I	6	ì	3	2	2	8	1
Fayoum (A) Assyout (A) Luxor (A) Aswan (A)	0 0 0 0	0 0 0 0	0 0 0 0 9	0 0 0 0	0 0 0 0 0	0 0 0 0	0 5 0 0 0	0 0 0 0	0 1 0 1 0	0 0 0 0	0 0 0 2 6	0 0 1 0 0	0 0 0 0	19 26 23 24	 0 0 0
Siwa. Bahariya. Farafra. Dakhla. Kharge.	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 1 0	0 0 3 2 0	0 0 0 0	1 1 2 4 2	0 0 0 0	0 0 0 0	20 22 — 15 27	0 0 0
Tor	0 0	0 0	0 0	 0 0	- 0 0	- 0 0	- 0 0	- 0 0	0 0	0 0	0 0		- 0 0	23 24	0 0

Table A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

FEBRUARY — 1968

	rs)	urs)	nours)			Num	ber i		ırs of range						ing fr	om th	e
Station	('alm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	1	1	045 / 074	1	1	135 / 164	165 / 194	195 / 224	1/	255 / 284	1	315 / 344	All directions
Sallum	34	0	0	1—10 11—27 28—47 ≥ 48 All speeds	25 0 0 0 25	36 0 0 0 36	46 1 0 0 47	32 3 0 0 35	36 2 0 0 38	31 4 0 0 35	13 0 0 0 13	11 18 0 0 29	15 36 0 0 51	34 72 7 0	86 67 0 0	67 20 0 0 87	432 223 7 0 662
Mersa Matruh (A)	9	1	ι	110 1127 2847 ≥ 48 All speeds	25 39 0 0 64	35 23 0 0 58	14 6 0 0	28 4 0 0 32	14 17 0 0 31	26 16 0 0 42	48 26 0 0 74	18 29 2 0 49	28 62 2 0 92	48 34 5 0 87	38 28 5 0 71	14 51 0 0 65	336 335 14 0 685
Alexandria (A)	4	0	0	1—10 11—27 28—47 ≥ 48 All Speeds	39 16 0 0 55	66 11 0 0 77	62 7 0 0 69	34 0 0 0 34	72 0 0 0 72	40 0 0 0 40	21 4 0 0 25	39 11 0 0 50	15 26 0 0 41	17 25 0 0 42	54 40 0 0 94	65 28 0 0 93	524 168 0 0 692
Port Said (A)	4	θ	0	1—10 11—27 28—47 > 48 All speeds	93 39 0 0 132	99 10 0 0	55 0 0 0 55	38 2 0 0 40	30 4 0 0 34	21 17 0 0 38	15 19 0 0 34	27 34 0 0 61	51 39 0 0 90	42 31 0 0 73	4 6 0 10	8 0 0 16	483 209 0 0
Tanta	58	0	2	1—10 11—27 28—47 ≥ 48 All speeds	52 7 0 0 59	75 0 0 0 75	27 0 0 0 0	36 0 0 0 36	24 0 0 0 0	33 0 0 0 33	45 9 0 0 54	102 13 0 0 115	63 2 0 0 65	46 4 0 0 50	53 5 0 0 58	38 2 0 0 40	594 42 0 0 636
Cairo	41	3	17	1—10 11—27 28—47 > 48 All speeds	23 2 0 0 25	53 38 0 0 91	43 11 0 0 54	45 1 0 0 46	30 3 0 0 33	32 20 0 0 52	27 16 2 0 45	33 22 3 0 58	4) 19 2 0 61	42 11 0 0 53	44 12 0 0 56	53 8 0 0	435 163 7 0 635
Fayoum (A)	32	0	7	1—10 11—27 28—47 > 48 All speeds	83 0 0 0 83	154 12 0 0 166	28 0 0 0 28	14 0 0 0 14	7 0 0 0 0 7	54 0 0 0 54	42 1 0 0 43	48 7 0 0 55	68 12 0 0 80	42 0 0 42	25 0 0 0 25	59 1 0 0	624 33 0 0 657
Minya	20	3	26	1—10 11—27 28—47 ≥ 48 Ali speeds	19.0 49 0 0 0 239	1 0 0 0	3 0 0 0 3	3 0 0 0 3	14 0 0 0 14	96 2 0 0 98	27 4 0 0 31	11 1 0 0 12	20 4 0 0 24	17 1 0 0 18	40 6 0 0 46	143 15 0 0 158	565 82 0 0 647

Table A 5. (contd.)—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

FEBRUARY — 1968

	(8)	118)	ours)		N	Iumb	er in				ences rection				g fro	m the	·····
Station	Calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	015 / 044	045 074	17	105 / 134	1	165 / 194	1	225 / 254	255 / 284	285 / 314	315 / 344	All directions
Asyout (A(14	3	5	1—10 11—27 28—47 ≥ 48 All speeds	22 1 0 0 23	8 1 0 0 9	18 1 0 0 19	13 0 0 0 13	20 10 0 0 30	21 21 1 0 43	5 8 0 0 13	4 6 0 0	29 3 0 0 32	190 24 0 0 214	116 60 0 0	45 47 0 0 92	491 182 1 0 674
Luxor (A)	5	1	0	110 1127 2847 ≥ 48 All speeds	50 0 0 0 50	54 0 0 0 54	43 0 0 0 43	45 0 0 0 45	33 0 0 0 33	44 0 0 0 44	85 4 0 0 89	30 0 0 0 30	35 0 0 0 35	93 0 0 0 93	71 5 0 0 76	94 4 0 0 98	677 13 0 0 690
Aswan (A)	20	0	0	1—10 11—27 28—47 ≥ 48 All speeds	205 80 0 0 285	149 53 0 0 202	26 1 0 0 27	2 0 0 0 2	2 0 0 0 2	13 1 0 0 14	17 5 0 0 22	5 0 0 0 5	6 0 0 0 6	10 0 0 0	11 5 0 0 16	43 42 0 0 85	489 187 0 0 676
Siwa	0	7	35	1—10 11—27 28—47 ≥ 48 All speeds	13 2 0 0 15	10 1 0 0	49 0 0 0 49	78 8 0 0 86	53 15 0 0 68	36 1 0 0 37	34 18 0 0 52	43 9 0 0 52	68 13 2 0 83	96 24 0 0 120	32 10 0 0 42	33 6 0 0 39	545 107 2 0 654
Dakhla	0	0	39	1—10 11—27 28—47 ≥ 48 All speeds	61 14 0 0 75	20 0 0 0 20	0 0	41 1 0 0 42	34 0 0 0 34	26 0 0 0 26	59 0 0 0 59	45 0 0 0 45	25 0 0 0 25	45 1 0 0 46	85 11 0 0 96	126 22 0 0 148	608 49 0 0 657
Kharga	25	11	5	1—10 11—27 28—47 ≥ 48 All speeds	142 40 0 182	0 0	0 0		0 0	13 1 0 0 14	0 0	9 0 0 0	11 4 0 0 15	23 1 0 0 24	67 6 0 0 73	167 42 0 0 209	557 98 0 0 655
Hurghada	13	1	6	110 1127 2847 ≥ 48 Ad speads	13 86 3 0 102	0	0 0	3 0 0	6 0 0	32 0 0	1 0 0	2 0 0 0 2	8 0 0 0 8	26 45 0 0 71	79 152 0 0 231	15 106 13 0 134	210 450 16 0 676
Quseir	0	0	17	1—10 11—27 28—47 ≥ 48 All speeds	55 61 0 0	0 0	0 0	0 0	3 0 0	3 0 0	0 0	19 0 0 0 19	24 1 0 0 25	153 12 0 0 165	68 96 0 0 164	19 73 0 0 93	430 249 0 0

UPPER AIR CLIMATOLOGICAL DATA

FEBRUARY-1968

Note: Climatological upper air data for Mersa Matruh. Helwan & Aswan upper air stations are missing since number of days of release of radiosonde sets at these stations (11 days or less) are less than the permissible number needed for calculating or processing monthly values.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR FEBRUARY 1968

This month was slightly warmer and appreciably less rainy than normal. Two cold spells occurred during the periods: (1st-2nd), (6th-7th) and a cold wave during the period (20th - 25th). The cold wave yielded the lowest maximum air temperature for the month (14.6C), the highest daily rainfall amount (0.8mm) on the 20th and the lowest minimum air temperature for the month (3.8°C) on the 22nd. Warm weather was experienced during the periods: (12th - 13th), (16th - 18th) and (26th - 28th). The last warm period was the most pronounced, it yielded both the highest maximum air temperature for the month (28.5°C) and the highest minimum air temperature (12.0°C) on the 28th.

The extreme maximum soil temperatures were higher than the corresponding values of last February at all depths between 2 and 100 cms. and the differences ranged between 4.8°C at 2cms and 0.3°C at 100 cms. The extreme minimum soil temperatures were also higher than the corresponding values of last February at all depths between 2 and 100 cms. and the differences ranged between 1.9°C at 2cms. and 0.1°C at 100 cms.

The mean daily Pan evaporation was 1.65 mms, more than the corresponding value of February 1967. The mean daily actual duration of bright sunshine was 0.5 hour more than the corresponding value of February 1967.

TAHRIR-FEBRUARY 1968

Compared with last February, this month was slightly warmer and less rainy. The month was characterized by three cold spells during the period (1st - 2nd), on the 6th & 10th respectively and a cold wave during the period (20th - 24th). Warm weather was experienced on the 13th and during the periods (16th - 18th) & (26th - 29th).

The extreme maximum soil temperatures were higher than the corresponding value of last February at all depths between 2 and 100 cms and the differences ranged between 6.9°C at 2 cms & 0.1°C at 100 cms. The extreme minimum soil temperatures were lower than the corresponding values of last February at all depths between 2 and 100 cms. and the differences ranged between 1.1°C at 5 cms and 0.4°C at 20 cms.

The mean daily Pan evaporation was 0.85 mm. more than the corresponding value of February 1967.

BAHTIM-FEBRUARY 1968

Compared with last February, this month was slightly warmer, more humid and rainless. The month was characterized by three variant cold waves during the periods (lst - 2nd), (9th - 10th) and (20th - 25th), the third wave was the most pronounced. Warm weather was experienced on the 13th and during the periods: (15th - 19th) and (27th - 29th).

The minimum air temperature at 5 cms above dry soil fell below 0°C on 6 days. Its values on these days are given in the following table:

Minimum air temperature below 0°C at 5 cms above dry soil.

Min. (°C): -1.3 -0.4 -2.8 -2.5 -1.6 -0.5 Date: 2 11 22 23 24 26

The extreme maximum soil temperature at 2 cms depth was 3.0°C lower than the corresponding value of last February. At all other depths between 5 and 100 cms. the values were higher than last February and the differences ranged between 0.5°C at 10 cms depth and 2.0°C at 50 cms. The extreme minimum soil temperatures were lower than the corresponding values of last February at 2 and 5 cms depths, and the differences were 1.2°C and 1.1°C respectively. At other depths between 10 and 100 cms, the values were higher than last February and the differences ranged between 0.1°C at 10 cms depth and 2.3°C at 50 cms.

The mean daily Piche evaporatin was 0.3 mm. less than the corresponding value of February 1967. The mean daily duration of bright sunshine was 0.9 hour more than the corresponding value of February 1967.

KHARGA -FEBRUARY 1968

This month was slightly warmer than normal and rainless. The month was characterized by three cold waves during the periods: (1st - 4th), (8th - 12th) and (21st - 22nd) and a cold spell on the 25th. A warm spell occurred on the 6th and two heat waves during the periods: (17th-18th) and (26th - 29th).

The extreme maximum soil temperatures were higher than the corresponding values of last February at all depths between 2 and 50 cms, but at 100 cms depth the values were the same. The differences ranged between 4.7°C at 2 cms and 0.7°C at 50 cms. The extreme minimum soil temperatures were lower than the corresponding values of last February at all depths between 2 and 100 cms except at 50 cms depth where the values were the same. The differences ranged between 1.2°C at 2.cms and 0.3°C at 10 cms.

The mean daily Pan evaporation was 0.64 mm less than the corresponding value of February 1967. The mean daily actual duration of bright sunshine was 0.5 hour more than the corresponding value of February 1967.

Table C 1.—AIR TEMPERATURE AT 1½ METRES ABOVE GROUND FEBRUARY — 1968

		Air Te	mperatu	re (°C)				Mean		n in ho				rature		
STATION	Mean Max.	Mean Min.	Mean of the day	Night time mean	Day time mean	−5°C	0°C	5°C	10°C	15°C	20°C	25°C	30°C	35°C	40° C	45°
El Kasr	19.3	8.2	13.7	11.5	15.5	24.0	24.0	23.8	19.6	7.7	1.4	0.3	0.0	0.0	0.0	0.
Tahrir	21.1	7.4	13.6	10.6	16.5	24.0	24.0	23.9	17.2	8.9	2.4	0.4	0.0	0.0	0.0	0.
Bahtim	20.7	4.2	12.1	8.1	15.9	24.0	24.0	21.3	13.9	7.6	2.1	0.3	0.0	0.0	0.0	0.
Kharga	24.6	6.1	15 9	12.3	19.4	24.0	24.0	23.3	18.7	12.4	6.3	1.9	0.4	0.0	0.0	0.
													Į		1	

Table C 2.—ABSOLUTE VALUES OF AIR TEMPERATURE AT 1½ METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS FEBRUARY — 1968

	Ма	x. Temp.	at l} me	tres	Mis	n. Temp.	at l} me	tres	Min.	Temp. at	5 cms. a	bove
STATION	High	hest	Lov	rest	Hig	hest	Lov	rest	Dry	Soil	Gr	2.88
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date
El Kast	28.5	28	14.6	20	12.0	28	3.8	22	0.4	22		
Tahrir	30.3	28	16.2	1	15.7	29	4.2	26	2.3	23	_	_
Bahtim	27.7	2 8	15.8	1	10.6	13	0.5	6	-2.8	22	_	
Kharga	34.6	29	17.4	2	11.5	19	0.2	3	-2.0	3	<u> </u>	_
									1		1	

TableC 3.—(SOLAR + SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDII & VAPOUR PRESSURE AT 1½ METRES ABOVE GROUND, EVAPORATION & RAINFALL FEBRUARY --- 1968

	Radiation al/cm ³	Duratio Sunshi	ne (hou		Rela	tive :	Humi	dity %		Vapo	our P	ressure	(mm	3)		pora- mms)	Rain	nfall (m	ms)
STATION	Solar+Sky Ra gm. cal/c	Total Actual	Total Possible monthly	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 UT	Highest	Date	Lowest	Date	Piche	Pan class (A)	Total Amount monthly	Max. fall in one day	Dai
								1							1	1 1			
El Kasr	291.4	214.5	3 20.7	67	66	54	13	28	7.4	8.1	11.1	26	3.8	28	7.0	6.57	1.2	0.8	20
Tahrir	361.2	238.2	321.6	74	73	54	23	28	8.2	9.0	11.1	18	5.4	29	5.6	4.84	0.4	0.2	9
Bahtim	-	243.5	322.4	75	72	49	23	28	7.4	8.1	12.3	27	4.7	23	4.7	4.09	0.0	0.0	_
Kharga	390.1	3 01. 1	327.6	92	37	23	9	29	4.6	4.8	7.1	11,12 25*	1.5	26	11.0	8.00		0.0	-
															1				

^{*} More than 3 days

TABLE C 4.—EXTREME SOAL TEMPERATURE AT DIFFERENT DEPTHS IN DIFFERENT FIELDS (cms)

FEBRUARY --- 1968

STATION	st (H)	I				-	ture (°C epths (c) in dr	у	E				•	ure (°C) epths (in grad	B.S.
	Highest Lowest	2	5	10	20	50	100	200	300	2	5	10	20	50	100	200	30
El kasr	н L					17.5 14.1	17.3 16.2	19.4 18.8	_	_	<u> </u>		_	_	<u> </u>	_	_
Tahrir	H L	37.8 5.9				18.7 13.4	17.9 16.0	19.3 18.8	21.2 20.5		_	_	_	_	_	<u>-</u>	=
Bahtim	H L					18.6 16.4	19.4 18.5	22.2 21.2	23.2 22.5		_		_	_	_	_	=
Kharga	H L					22.3 18.7	22.5 21.2	25.6 24.5	27.5 26.5			_	_	_		_	_

TABLE C 5. SURFACE WIND

FEBRUARY --- 1968

		Speed m		<i>~</i>	Days wit	h surface	wind spe	ed at 10	metres.		1	st (knots) metres
STATION	Mean of the day	Night time mean	Day time mean	≥ 10 knots	≥ 15 knots	≥ 20 knots	≥ 25 knots	≥ 30 knots	≥ 35 knots	≥ 40 knots	Value (knots)	Date
kasr	3.9	3.4	4.5					_		-	-	_
hrir	1.9	1.2	2.6	26	14	6	3	_	_		36	29
htim	2.2	1.4	3.0	25	12	7	3	0	0	0	35	18
narga	2.6	1.8	3.4	23	15	5	0	0	0	O	35	29

PBINTED IN U.A.R. BY
THE GENERAL ORGANIZATION
FOR GOVT. PRINTING OFFICES. CAIRD

ALY SULTAN ALY

UNDERSECRETARY OF STATE

Chairman of the Board of Directors



MONTHLY WEATHER REPORT

VOLUME 11

ATRO

NUMBER 3

[U. S. B

MARCH, 1968

U.D.C. 551, 506.1 (62)

PUBLICATIONS OF THE METEOROLOGICAL DEPARTMENT OF THE UNITED ARAB REPUBLIC—CAIRO

In fulfilment of its duties the U.A.R. Meteorological Department issues several reports and publications on weather, climate and agrometeorology. The principal publications are described on this page.

Orders for publications should be adressed to:
"The Director General, Meteorological Department, Kubri-el-Qubbeh — CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Department since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968 this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for U.A.R.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of the U.A.R. as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in march 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff of "The Meteorological Institude for Research and Training" and the Operational Divisions of Meteorological Department.

TECHNICAL NOTES

As from October 1970, the Meteorological Department started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.

The first Technical Note I was issued in October 1970 on : Sandstorms & Duststorms in the U.A.R.



MONTHLY WEATHER REPORT

OLUME 11 NUMBER 3

MARCH, 1968

D.C. 551, 506,1 (62)

CONTENTS

		PAGE
	Genral Summary of Weather Conditions	1-2
	SURFACE DATA	
Tabl	e A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	3
,,	A2.—Maximum and Minimum Air Temperatures	4
,,	A3.—Sky Cover and Rainfall	5
,,	A4.—Number of Days of Occurrence of Miscellaneous Weather Phenomena	6
"	A5.—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	7,8 ·
	UPPER AIR DATA	
Table	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surfaces	9,10
,,	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	11
,,	B3.—Number of Occurrences of Wind Direction Within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces 1	2-14
	AGRO-METEOROLOGICAL DATA	
	Review of Agro-Meteorological Stations	5-16
Table	C1.—Air Temperature at 1½ Metres Above Ground	17
,,	C2.—Aboslute Values of Air Temperature at 1½ Metres Above Ground, Absolute Minimum Air Temperature at 5 Cms. Above Ground Over Different Field.	17
,,	C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ Metres Above Ground, Evaporation and Rainfall	17
**	C4.—Extreme Soil Temperature at Different Depths in Different Fields	18
"	C5.—Surface wind	18

Note: For explanatory notes on tables please refer to volume 11 (January 1968).

GENERAL SUMMARY OF WEATHER CONDITIONS

MARCH 1968

Changeable; Khamsiny during the first decade, rather cold otherwise. Few days of rain

GENERAL DESCRIPTION OF WEATHER

The prevailing weather during this month was generally cold in the northern parts, mild in the central and southern parts. Three variant short khamsin waves were experienced round the 3rd, 8th & 12th, the last of which was the most pronounced. Two pronounced cold waves prevailed most of the second half of the month.

Rain was light and confined to the northern parts during period. (26th—30th). Local heavy rain was reported at Tanta on the 27th. Widespread rising sand and scattered sandstorms occurred during the second week and mainly round the 7th, 9th & 12th.

Early morning mist developed over local places in west of Delta & Cairo areas during many days of the month.

PRESSURE DISTRIBUTION

The most outstanding features of pressure distribution over the surface maps were:

- The Atlantic and Siberian anticylones, and their extensions through Europe & East Mediterranean.
- Deep low pressure systems passing through North Urasia.
- Secondary depressions through the Mediterranean and khamsin secondaries through North Africa.

Four khamsin depressions were distinguished during the first two weeks of this month.

The first khamsin depression developed on the 2nd south of Tunisia as a secondary to a depression over West Mediterranean. The two depressions moved east-wards and passed

through East Mediterranean & U.A.R. on the 4th.

The second khamsin appeared over west of the Libyan desert on the 6th, moved eastwards and passed through U.A.R. on the 7th.

A depression appeared over West Mediterranean on the 7th together with a khamsin secondary over North Algiers. This system proceeded eastwards and passed through East Mediterranean & U.A.R. on the 9th.

The last khamsin depression developed on the 10th over North Algiers as a secondary for a depression over West Mediterranean. This system moved eastwards and traversed East Mediterranean & U.A.R. on the 12th.

As a result of the transit of the above mentioned khamsin secondaries, the barometric pressure in U.A.R. remained generally below normal from the beginning of the month till the 12th with pronounced minima round the 4th, 9th & 12th.

From the 13th till the end of the month, high pressure established over the Mediterranean and was disturbed by the passage of two depressions. The first depression was shallow and developed over the Gulf of Cyrenica on the 22nd, then it moved slowly eastwards and passed through East Mediterranean on the 25th. The second depression developed over Cyprus on the 27th, moved to Syria on the 28th where it deepened, and then continued its track towards Iraq while filling the next day.

During this period (13th—31st) the barometric pressure in U.A.R. remained above

its normal, through its experienced two falls by the transit of the above mentioned two depressions round the periods (22nd—25th) & (27th—29th).

The most outstanding features of pressure distribution over the 700 & 500 mb. uppr air charts were :

- Two deep upper low pressure systems, one over North Atlantic and the other over North Urasia.
- Secondary upper lows (or troughs) through middle latitudes between 30° & 45°N, traversing East Mediterranean and U.A.R. on the 5th, 9th, 14th, 20th, 25th & 30th.
- Upper high pressure belt south of latitude 30.0 N.

SURFACE WIND

The prevailing winds during the month were generally light to moderate NW ly, and backed to SW ly in advance of the travelling Mediterranean troughs and khamsin secondaries. Winds became fresh to strong in most parts of the Republic in advance and by the passage of the Mediterranean troughs and khamsin secondaries. In local places of the Red Sea, Western Desert and the Mediterranean districts fresh to strong winds were experienced during many days of the month.

Gales were reported over El Kasr, Abu Sueir, Zaher & Mostafa Helmi on the 12th; Mersa Matruh on the 9th, 11th & 12th; Ras El Hikma on the 7th; Port Said on the 1st; Fayed on the 12th & 29th; Cairo on the 9th & 12th; Hurghada on the 14th, 18th &31st and over Quseir on the 19th.

TEMPERATURE

Maximum air temperature showed rather large variability during this month. It was generally below normal, apart from the short

periods of khamsin waves during which it was above normal. The deviations from normal were moderate in general, and appreciable during the peaks of the khamsin and cold waves. Maximum air temperature values ranged most days of the month between 18 °C & 22 °C in the northern parts, between 20 °C & 26 °C in the central parts and between 26 °C & 32 °C in the southern parts.

The absolute maximum air temperature was 40.9 °C reported at Aswan on the 13th.

Minimum air temperature was also below normal most of the month and above normal during the khamisn waves. Its deviations from normal were moderate in general. Minimum air temperature values ranged most days of the month between 7 °C & 14 °C in the northern & southern parts and between 4 °C & 10 °C in the central parts.

The absolute minimum air temperature was 2.0 °C reported at Minya on the 16th.

PRECIPITATION

Light to moderate rain fell over the Mediterranean district by the break down of the khamsin waves and during the period (26th—30th.) It extended southwards to Lower Egypt & Cairo during the last period. Rain was locally heavy and associated with thunderstorms round the 27th & 29th.

For the month as a whole, monthly rain was subnormal in the Mediterranean district and above normal in Lower Egypt & Cairo area districts.

The highest daily rainfall was 14.8 mms reported at Mansoura on the 29th.

The highest monthly rainfall was 28.3 mms reported at Mansoura.

M. F. TAHA
Under Secretary of State
Director General
Meteorological Department

Cairo, March 1971

Table A 1.—MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION

MARCH — 1968

		spheric				Air T	emperatu	re °C				Rel	ative	Brig	ght Sunsh	ine	nmø.
OT - T-037		re (mbs) S.L.	Max	timum	Mir	imum		Dry	Bulh	Wet	Bulb	Humi	dity %	Dur	ation (Ho	118)	arion r
STATION	Mean	D.F. Normal or Average	(A) Mean	D.F.Normal or Average	(B) Mean	D.F. Normal or Average	$\left \begin{array}{c} A+B \\ \hline 2 \end{array} \right $	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Total Actual	Total Possible	%	Piche Evaporation mms. Mean
Sallum	1016.9 1016.8 1016.4 1015.6	+1.4 +0.8 +0.8 +0.2	19.9 19.3 20.4 19.3	-1.5 -1.2 -0.8 -0.9	11.1 9.5 10.4 12.9	0.0 -0.5 -0.8 -0.7 -	15.5 15.4 15.4 16.1	15.3 14.3 15.2 15.7	-1.1 -0.7 -0.6 -0.7 -	11.4 11.1 11.5 12.2	-0.4 -0.3 -0.7 -1.1	59 65 61 64 —	+ 4 + 2 - 5 - 4	269.5 250.3 —	371.6 371.6 ————————————————————————————————————	73 67	5.0 8.0 6.0 6.6
Tanta	1015.8	+0.8	21.7	—2 .0	8.4	+1.1	15.1	14.6	-1.1	10.9	0.9	60	0	269.6	371.8	73	5.0
Cairo (A)	1015.9	+0.6	22.5	-1.4	10.4	-1.0	16.5	16.1	-1.5	10.7	-1.5	47	— 3	_	_	-	14.8
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Aswan (A)	1015.5 1014.9 1013.9 1013.5	 0.0 0.0 +0.5 +0.5	23.4 24.6 25.0 28.6 29.6	-1.9 -1.2 -1.6 -0.7 -1.0	8.4 6.9 9.3 10.5 12.0	-1.6 -1.0 -1.3 -0.2 -1.3	15.9 15.8 17.2 19.6 20.8	15.4 17.0 19.4 21.0	-1.2 -1.6 -0.7 -1.2	10.4 10.8 11.7 10.4	-0.7 -0.2 -0.6 -0.7	 49 41 34 16	- + 1 + 9 0 + 1	297.7 — — —	372.2 — — — —	80	5.8 7.9 13.7 8.9 22.8
Siwa	1016.4 1016.5 1017.2 1016.1 1015.1	+0.8 +1.1 +0.6 +1.5 +0.6	24.0 24.2 25.2 27.0 27.4	+1.0 -1.4 -1.4 -0.8 -1.4	7.7 9.5 8.7 8.0 10.6	-0.7 +0.6 -0.2 -1.3 -0.4	15.9 16.9 16.9 17.5 19.0	16.2 16.8 16.9 17.4 19.3	-1.0 -1.2 -1.0 -0.9 -1.0	8.0 9.9 8.3 9.4 10.1	-2.5 -0.7 -1.4 -0.2 -1.2	38 34 32 30 28	$ \begin{array}{r} + 1 \\ - 2 \\ + 5 \\ + 6 \\ - 1 \end{array} $	328.9	372.9	 88	11.0 8.9 13.6 15.4 15.9
Tor	1013.6 1014.2	- +0.2 +0.7	23.5 23.7	- +0.1 -1.1	12.3 15.5	-0.1 -1.0	17.9 19.6	18.4 19.9	- -0.4 -0.9	12.5 13.8		 46 47	- -4 +1		=,		15.8 15.4

၊ ယ ၊

Table A 2.- MAXIMUM AND MINIMUM AIR TEMPERATURES

MARCH — 1968

			Мах	imum Ten	nperatui	e °C					Min.			Minim	іт Тетре	erature °	С		
Station	Highest	Date	Lowest	Date	Ne	of Da	ys with	Max-7	Temp.	Mean	From Normal	Highest	Date	Lowest	Date	No		ays wit. Temp.	h
	H] 2		>25	>30	>35	>40	>45	1	Dev. Fre	H		Ä	I	<10	<5	<0	<-5
Sallum	27.8	11 11 12 12 12 —	13.9 14.4 13.8 14.4 —	14 14 14 15 —	2 3 3 1 —	0 0 0 -	0 0 0 0 -	0 0 0 0 -	0 0 0 0 -	11.2 — — 12.5 —		14.4 14.2 16.2 16.7	21 9 12 12 —	8.0 5.0 5.4 9.8	2 24 25 1 —	8 19 11 2 —	0 0 0 0 -	0 0 0 0 -	0 0 0 -
Tanta	27.8	12	15.1	14	4	o	0	o	0		-	15.9	12	6.5	22	25	0	0	0
Cairo (A)	32.7	12	15.4	14	7	1	0	0	0	-	-	18.4	12	6.6	15	13	0	o	0
Fayoum	40.0 37.6	12 12 12 12 13	17.6 17.7 20.5 21.4 23.4	14 14 5 28 2	10 12 13 26 27	2 2 3 12 14	0 1 2 2 2 4	0 0 0 0	0 0 0 0	6.8 4.0 9.7 5.7	1111	14.8 13.2 16.8 16.2 17.8	13 13 12 10 14	5.0 2.0 4.8 6.8 8.5	3 16 16 7 6	24 29 20 26 5	0 5 1 0	0 0 0 0	0 0 0 0
Siwa	34.8 33.9 35.5 39.8 38.6	11 12 12 12 12	17.1 17.9 18.6 20.4 21.8	14 14 15 15	10 11 14 16 21	2 3 4 6 8	0 0 1 2 1	0 0 0 0	0 0 0 0	6.2 7.7 8.4 — 8.4	1111	17.5 20.6 16.8 16.6 17.8	9 12 12 13 13	2.5 5.3 3.3 2.6 4.8	16 3 6 6	26 22 24 22 13	7 0 4 6 1	0 0 0 0 0	0 0 0 0
Tor	27.4 28.4	- 8 10	20.1 21.0		7 5	- 0 0	0 0	0	- 0 0.	11.7 14.3	_	20.7 19.0	- 13 10	9.2 12.8	 7 6	5 0	- 0 0	- 0 0	0 0

		Mean	Sky Cove	r Oct	_					Rainfal	mms					
Station	00	06	12	18	Daily	Total	Dev. From	Max. in on	Fall day		Numbe	er of Day	s With A	mount of	Rain	
	U.T.	U.T.	U.T.	U.T.	Mean	Amount	Normal	Amount	Date	< 0.1	≥ 0.1	≥ 1.0	≥ 5.0	≥ 10	≥ 25	≥ 50
allum	1.4	2.7	2.8	1.8	2.1	0.5	-11.1	0.5	6	0	1	0	0	o	0	o
lersa Matruh . (A) lexandria (A)	$\frac{1.8}{3.9}$	$\frac{3.9}{4.2}$	$\frac{3.0}{3.9}$	2.4 3.4	2.7 3.8	10.4 3.9	-1.9 -8.5	7.7 2.6	29 27	$\frac{2}{2}$	4 5	$\frac{2}{1}$	1 0	0	0	0
ort Said (A)		2.2	2.5	_	_	11.1	+3.4	7.0	27	0	4	2	1	0	0	0
El Arish	_		-	_	_	=		_						_	_	0
Fanta	0.9	2.)	3.1	1.5	1.9	17.4	+13.2	12.6	27	o	5	3	1	1	0	
Cairo (A)	1.5	2.8	3.0	1.7	2.3	5.9	+ 4.1	4.8	29	1	3	I	0)	0	
Fayoum Minya Assyout Luxor Aswan	0.5 0.4 0.0	1.8 0.8 0.8 0.5 0.5	2.6 1.4 1.1 0.4 0.7	1.0 0.9 0.4 0.5 0.2	1.0 0.6 0.3 0.4	tr. 0.0 0.0 0.0 0.0 0.0	- 1.4 - 0.3 - tr. - tr. - tr.	tr. 0.0 0.0 0.0 0.0 0.0	27 — — — —	1 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	
Siwa Bahariya Farafra Dakhla Kharga	0.4	0.5 1.1 0.6 0.1 0.3	1.3 1.4 1.2 0.2 0.5	0.2 0.6 0.6 0.0 0.2	0.6 0.8 - 0.1 0.7	0.0 tr. 0.0 0.0	$\begin{array}{c c} 0.0 \\ -0.2 \\ - tr. \end{array}$	0.0 tr. 0.0 0.0	28 - 29	0 2 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	
Tor	. 0.4	0.4 1.0	1.1	0.8 0.2	0.7 0.4	0.0 0.0		0.0 0.0	=	0 0	0 0	0 0	0 0	0 0	0 0	

ા ઇ !

Table A 4.—DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA

MARCH — 1968

		Precip	itation				etres				go as	ar 85			
Station	Rain	Snow	Ice. Pellets	Hail	Frost	Thunderstorm	Mist Vis ≥ 1000 metres	Fog Vis <1000 Metres	Haze Vis ≥1000 Metres	Thick Haze Vis <1000 Metres	Dust or Sandrising Vis >1000 Metres	Dust or Sandstorm Vis <1000 Metres	Gale	Clear Sky	Cloudy Sky
Sallum (A) Mersa Matruh (A) Alexandria (A) Port Said (A) El Arish	1 4 5 4 —	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 1 1 0 —	1 3 3 1	0 0 2 0	0 1 2 1 —	0 0 0 	1 7 3 3 —	2 3 2 1 —	0 3 0 1 —	17 12 7 —	0 1 3
Tanta	5	0	0	0	0	0	2	0	0	0	1	0	0	19	0
Cairo (A)	3	0	0	0	0	0	4	2	5	0	9	3	2	12	0
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Asswan (A)	0 0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 7 0 0 0	0 0 0 0	1 3 4 11 3	0 0 0 0	3 0 9 3 14	0 0 0 0 2	0 0 0 0	30 28 30 27	0 0 0 0
Siwa. Bahariya. Farafra. Dakhla. Kharga.	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 3 5 16 4	0 0 0 0	5 4 8 21 8	0 2 2 0 1	0 0 0 0	28 25 — 13 31	0 0 - 0
Tor		0 0	0 0			 0 0		0 0	0 5	0 0	11 9	 1 2	3 1	27 30	

Table A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

MARCH - 1968

												_					
	(E	ure)	lours)			Num	ber i		rs of range						ing fr	om th	18
Station	Calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	015 / 044	045 / 074	075 / 104	105 / 134	1	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	315 / 344	All directions
lum	12	0	0	1—10 11—27 28—47 ≥ 48 All speeds	45 12 0 0 57	52 7 0 0 59	104 3 0 0 107	46 5 0 0 51	41 0 0 0 41	28 0 0 0 28	10 1 0 0	3 19 0 0 22	9 7 0 0 16	33 26 0 0 59	72 54 2 0 128	82 70 1 0 153	525 204 3 0 732
rsa Matruh (A)	24	0	6	1—10 11—27 28—47 ≥ 48 All speeds	15 51 3 0 69	58 99 3 0 160	23 20 0 0 43	28 30 0 0 58	23 1 0 0 24	8 20 0 0 28	17 4 0 0 21	11 16 11 0 38	13 15 8 0 36	32 28 2 0 62	44 40 0 0 84	18 60 13 0 91	290 384 40 0 714
xandria (A)	3	0	0	1—10 11—27 28—47 ≥ 48 All Speeds	82 20 0 0 102	78 25 0 0 103	29 9 0 0 38	7 4 0 0 11	32 10 0 0 42	15 2 0 0 17	21 8 2 0 31	29 18 0 0 47	19 7 0 0 26	10 19 0 0 29	62 50 0 0 112	145 38 0 0 183	529 210 2 0 741
rt Said (A)	3	0	0	1—10 11—27 28—47 ≥ 48 All speeds	134 72 0 0 206	12 31 0 0 43	12 15 0 0 27	13 10 0 0 23	14 1 0 0 15	28 10 4 0 43	37 2 0 0 39	44 8 0 0 52	34 28 0 0 62	50 20 0 0 70	20 14 0 0 34	107 21 0 0 128	505 232 4 0 741
nta (A)	31	0	0	1—10 11—27 28—47 ≥ 48 All speeds	50 7 0 0 57	26 19 0 0 45	15 5 0 0 20	25 2 0 0 27	21 0 0 0 21	25 7 0 0 32	40 13 0 0 53	79 10 0 0 89	73 10 0 0 83	87 18 0 0 103	68 14 0 0 82	89 10 0 0 99	598 115 0 0 713
ro (A)	3 2	0	2	1—10 11—27 28—47 ≥ 48 All speeds	56 21 0 0 77	52 69 0 0 121	64 10 0 0 74	27 0 0 0 27	18 14 0 0 32	19 3 0 0 22	24 21 9 0 54	40 21 5 0 66	37 18 0 0 55	53 22 0 0 75	45 11 0 0 56	39 12 0 0 51	474 222 14 0 710
you <u>m</u>	0	0	14	1—10 11—27 28—47 ≥ 48 All speeds	160 3 0 0 163	171 55 0 0 226	2 0 0 0	7 0 0 0 7	10 0 0 0 10	41 0 0 0 41	46 8 0 0 54	41 6 0 0 47	48 8 0 0 56	44 7 0 0 51	30 0 0 0 30	43 0 0 0 43	643 87 0 0 730
	0	11	23	1—10 11—27 28—47 ≥ 48 All speeds	217 148 0 0 365	19 6 0 0 25	2 0 0 0 2	1 0 0 0 1	19 1 0 0 29	71 13 0 0 84	22 3 0 0 25	5 0 0 0 5	11 0 0 12	18 6 0 0 24	24 5 0 0 29	105 13 0 0 118	514 196 0 0 710

Table A 5. (contd.)—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

MARCH — 1968

	(9,	119)	ours)		М	umbe	r in		of o						g froi	n the	
Station	Calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	015 / 044	045 074	075 / 104	105 / 134	1	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	315 / 344	All directions
Asyout (A)	4	0	3	1—10 11—27 28—47 ≥ 48 All speeds	6 24 0 0 30	10 1 0 0	8 0 0 0 8	11 1 0 0 12	26 13 0 0 39	17 7 0 0 24	9 16 0 0 25	3 9 2 0 14	8 3 0 0	127 42 0 0 169	109 114 0 0 223	48 123 0 0 171	382 353 2 0 737
Luxor	3	3	0	1—10 11—27 28—47 ≥ 48 All speeds	25 0 0 0 25	23 2 0 0 25	20 0 0 0 0 20	23 0 0 0 23	19 0 0 0 19	68 0 0 0 68	103 1 0 0 104	48 1 0 0 49	61 5 0 0 66	120 0 0 0 120	150 25 0 0 175	42 2 0 0 44	702 36 0 0 738
Aswan (A)	8	37	o	1—10 11—27 28—47 ≥ 48 All speeds	184 239 0 0 423	30 5 0 0 35	8 0 0 0 8	4 0 0 0 4	7 0 0 0 0 7	7 0 0 0 0 7	15 0 0 0 15	9 1 0 0 10	11 0 0 0 11	13 1 0 0 14	13 14 0 0 27	57 81 0 0 138	358 341 0 0 699
Siwa	24	6	0	1—10 11—27 28—47 ≥ 48 All speeds	19 4 0 0 23	0	59 1 0 60	52 3 0 0 55	32 0 0 0 32	35 10 0 0 45	14 9 2 0 25	17 6 0 0 23	43 8 0 0 51	81 26 0 0	71 42 0 0 113	49 30 0 0 79	561 151 2 0 714
Dakhla	12	6	0	110 1127 2847 ≥ 48 All speeds	54 97 0 0 151	2	0 0		33 0 0 0 33	18 2 0 0 20	40 0 0 0 40	22 6 0 0 28	33 0 0 0 33	60 0 0 0 60	87 13 0 0 100	142 49 0 0 191	557 169 0 0 726
Kharga	15	2	3	1—10 11—27 28—47 ≥ 48 All speeds	134 101 0 0 235	0 0	0 0 0	4 0 0 0 4	5 0 0 0 5	7 2 0 0 9		13 0 0 0 13	10 0 0 0	15 1 0 0 16	45 10 0 0 55	170 136 0 0 306	465 259 0 0 724
Hurghada	13	1	2	1—10 11—27 28—47 ≥ 48 All speeds	4 84 0 0 88	22 9 0 0 31	12 3 0 0 15	7 0 0 0 7	11 14 0 0 25	13 7 0 0 20	6 1 0 0 7	5 0 0 0 5	9 0 0 9	35 17 0 0 52	47 126 10 0 183	15 205 66 0 286	186 466 76 0 728
Quseir	35	0	0	1—10 11—27 28—47 ≥ 48 All speeds	53 146 6 0 205	43 9 0 0 52	15 1 0 0 16	7 0 0 0 7	22 0 0 0 22	14 5 0 0 19	18 0 0 0 18	5 0 0 5	21 0 0 0 21	57 5 0 0 62	91 25 0 0	58 106 2 0 166	404 297 8 0 709

Table B 1.—UPPER AIR CLIMATOLOGICAL DATA

MARCH — 1968

noi	Presure	Alt	itude of Pre	essure Surfa	ce (àbm)		Tempe	erature (°C)		De	ew point (°C)
Station	Surface (Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
Mersa Matruh (A) 6000 UT	Surface 1000 850 700 600 400 300 250 200 150 100 70 60 50 40 30 20 10	26 26 26 26 26 25 24 18 17 13 11 5 2 1	** 1018m.b. 173 1517 3076 4280 5657 7282 9264 10471 11923 13757 16281 18375 19300 20417 —————	** 1022m.b. 210 1561 3130 4349 5740 7386 9381 10596 12069 13884 16362 18400	** 1010m.b. 112 1461 3005 4190 5542 7128 9070 10269 11725 13573 16208 18350 — — — — —	26 26 26 26 26 25 24 18 17 13 11 5 2	10.9 11.6 3.6 -3.0 -10.9 -20.0 -31.0 -44.9 -52.7 -60.7 -68.3 -65.7 -64.0 -63.8	14.2 16.6 11.1 4.0 -4.8 -14.0 -27.0 -36.4 -43.7 -49.0 -56.8 -67.0 -64.6	07.8 08.4 -03.4 -9.5 -16.7 -26.1 -39.9 -49.1 -63.2 -55.4 -69.3 -70.4 -66.8	26 26 20 8 5 8 - - - - - - - - -	7.4 7.4 -4.9 -10.4 -18.0 -27.1
Helwan 0000 UT	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	27 27 27 27 27 26 25 25 21 15 9 8 7 4	* 999m.b. • 133 1487 3063 4276 5663 7163 9315 10637 12003 13834 16269 18398 19314 20432 21881 23759 26377	** 1004m.b. 173 1521 3114 4359 5783 7459 9547 10806 12281 14097 16404 18530 19458 20591 22021 23888	** 70 1435 2988 4172 5523 7100 9071 10260 11742 13600 16064 18160 19105 20235 21764 23648	27 15 27 27 27 27 26 25 25 25 21 15 9 8 7 4 4	12.7 11.3 7.5 0.2 -8.0 -16.8 -28.2 -41.6 -46.4 -52.2 -62.3 -69.9 -67.4 -63.6 -57.3 -54.2 -49.2 -48.6	20.0 12.9 19.1 9.1 	8.1 8.0 0.6 - 8.8 -17.2 -27.3 -39.1 -46.9 -55.1 -54.9 -67.6 -74.8 -72.4 -66.9 -59.3 -57.3 -52.6	27 15 20 12 12 12 8 6 — — — —	4.5 5.5 5.5 10.5 18.3 25.8 34.4
Aswan 0000 UT	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	24 23 23 23 22 22 22 23 23 22 21 17 2	990m.b. 109 1497 3115 4363 5794 7474 9543 10797 12282 14060 16466 18617 — — — —	995m.b. 142 1549 3167 4421 5860 7573 9671 10957 12550 14232 16573 18661	** 985m.b. 65 1472 3051 4234 5700 7371 9396 10629 12083 13857 16347 18573 — — — —	24	16.1 15.4 6.8 -0.6 -10.0 -22.0 -34.1 -42.2 -54.1 -66.8 -77.2 -77.8	23.4	12.0	23 -7 6 3 4 4 	- 3·4 - 6.6 -10.6 -16.0 -20.4 -27.4

N = The number of cases the element has been observed during the month.

^{*} The atmospheric pressure corrected to the elevation of the radiosonde station.

Table B 1 (contil.)—UPPER AIR CLIMATOLOGICAL DATA MARCH — 1968

no	Pressure	Alti	itude of Pre	ssure Surfac	ce (gpm)		Temp	erature (°C)		Dew 1	Point (°C)
Station	Surface (Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
Meras Matruh (A) 1200 UT	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	28 28 28 28 28 27 26 23 23 22 18 12 4 3 3	** 1017m.b. 171 1526 3130 4305 5691 7316 9364 10537 12000 13838 16344 18548 19469 20609	* 1024m,b. 231 1586 3167 4407 5819 7471 9481 10701 12166 13997 16507 18600 19591 20753 — — — —	1006m.b. 70 1412 2949 4125 5468 6943 8910 10130 11610 13482 16016 18490 19315 20453 — —	28 28 28 27 27 27 26 23 23 21 18 12 4 3 3 ———	17.7 16·0 6.2 — 1.6 — 9.2 —18.6 —29.8 —42.6 —47.5 —50.8 —58.2 —66.2 —63.5 —61.1 —58.6 —	26.5 25.4 15.9 5.9 	12.5 11.1 - 1.1 - 8.9 -16.3 -26.6 -38.7 -46.5 -55.1 -56.0 -65.0 -70.2 -66.0 -64.0 -64.0	28 28 21 9 6 7 3 — — — — —	8.4 7.6 -4.2 -13.6 -18.1 -28.0 -37.8 - - - - - - - -
Helwan 1200 UT	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	29 29 29 29 29 29 27 27 27 27 27 23 117 8 4 4 3 3	998m.b. 126 1496 3081 4299 5697 7343 9357 10585 12055 13897 16364 18512 19468 20611 22080 23982 26674	** 1005m,b. 183 1549 3140 4380 5811 7487 9533 10785 12265 14065 16493 18630 19573 20711 22155 24060 26674	989m.b. 44 1443 3001 4124 5472 7061 9024 10325 11706 13564 16136 18370 19363 20514 22036 23940 26673	29 16 29 29 29 29 27 27 27 27 27 23 17 8 4 4 3 3 2	21.4 19.4 8.8 1.2 — 7.0 —15.9 —27.2 —40.8 —45.4 —51.3 —59.6 —66.4 —63.5 —61.7 —56.4 —50.2 —45.5 —41.4	32.3 24.6 21.9 9.9 — 1.1 — 8.9 —18.6 —31.2 —39.0 —46.7 —52.7 —57.6 —56.8 —59.9 —55.0 —48.7 —43.5 —40.8	11.9 11.8 2.1 - 7.6 15.7 25.2 36.4 46.2 52.7 57.3 67.2 72.5 69.0 63.3 57.3 52.0 48.9 41.9	29 16 25 16 12 7 3 ——————————————————————————————————	1.4 0.7 3.7 13.4 17.3 18.7
Aswan (A) 1200 UT	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	22 22 22 21 21 21 21 21 20 20 17 14 7 4 4 2	** 990m.b. 107 1501 3116 4365 5797 7480 9545 10785 12276 14086 16508 18646 19532 20643 21988 23683 26135 ——	* 994m.b. 183 1537 3179 4440 5882 7588 9694 10933 12410 14206 16595 18900 19585 20710 22005 — —	985m.b. 67 1482 3035 4287 5718 7383 9424 10545 12107 13951 16398 18500 19438 20580 21971 ———————————————————————————————————	22 	27.5	39.4 	22.5 8.3 2.3 -4.1 -15.2 -25.8 -40.8 -46.7 -58.5 -68.3 -82.7 -74.8 -72.1 -73.1 -71.1	22 	-0.1 -7.0 -10.0 -14.0 -10.4 -30.0

N = The number of cases the element has been observed during the month.

^{*} The atmospheric pressure corrected to the elevation of the radiosonde station.

| |-|-

Table B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE; THE HIGHEST WIND SPEED IN THE UPPER AIR

MARCH — 1968

					Free	zing Le	vel							First	Тгорор	ause				Highe	st wi	nd sp	eed.
			Mean]	Highest]	Lowest			Mean]	Highest		1	Lowest		(mdg)	(ip)	0(10 ts
	Station	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gp	Pressure (mb.)	(000-360)°	Speed in Knote
		(N)	(N)	(N)					•		(N)	(N)	(N)										
	Morsa Matruh (A)	2295 (25)	775 (25)	-5.4 (10)	3650	652		1130	890	-3.4	10 3 35 (13)	261 (13)	52.6 (13)	15 42 0	116	—69.2	8600	330	-47.9	10800	241	290	186
0000 U.T.	Helwan	2879 (27)	721 (27)	-9.0 (15)	4260	608	-10.5	1200	881	-4.4	11680 (15)	221 (15)	—51.5 (15)	15600	112	61.2	9140	308	-43 .8	111 3 0	235	290	148
•	Aswan (A)	421 2 (2 3)	587 (2 3)	~16.3 (6)	5300	537	_	2870	718	 	15499 (8)	118 (8)	—74.2 (8)	17190	90	-75 .9	14410	142	70.4	6690	-	280	94
		(N)	(N)	(N)							(N)	(N)	(N)										
	Mersa Matrub (A)	2614 (28)	737 (28)	-8.3 (17)	4100	625	-15.0	1370	867	-4.4	11174 (20)	232 (20)	53.8 (20)	14360	140	-63.4	8270	344	-45.8	11910	207	280	197
1200 U.T.	Helwan	3146 (29)	692 (29)	-9.9 (13)	4220	610	_	1840	814	-3.0	11 53 8 (17)	224 (17)	-54.5 (17)	17220	88	-69.0	8690	320	—49 .0	11820	209	310	148
×	Aswan (A)	4318 (21)	604 (21)	-15.2 (2)	5530	520	-	3390	678	_	15676 (9)	116 (9)	71.6 (9)	16552	100	-80.	14100	147	-69.2	13810	156	3 260	150

N = The number of cases the element has been observed during the month.

Table B 3.—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

MERSA MATRUH (4) - MARCH 1968

								W	/ind l	oetwe	en sp	ecific	d ran	ges o	f dire	ction (00	0-36	0)°							calm	er of (TN)	j (i
Tim.	Pressure Surface Millibar] ,	45 / 14		15 44		45 / 74		75 / 04]	05 / 3 4] .	35 / 64		65 / 94	195 / 224	j	225 / 2 54	25	'	28 / 31	'	31 / 34		of ads		fean scalar wind speed (knots)
į		N	(ff)	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff)	N	(ff) m	N	(ff) m	N (ff	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff)	Number wir	Total numb observations	Mean i
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	3 2 3 1 0 0 0 0 	13 10 16 13 29 33 	1 3 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10 9 12 	1 1 0 0 0 0 0 0 0 0 0 0 0 0	7 9	0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 8	1 2 0 0 0 0 0 0 0 0 0	18 13	2 1 0 0 0 0 0 0 0 0	8 13	2 1 0 0 0 0 0 0 0 0	8 13	1 11 1 7 1 20 0 0 0 0 0 0 0	1 0 2 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10 8 -20 49 68 	3 3 3 7 8 6 5 3 2 1	9 17 16 34 43 59 86 87 76 72 57 —————————————————————————————————	4 5 4 7 5 6 8 5 4 3 0	13 19 22 34 51 66 68 64 90 78 —	1 2 9 5 4 4 4 2 0 0	7 10 18 20 23 20 23 26 — — — — — — — — — — — — — — — — — —	3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	26 23 23 22 21 18 17 12 7 5 1 — — — — — — — — — — — — — — — — — —	9 13 18 28 39 52 63 67 84 76 57 —
1200 U.T.	Surface 1000 850 700 600 500 400 300 230 200 159 100 70 60 50 40 30 20 10	2 0 5 1 1 0 0 0 0 0 0 0	12 17 8 19 — — — — — — — — — — — — —	11 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11 16 11 	0 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	12 	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2	000000000000000000000000000000000000000		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 - 1 3 3 0 - 0 0 - 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 2 2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	18 20 47 ———————————————————————————————————	2 1 4 8 7 5 5 7 4 7 7 3 1 1 1	18 18 30 36 42 56 89 108 70 108 90 62 37 27 —	4 6 6 5 10 14 12 10 10 4 2 0 1 0	25 25 16 36 37 44 66 83 91 116 87 85	8 10 5 8 3 2 3 1 0 0 0 0 0 1 —	14 16 14 22 31 45 32 24 —————————————————————————————————	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	28 26 26 24 21 20 18 15 12 9 3 2 2 	14 17 17 29 37 47 67 89 88 14 189 62 61 66 —

N = The number of cases the wind has been observed from the range of direction during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

Table B 3 (contd.).—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

HELWAN-MARCH 1968

		1		 -				v	Vind 1	betwe	en s	ecific	ed rai	nges	of dir	ection	(000)	36	0)°							calm	er of (TN)	jad.
Time	Pressure Surface Millibar	1.	45 / 14)15 44		45 74	İ	75 04	1	05 / 34	1	35 / 64		65 / 94	1	95 / 24	1	25 / 25 4		55 84	I .	85 / 14		15 / 44	go ge	numb	scalar wind d (knots)
		N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff)	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff)	N	(ff) m	N	(ff) m	N	(ff) m	Number win	Total observe	Mean sos speed
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 150 100 70 60 50 40 30 20	5 2 4 3 3 1 0 0 0 0 0 - -	9 11 12 18 30 82	8 6 6 5 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	12 14 15 28 ———————————————————————————————————	0 4 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	20 47	2 1 2 0 0 0 0 0 0 0 0	8 6 18	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 0 3 0 0 0 1 1 0 0 0 0 0 0 0	10 17 	2 1 4 6 4 1 2 4 1 3 1	11 7 32 35 52 67 55 104 83 87 102	3 1 6 9 10 9 7 3 3 1 0	6 4 28 35 52 55 61 47 95 122 ——————————————————————————————————	3 0 1 4 4 4 1 0 0 0 0	12 28 20 32 40 23 — — — — — — — — — —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	27 15 26 23 21 16 11 7 4 4 1	10 14 22 30 45 54 57 79 92 96 102 ———————————————————————————————————
1200 U.T.	Surface 1000 850 700 600 600 400 300 250 200 150 100 70 60 50 40 30 20	4 3 3 1 1 0 0 0 0 	13 14 15 15 6 37 	5 6 3 1 0 0 0 0 0 0 0	14 18 15 14	0 1 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 12 	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	21	0 0 0 0	-	4 2 0 0 0 1 0 0 0 0 0 0 0 	9 12	3 0 6 10 8 4 4 1 1 - - -	11	5 1 7 6 10 12 10 4 2 1 0	9 10 20 33 52 54 66 67 100 —	2 2 3 6 6 4 2 1 0 0 0 	11 12 14 29 31 37 66 70 — — — — — —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 16 29 26 26 26 21 16 6 3 1	11 15 16 28 42 55 64 62 85 100 54 —

N = The number of cases the winds has been observed from the range of direction during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

Table B 3 (contd.).—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

ASWAN (A) - MARCH 1968

	Pressure Surface Millibar	Wind between specified ranges of direction (000—300)°															m!	r P	ng									
Time		1			15 / 44	l [045 [074		\vec{j}		05 135 / / 34 164		/	165 / 194		195 / 224		225 / 254		255 / 284		285 / 314		315 / 344		of ids	Total number of observations (TN)	soalar wind d (knots)
		N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	Number wir	Total observa	Mean so speed
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	14 2 1 2 1 0 	11 14 15 29 30 — — — — — — —	1 2 1 1 0 0 - - - - - -	9 4 30 26	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	12	0 1 0 0 0 0 	8	1 0 0 0 0 0 - - - - - -	5	0 - 1 1 0 0 0 0		0 1 1 0 0	 20 4 		4 6 18 53 66 80 — — — — — — —	0 4 4 5 4 1 — — — — — —	— 15 21 39 46 71 — — — — — — — — —	1 3 6 3 2 1 - - - - -	13 18 32 37 24 55 — — — — — — —	4 2 1 1 1	9 10 21 26 52 43 — — — — — — — — — — — — — — — — — —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	23 	10 — 12 23 34 42 62 — — — — — — — — — — — — — — — — — — —
1200 U.T.	Surface of station 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	12 0 0 0 0 0 0 0 0 0 0 0 0 0	13 8 	1 1 0 0 0 0 0 0 0 0 0 0 0	12 -6 12 - - - - 17 - - - - - - - - - - - - -	0 0 0 0 0 0 0 0 0 0 0	- -	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8	1	4 	1	8 ————————————————————————————————————	0 -2 7 4 6 7 6 5 6 3 4 0 0	10 24 36 50 54 81 83 40	0 -2 4 11 12 7 9 6 8 5 1 1 1 -	16 35 40 39 74 90 97 79 88 43 17 10 10	0 -7 3 3 0 5 2 2 2 2 1 0 0 0	18 26 26 26 52 98 100 61 —	6 -7 5 3 2 0 0 0 0 0 0 0 0	11 	0 0 0 0 0 0 0 0 0 0 0	22 	12 14 23 36 43 61 88 87 88 84 42 13 18 10

N = The number of cases the wind has been observed from the range of direction during the month.

TN = The total number of cases the wind has been observed for all direction during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR-MARCH 1968

This month was slightly cooler and less rainy than normal. The daily maximum ir temperatures were below normal most days of the month. Two warm spells were experienced on the 3rd and 7th, and a weak heat wave on the (11th & 12th). The second varm spell and the heat wave were associated with sandstorms. Two cold waves occurred during the periods (14th-18th) and (27th-31st). The first cold wave yielded the owest maximum air temperature for the month (14.4°C) on the 14th. The second cold wave was associated with the highest daily rainfall amount (6.2 mms) on he 29th.

The extreme maximum soil temperature at 2 cms. depth was the same as last March, and at 5 cms. depth it was 0.6°C lower. At deeper depths between 10 & 100 cms the extreme soil maxima were higher than the corresponding values of last March; the differences anged between 0.3°C at 10 cms. depth and 1.3°C at 50 cms. depth. The extreme minimum soil temperatures were higher than the corresponding values of last March at all lepths between 2 and 100 cms. except at 5 cms depth where the value was 0.6°C lower; the lifferences ranged between 1.0°C at 2 cms depth & 0.4°C at other depths.

The mean daily Pan evaporation was 0.35 mms, more than the corresponding value of farch 1967. The total actual duration of bright sunshine was 30.0 hours more than the orresponding value of March 1967.

TAHRIR-MARCH 1968

This month was slightly warmer and more rainy than last March. A warm spell was experienced on the 3rd and a heat wave during the period (7th-13th). The heat wave was associated with the highest maximum air temperature for the month (32.6°C) and sandstrom on the 12th. Two cold waves occurred during the periods (14th-18th) & (26th-1st) and a cold spell on the 22nd. The first cold wave yielded the lowest maximum air emperature for the month (15.6°C) on the 14th. The second cold wave was associated with all the rainfall for this month (4.8 mms).

The extreme maximum soil temperatures were higher than the corresponding values of last March at all depths between 2 & 100 cms.; the differences ranged between 1.6 °C to both 5 and 50 cms. depths and 0.4 °C at both 20 & 100 cms depths. The extreme minimum soil temperatures were also higher than the corresponding values of last March to all depths between 2 & 100 cms; the differences ranged between 0.1 °C at 2 cms, depth and 1.0 °C at both 20 & 50 cms. depths.

The mean daily Pan evaporation was 0.07 mms, more than the corresponding value f March 1967. The total actual duration of bright sunshine was 2.0 hours less than the orresponding value of March 1967.

BAHTIM-MARCH 1968

Compared with last March, this month was slightly warmer, more humid and more rainy. The daily maximum and minimum air temperatures were below normal most days of the nonth. The month was characterized by two weak khamsin heat waves during the periods (th — 9th) & (11th — 13th) and two prolonged cold waves during the periods (14th — 2nd) and (26th — 31st). The second heat wave was more pronounced than the first, and s break down on the 12th was associated withsandstroms. The first cold wave yielded the

lowest maximum air temperature for the month (15.1 °C) on the 14th and the lowest minimum air temperature (2.1 °C) on the 16th. The second cold wave was associated with all the rainfall for this month (5.0 mms).

The minimum air temperature at 5 cms. above dry soil fell below 0°C on three days Its values on these days are given in the following table:

Minimum air temp, below 0°C at 5 cms, above dry soil.

Min.: -1.1°C -0.3 -0.3 Date: 3 16 17

The extreme maximum soil temperatures were lower than the corresponding values of last March at 2 & 5 cms depths and the differences were 3.8°C & 0.1°C respectively. A other depths between 10 &100 cms. the values were higher than last March, and the differences ranged between 0.5°C at 10 cms. & 1.7°C at 50 cms. The extreme minimum soil temperatures were higher than the corresponding values of last March at all depths between 2 & 109 cms., and the differences ranged between 0.6 at 2cms. & 2.2°C at 50cms.

The mean daily Pan evaporation was 0.78 mms. less than the corresponding value of March 1967. The total actual duration of bright sunshine was 14.8 hours less than the corresponding value of March 1967.

KHARGA-MARCH 1968

This month was nearly normal with respect to the mean daily air temperature. The daily maximum air temperatures were below normal most days of the month. Two hear waves were experienced, the first on the 4th, and the second during the period (7th-13th) yielding the highest maximum air temperature for the month (38.6°C) on the 12th. Two cold spells occurred on the 2nd and (5th & 6th), and two cold waves during the periods (14th-22nd) & (27th-31st). The first cold wave yielded the lowest maximum air temperature for the month (21.8 °C) on the 15th.

The extreme maximum soil temperatures were higher than the corresponding value of last March at all depths between 2 & 100 cms.; the differences ranged between 0.3 °C at 5 cms. depth and 1.9 °C at 10 cms. depth. The extreme minimum soil temperatures were higher than the corresponding values of last March at all depths, except a 100 cms. depth where the values were the same; the differences ranged between 2.0 °C at 5 cms. depth and 0.8 °C at 50 cms. depth.

The mean daily Pan evaporation was 1.44 mms, more than the corresponding value of March 1967. The total actual duration of bright sunshine was 9.7 hours less than the corresponding value of March 1967.

Mean of the day of air temperature.

Note: During this month recording charts of the mercury in steel hygrograph were not available at El-Kasr & Bahtim centres. For these centres mean of the day of air temperature, relative humidity and vapour pressure were calculated using the following equations:

⁼ (0600 + 1200 + 1800) U.T. dry bulb readings + minimum air temperature / 4 mean of the day of relative humidity.

 $^{= (0600 + 1800) \}text{ U. T. observations}/2.$

mean of the day of vapour pressure.

^{= (0600 + 1200 + 1800)} U. T. observations/3.

Table C 1. AIR TEMPERATURE AT 1½ METRES ABOVE GROUND MABCH — 1968

		Air Te	mperatu	re (°C)				Mean	Duration ab		urs of c followi			rature		
STATION	Mean Max.	Mean Min.	Mean of the day	Night time mean	time	-5°C	0°C	5°C	10°C	15°C	20°C	25°C	30°C	35°C	40°C	45°C
]								
Kasr	19.5	9.7	14.1		16.8							_		_	_	_
nrir	22 .6	8.5	14.4	11.7	18.2	24.0	24.0	24.0	19.3	10.5	4.2	06:	0.0	0.0	0.0	0.0
atim	21.8	6.7	13.5	-	17.8	24.0	24.0	_	-		_	_	_	0.0	0.0	0.0
arga	27.4	10.6	19 3	16.2	22.5	24.0	24.0	24.0	23.0	17.2	10.4	3.8	0.7	0.3	0.0	0.0
											ļ ļ					

Table C 2.—ABSOLUTE VALUES OF AIR TEMPERATURE AT 15 METRES ABOVE GROUND,
BSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS

MARCE — 1968

	Ma	x. Temp.	at 11 me	tres	Mi	n. Temp.	at 1½ me	tres	Min.	Temp. a	t 5 cms. a	ıbove
STATION	High	hest	Low	rest	Hig	hest	Lov	vest	Dry	Soil	Gr	8.85
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date
Kasr	28.9	11	14.4	14	14.0	9.10	4.5	22	1.6	17	_	
rir	32.6	12	15.6	14	15.6	12	5.0	17	2.4	17		
ntim	30.8	12	15.1	14	18.3	12	2.1	16	-1.1	3		_
arga	38.6	12	21.8	15	17.8	13	4.8	6	2.6	6	_	
											1	

 bleC 3.—(SOLAR + SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY & VAPOUR PRESSURE AT $1\frac{1}{2}$ METRES ABOVE GROUND, EVAPORATION & RAINFALL

MARCE — 1968

	TATION Duration of Brig							dity %		Vap	our P	ressure	(mms	3)	Eva	pora- (mms)	Rai	nfall (m	ms)
STATION	Solar+Sky Rad gm. cal/ci	Total Actual	Total Possible monthly	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 UT	Highest	Date	Lowest	Date	Piche	Pan class (A)	Total Amount monthly	Max. fall in one day	Date
															!				
l Kasr	404.3	269.6	371.6	73	73	61	18	12	9.1	9.4	13.1	8	4.6	7	7.4	7.41	7.0	6.2	29
lahrir	447.5	271.8	372.0	72	73	52	27	12	8.9	9.5	12.0	10	4.8	1	7.0	6.45	4.8	2.6	29
ahtim	475.7	264.6	372.0	71	73	46	21	7	8.2	8.3			_		6.3	5.74	5.0	3.0	29
Charga	481.0				31	19	8	12	4.8		8.3	14	2.5	25		12.62		0.0	1

^{*} More than 3 days

TABLE C 4.—EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS (cms) IN DIFFERENT FIELDS

MARCH - 1968

STATION	sat (H)					-	ture (°C lepths (e		y	E				-	ure (°C)	in grad	86
	Highest Lowest	2	5	10	20	50	100	200	300	2	5	10	20	50	100	200	30
El kasr						19.0 16.4	18.8 17.6	19.4 18.8	-	_ _	_	_		_	_	=	<u>-</u>
Tahrir						20.8 17.3		20.3 19.2	20.9 20.5		_	=	=	=	_	_	=
Bahtim	H L					20.3 18.3	20.2 18.7	21.3 21.2	22.3 22.0	<u>-</u>	_	 - 	-	_	_	_	 -
Kharga	H L					24.5 22.2	24.0 22.5	24.9 24.6	26.5 26.0		-	_	=	_	_	=	=

TABLE C 5.—SURFACE WIND

MARCH - 1968

		l Speed_m			Days wit	h surface	wind spe	ed at 10	metres.			metres
MOITATS	Mean of the day	Night time mean	Day time mean	≥ 10 knots	≥ 15 knots	≥ 20 knots	≥ 25 knots	≥ 30 knots	≥ 35 knots	≥ 40 knots	Value (knots)	Date
El kasr	4.5	3.7	5.3	_	_	-		- :		-	_	_
Tahrir	2.5	1.5	3.4	31	25	10	5	2	1	1	48	12
Bahtim	2.6	1.8	3.5	31	23	8	2	1	0	0	44	12
Kharga	3.7	2.7	4.8	27	21	9	4	ı	0	0	37	14

PRINTED IN U.A.R. BY
THE GENERAL ORGANIZATION
FOR GOVT. PRINTING OFFICES. CAIRO

ALY SULTAN ALY
UNDERSECRETARY OF STATE
Chairman of the Board of Directors

10755-1969-150



MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 4

APRIL, 1968

U.D.C. 551, 506.1 (62)

METEOROLOGICAL DEPARTMENT
CAIRO

PUBLICATIONS OF THE METEOROLOGICAL DEPARTMENT OF THE UNITED ARAB REPUBLIC....CAIRO

In fulfilment of its duties, the U.A.R. Meteorological Department issues several reports and publications on weather, climate and agrometeorology. The principal publications are described on this page.

Orders for publications should be adressed to:
"The Director General, Meteorological Department, Kubri-el-Qubbeh — CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Department since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968 this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for U.A.R.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of the U.A.R. as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in march 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff of "The Meteorological Institute for Research and Training" and the Operational Divisions of Meteorological Department.

TECHNICAL NOTES

As from October 1970, the Meteorological Department started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.

The first Technical Note I was issued in October 1970 on : Sandstorms & Duststorms in the U.A.R.



MONTHLY WEATHER REPORT

VOLUME 11 NUMBER 4

APRIL, 1968

U.D.C. 551. 506.1 (62)

CONTENTS

		PAGE
	Genral Summary of Weather Conditions	1-2
	SURFACE DATA	
Table	A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	3
,,	A2.—Maximum and Minimum Air Temperatures	4
,,	A3.—Sky Cover and Rainfall	5
,,	A4.—Number of Days of Occurrence of Miscellaneous Weather Phenomena	6
,,	A.5—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	7,8
	. UPPER AIR DATA	
Table	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surfaces	9,10
**	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	11
"	B3.—Number of Occurreneces of Wind Direction Within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	12-14
	AGRO-METEOROLOGICAL DATA	
	Reviews of Agro-meteorological stations	15-16
Table	C1.—Air Temperature at 1½ Metres Above Ground	17
,,	C2.—Absolute Values, of Air Temperature at 1½ Metres Above Ground, Absolute Minimum Air Temperature at 5 Cms Above Ground Over Different Fields	17
"	C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ Metres Above Ground, Evaporation and Rainfall	17
"	C4.—Extreme Soil Temperature at Different Depths in Different Fields	18
,,	C5.—Surface wind	18

GENERAL SUMMARY OF WEATHER CONDITIONS

APRIL 1968

Rather cold weather intervened with two khamsin disturbances during the 1st half and characterized with light rain over the northern parts the 2nd half. Local heavy rain with records at Balteam and Abu Sueir.

GENERAL DESCRIPTION OF WEATHER

The prevailing weather was hot most of the first half of this month during which two khamsin heat waves prevailed. The first heat wave was of moderate intensity and reached its peak round the 4th. The second heat wave was excessive and prevailed from the 9th till the 15th. During the second half of the month, weather was in general rather cold in the northern parts and mild in the central & southern parts.

Light rain fell over scattered parts on few days during the second half of the month. Rain was heavy locally and its daily amounts reached records at Balteam on the 22nd (17.4 mms) and Abu Sueir on the 23rd (30.0 mms).

Weather was sandy for many days during the month at the southern inland districts. Early morning fog & mist patches developed in few occasions over scattered localities of the Delta, Canal & Cairo areas.

PRESSURE DISTRIBUTION

The most outstanding features of pressure distribution over the surface maps during this month were:

- The Siberian Anticyclone.
- Deep low pressure systems passing through North Urasia, and moving anticyclones in their rears extending sometimes southwards through the Mediteranean.
- Weak high pressure over East & Central Mediterranean and NE Africa.

— Travelling khamsin secondaries through coast of North Africa.

During this month, only three shallow khamsin depressions were distinguished. The first khamsin depression developed over North Algiers on the 1st, moved eastwards and passed through north of U.A.R. on the 5th. The second khamsin depression was formed over North Algiers on the 6th, then moved slowly eastwards and reached the Gulf of Serte on the 9th where it filled up. The third and last khamsin depression during this month developed over North Algiers also on the 10th, then moved slowly eastwards and traversed north of U.A.R. on the 15th.

The barometric pressure in U.A.R. experienced four falls round the periods (2nd-5th), (10-16th), (21st-23rd) & (28th-29th) respectively. The first and second falls were caused by the transit of the above mentioned two khamsin secondaries through north of U.A.R. The pressure fall during the third period was caused by the deepening of a trough extending from Iraq to Cyprus, while high pressure extended from East & Central Europe southwards through the Mediterranean. The fourth and last pressure fall during this month occurred as a result of northwestward elongation of a thermal trough over North Arabia.

Apart from the above mentioned periods of transitory depressions, the barometric pressure in U.A.R. was above normal and high pressure established over the Mediterranean & NE Africa.

The most important features of pressure distribution over the 700 & 500mb. upper air charts were:

- Two deep upper low pressure systems, one over North Atlantic and the other over North Urasia.
- Secondary upper lows (or troughs) through middle latitudes between 30° & 45° N, traversing East Mediterranean on the 6th, 17th, 24th & 29th.
- -- Upper high pressure system over the subtropical latitudes south of 30° N.

SURFACE WINDS

The most prevailing winds during this month were generally light to moderate Nly. Winds changed to SE/SW in advance of the travelling depressions, and to W/NW in their rears. Surface winds became fresh to strong during several days in scattered parts mainly in west of the Mediterranean, Western Desert, Upper Egypt and Red Sea districts. On the other hand, calms were frequent most of night and early morning intervals in scattered places.

Gales were reported oveé Luxor on the 15th and over Hurghada on the 30th.

TEMPERATURE

Maximum air temperature showed large variability during this month. It was appreciably above normal during the khamsin heat waves and mainly during the second wave, and was moderately below normal the rest of the month. Maximum air temperature

values ranged most days of the month between 20°C & 30°C in the northern parts, between 23°C & 33°C in the central parts and between 28°C & 38°C in the southern parts.

The absolute maximum air temperature was 42.2°C reported at Farafra on the 15th.

Minimum air temperature was moderately above normal most of the month in the northern parts. In the central and southern parts, it was appreciably above normal during the second heat wave, and moderatly below normal the rest of the month. Minimum air temperature values ranged generally between 12°C & 18°C in the northern and southern parts, and between 8 °C 16°C in the central parts.

The absolute minimum air temperature was 4.0°C reported at Shebin El Kom on the 3rd-

PRECIPITATION

Light rain fell over scattered parts in the Mediterranean, Lower Egypt & Cairo districts between the 21st & 25th, and over local parts in Upper Egypt & Red Sea districts between the 15th & 18th. Rain was locally heavy at Baltean on the 22nd (17.4 mms), at Abu Sueir on the 23rd (30-0 mms) where its daily rainfall amounts are records for April. The monthly rainfall was below normal over most parts of the Republic.

The highest daily rainfall was 30-0 mms reported at Abu Sueir on the 23rd.

The highest monthly rainfall was 32-0 mms reported at Abu Sueir.

M. F. TAHA
Under Secretary of State
Director General
Meteorological Department.

Cairo, April 1971

SURFACE DATA

Table A 1.—MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE,

RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION

		spheric				Air T	emperatu	re °C				Rela	tive	Brig	ht Sunshi	ne	mms.
		re (mbs) S.L.	Max	imum	Min	imum		Dry	Bulh	Wet I	Bulb	Humic	lity %	Dura	tion (Hou	ira)	1
STATION	Mean	D.F. Normal or Average	(A) Mean	D.F.Normal or Average	(B) Mean	D.F. Normal or Average	A+B 2	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Total Actual	Total Possible	%	Piche Evaporation Mean
Sallum	1014.9 1015.1 1014.8 1013.8	+1.5 +0.7 +0.7 +0.1	24.5 23.9 26.2 22.8	+0.8 +1.2 +2.4 +0.3	14.6 13.1 14.2 16.2	+1.1 +1.1 +0.8 -0.6 -	19.6 17.9 20.2 19.5	19.4 18.1 19.3 —	+0.5 +0.8 +1.1 - -	14.1 14.2 15.1 —	+0.3 +0.8 +0.5 —	52 52 61 	- 4 12 5 	281.6 287.3	388.2 388.2 —	 73 74 	7.1 8.4 6.7 6.0
Tanta	1014.3	+ 1.1	28.6	+0.8	12.6	+1.8	20.6	19.7	+1.0	14.7	+0.8	5 5	+ 1	293.8	387.8	76	6.5
Cairo (A)	1013.7	+0.3	29.1	+0.9	15.3	+1.3	22.2	21.7	+0.8	14.3	+0.2	40	_ 6	_	-	1	19.4
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Aswan (A)	1012.8 1012.6 1011.8 1011.4	0.0 +0.5 +1.3 +1.7	30.9 30.7 31.3 33.2 33.2	+1.2 +0.1 -0.5 -1.4 -1.9	12.9 11.8 15.6 15.1 16.2	$ \begin{array}{c c} -0.3 \\ -0.1 \\ +0.7 \\ -0.5 \\ -1.4 \end{array} $	21.9 21.2 23.4 24.1 24.7	21.2 23.1 24.6 25.3	-0.0 -0.7 -1.2 -1.5	14.1 14.0 14.6 13.2	$ \begin{array}{c c} - & & \\ +0.2 \\ +0.7 \\ -0.5 \\ -0.1 \end{array} $	41 31 28 17	- 0 + 7 + 2 + 5	320.5 — — —	385.1	83 — —	7.7 10.8 16.3 12.1 24.6
Siwa	1013.6 1013.9 1014.8 1013.4 1012.3	+0.2 +1.5 +0.9 +2.2 +1.0	31.2 30.5 31.5 32.1 32.8	+1.4 +0.5 +0.3 -0.7 -0.5	13.3 10.8 13.6 13.3 15.9	$\begin{array}{c} +1.1 \\ -2.0 \\ +0.3 \\ -0.7 \\ +0.4 \end{array}$	22.2 20.6 22.5 22.7 24.3	22.1 22.4 22.8 22.9 25.1	+0.5 0.0 $+0.1$ -1.0 $+0.3$	13.7 13.2 11.4 12.7 12.7	$\begin{array}{c c} +0.6 \\ -0.1 \\ -0.2 \\ +0.1 \\ -0.9 \end{array}$	34 28 23 23 20	+ 2 - 1 0 + 5 - 3	325.0	382.1	- - 85	13.5 10.9 16.7 17.2 20.5
Tor	 1011.8 1012.7	+0.9 +2.1	28.3 27.1	 +2.0 -0.1	15.9 18.9	 0.3 0.6	22.1 23.0		- +0.2 -0.3	15.2 16.3	 0.5 0.4	42 45	- 5 - 1	<u>-</u> -	<u>-</u> -	_	14.6 13.8

Table A 2.-MAXIMUM AND MINIMUM AIR TEMPERATURES

			Maxi	mum Tem	peratur	e °C				Grass Ter	Min. np.			Minimu	т Тетре	rature °(0		
Station	Highest	Вви	Lowest	Date	Ns	of Day	ys with	Max-To	emp.	Mean	m Normal	Highest	Date	Lowest	Date	No	of Da	ys with	h
	Hig	Ã	Lov	Q .	>25	>30	>35	>40	>45	X 	Dev. From	Hig	H	3	Α	<10	<5	<0	<-5
Sailum	37.7	12 14 13-14 11 -	23.0 18.7 19.8 19.2	13 1 21 1 —	10 10 15 5	4 4 6 0 —	3 3 9 —	0 0 0 0 -	0 0 0 -	14.7 — — 15.6 —		23.0 19.2 19.2 20.0	13 14 15 15	9.9 8.0 7.4 11.8	21 8 3 3 —	1 4 2 0	0 0 0 0 -	0 0 0 -	0 0 0 0 -
Tanta	40.6	14	21.4	22	21	10	4	1	0		_	18.4	16	7.6	3	3	0	0	0
Cairo (A)	40.7	15	19.7	23	21	10	6	2	0	_		24 . 1	13	10.6	3	0	0	0	0
Fayoum	40.0 41.0	16 16 16 14 15	23.1 23.0 22.5 24.8 25.1	1 1 1 1	25 26 28 29 30	17 16 18 21 23	6 6 10 10	1 0 2 1	0 0 0 0	11.0 9.2 15.9 9.9		18.5 18.9 24.7 23.8 23.0	16 15 16 16 16	7.4 6.2 9.3 9.4 10.2	3 3 1 3 2	10 2 2 0	0 0 0 0	0 0 0 0	0 0 0
Siwa	41.0 40.7 42.2 40.5 40.6	14 15 15 15 15	23.8 22.1 24.2 25.2 25.2	21—22 21 1—21 21 1	26 24 27 30 30	19 18 20 20 21	7 6 7 9	2 1 2 3 2	0 0 0 0	10.2 11.9 13.4 — 10.1	_ _ _ _	19.6 21.8 21.5 19.6 27.8	16 15 15 11 16	6.5 7.6 7.7 5.2 8.0	1 1 3 3 3	4 6 5 7 3	0 0 0 0	0 0 0 0	0 0 0 0
or	37.1 34.2	- 16 14	23.1 22.2		27 26	- 7 4	- 1 0		_ 0 0	15.0 17.1	_ _ _			10.6 14.0	- 5 4	0 0	- 0 0	0 0	0 0

Table A 3.—SKY COVER AND RAINFALL

APRIL — 1968

		Mean	Sky Cove	er Oct						Rainfa	ll mms					
Station	00	06	12	18	Daily	Total	Dev. From	in on	. Fall e day		Numb	er of Day	s With A	mount of	Rain	
	U.T.	U.T.	U.T.	U.T.	Mean	Amount	Normal	• Amount	Date	< 0.1	≥ 0.1	≥ 1.0	≥ 5.0	≥ 10	≥ 25	≥ 50
Sallum	1.1 2.3	3 3 4 1	2.5 3.8	2.4 2.7	2.4 3.0	0.0 1.8	- 1.1 - 0.7	0.0 1.2	20	0	0 2	0 1	0 0	0 0	0	0
Alexandria (A) Port Said (A) El Arish Ghazza	3.6 	3.9 2.6 —	3.0 2.0 -	2.4	3.3	6.8 0.0 —	+ 3.7 - 3.1 - -	4.3 0.0 —	21 — —	0 -	3 0 	0 - -	0 - -	0 -	0 0 -	0 0 0
Tanta	0.9	2.5	2.6	0.6	1.6	1.7	- 0.4	1.2	23	0	2	1	0	o	o	0
Cairo (A)	3.0	4.1	2.7	1.7	2.7	0.9	+ 0.1	3.7	23	0	2	0	0	ა	0	o
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Aswan (A)	0.9 0.9	2.1 1.5 1.4 1.3 1.2	2.5 1.8 1.4 2.0 1.9	2.2 1.1 1.3 1.3	1.4 1.3 1.4 1.5	0.0 0.0 0.0 tr. 7.2	- 0.7 - 0.4 - tr. + tr. + 7.2	0.0 0.0 0.0 tr. 7.2		0 0 0 1 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0
Siwa	0.4 0.8 0.0 0.6	1.0 1.5 1.1 0.4 0.9	2.2 1.7 1.4 0.9 1.1	1.0 1.5 1.1 0.7 0.9	1.2 1.4 - 0.6 0.9	0.0 0.0 0.0 0.2 tr.	- 0.9 0.5 0.1 + 0.2 0.0	0.0 0.0 0.0 0.2 tr.		0 0 0 0 1	0 0 0 1	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0
Tor	1.0 0.9	1.9 1.8	2.7 2.1	2.3 1.7	1.9 1.6	tr.	- 0.0 0.0	tr.	 18 18	1 2	- 0 1		- 0 0	- 0 0	- 0 0	0 0

Table A 4.—DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA

APRIL — 1968

		Precipi	itation				stres				2	g _			
Station	Rain	Snow	Ice. Pellets	Hail	Frost	Thunderstorm	Mist Vis > 1000 metres	Fog Vis <1000 Metres	Haze Vis	Thick Haze Vis	Dust or Sandrising Vis ≥1000 Metres	Dust or Sandstorm Vis <1000 Metres	Gale	Clear Sky	Cloudy Sky
Sallum	0	0	0	0	0	0	0	2	0	0	,	0		12	0
Mersa Matruh(A)	2	0	0	0	0	0	ĭ	2	ŏ	ő	1 4	0	0	10	1 1
Alexandria(A) Port Said(A)	3 0	0	0	0	0	0	2	2	5	0	0	0	0	10	4
El Arish	_		□			0	0	1	0	0	_	0	0		_
Ghazza		_	-		-	_	_	_			_	_	_		_
Canta	2	0	0	0	0	0	5	1	0	0	0	0	0	19	0
Cairo (A)	2	0	0	0	0	0	8	2	8	0	1	0	0	10	1
ayoum	0	0	0	0	0	0	0	0	0	0	0	0	0	_	_
finys (A)	0	0	0	0	0	0	2	ŏ	4	ŏ	5	ŏ	ŏ	23	i o
Assyout (A)	0	0	0	0	0	0	0	0	3	0	3	1	0	23	0
Aswan (A)	1	0	0	0	0	0	0	0	7 2	0 0	9 7	3 1	1 0	22 22	1 0
iwa	0	0	0	0	0	0	0	0	0	0	1	0	0	23	0
Bahariya	ŏ	Ŏ	ŏ	ŏ	ŏ	ŏ	ő	Ö	0	ŏ	Ó	l ŏ	l ŏ	23 24	Ü
arafra	0	0	0	0	0	0	0	0	2	0	2	0	0	_	_
Oakhla	1	0	0	0	0	0	0	0	16	0	21	1	0	24	0
harga	U	· ·		U	U	0	0	0	1	0	5	0	0	25	0
or	_		-					_				_			
Turghada	0	0	0	0	0	0	0	0	0	0	7	0	1 0	15	2 2
useif	1]	0	0	0	0	2	0	0	2	0	1	0	0	21	2

Table A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

		(er	(hours)			Num	ber i			occus					in g f í	om t	he
Station	Calm (hours)	Variable (hours)	Unrecorded (h	Wind speed in knots	345 / 014		045 / 074	075 / 104	105 / 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	1 /	All directions
allum	19	0	6	1—10 11—27 28—47 ≥ 48 All speeds	36 18 0 0 54	43 16 0 0 59	65 1 0 0 66	88 0 0 0 88	65 1 0 0 66	19 0 0 0 19	16 2 0 0 18	20 11 0 0 31	13 9 0 0 22	30 17 0 0 47	52 49 0 0	51 73 0 0	498 197 0 0 695
fersa Matruh (A)	6	1	0	1—10 11—27 28—47 ≥ 48 All speeds	43 41 0 0 84	64 25 0 0 89	22 7 0 0 29	15 17 0 0 32	25 17 0 0 42	46 30 0 0 76	20 21 0 0 41	22 15 0 0 37	8 13 0 0 21	47 28 0 0 75	27 52 0 0 79	16 92 0 0 108	355 358 0 0 713
lexandria (A)	0	1	0 *	1—10 11—27 28—47 ≥ 48 All Speeds	62 13 0 0 75	65 19 0 0 84	54 2 0 0 56	42 2 0 0 44	47 0 0 0 47	15 0 0 0 15	7 0 0 0 7	16 1 0 0	14 4 0 0 18	21 4 0 0 25	88 13 0 0	185 45 0 0 230	616 103 0 0 719
ort Said (A)	1	2	0	1—10 11—27 28—47 ≥ 48 All speeds	200 11 0 0 211	119 5 0 0 124	55 6 0 0 61	14 0 0 0 14	3 0 0 0 3	1 0 0 0 1	0 0 0 0	3 0 0 0 3	29 16 0 0 45	58 8 0 0 66	46 19 0 0 65	85 39 0 0 124	613 104 0 0 717
ayoum	40	2	0	1—10 11—27 28—47 ≥ 48 All speeds	1 0 0	229 13 0 0 242	23 0 0 0 23	24 0 0 0 24	7 0 0 0 7	7 0 0 0 7	10 0 0 0 10	18 0 0 0 18	20 4 0 0 24	51 11 0 0 62	27 1 0 0 28	81 3 0 0 84	645 33 0 0 678
inya	34	9	0	1—10 11—27 28—47 ≥ 48 All speeds	208 120 0 0 328	56 12 0 0 68	10 0 0 0 10	7 0 0 0 7	4 0 0 0 4	7 0 0 0 7	29 0 0 0 29	24 0 0 0 24	14 0 0 0 14	24 4 0 0 28	36 22 0 0 58	89 11 0 0 100	508 169 0 0
8yout (A)	3	0	0	1—10 11—27 28—47 ≥ 48 All speeds	11 16 0 0 27	17 11 0 0 28	23 0 1 0 24	30 3 0 0 33	38 11 0 0 49	17 5 0 0 22	6 1 0 0 7	3 0 0 0 3	0 0 0	7 0 0	118 67 0 0 185	66 76 0 0 143	519 197 1 0 717
uxor	1	10	0	1—10 11—27 28—47 ≥ 48 All speeds	62 5 0 0 67	41 5 0 0 46	27 19 0 0 46	39 0 1 0 40	16 2 0 0 18	37 3 0 0 49	83 b 0 0 88	37 0 0 0 3 7	31 1 0 0 32	13 0 0	115 23 0 0 138	74 2 0 0 76	630 78 1 0 789

Table A 5. (contd.)—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

	rs)	urs)	hours)) B	l umb	er in		s of c						ng fro	m th	
Station	Calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	1	1	075 / 104	105	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 314	315 / 344	All directions
Aswan (A)	1	4	4	1—10 11—27 28—47 ≥ 48 All speeds	172 31 0 0 296	84 15 0 0 99	30 10 0 0 40	18 1 0 0 19	22 29 0 0 51	5 3 0 0 8	3 0 0 0 3	2 0 0 0 2	4 0 0 0 4	12 6 1 0	42 36 0 0 78	121 60 1 0 182	518 194 2 (711
Biwa	20	16	3	1—10 11 - 27 28—47 ≥ 48 All speeds	23 3 0 0 26	43 6 0 0 49	50 0 0 0 50	121 2 0 0 123	86 6 0 0 92	42 8 0 0 50	27 3 0 0 30	21 0 0 0 21	30 0 0 0 30	46 8 0 0 54	53 32 0 0 85	52 19 0 0 71	594 87 ((681
Dakbla	16	0	0	1—10 11—27 28—47 ≥ 48 All speeds	39 25 0 0 64	46 14 0 0 60	34 4 0 0 38	30 0 0 0 30	31 1 0 0 32	25 2 0 0 27	54 0 0 0 54	36 0 0 0 36	38 0 0 0 38	57 0 0 0 57	83 19 0 0	127 39 0 0 166	60(10: (70:
Kharga	9	4	2	1—10 11—27 28—47 ≥ 48 All speeds	123 34 0 0 157	60 3 0 0 63	30 4 0 0 34	21 1 0 0 22	16 2 0 0 18	4 0 0 0 4	5 0 0 5	4 0 0 0 4	8 2 0 0	24 2 0 0 26	75 23 0 0 98	182 82 0 0 264	55; 15; ((70;
Tanta (A)	8	o	0	1—10 11—27 28—47 ≥ 48 Ail speeds	61 9 0 0 70	84 2 0 0 86	79 1 0 0 80	23 0 0 0 23	7 0 0 0 0 7	2 0 0 0 0 2	25 0 0 0 25	75 4 0 0 79	70 1 0 0 71	112 1 0 0 113	62 6 0 0 68	80 8 0 0 88	68(3: (71:
Cairo (A)	0	6	50	1-10 11-27 28-47 ≥ 48 All speeds	33 37 0 0 70	61 40 0 0	50 31 0 0 81	41 22 0 0 63	5 10 0 0 15	7 0 0 0 7	4 0 0 0 4	20 1 0 0 21	24 7 0 0 31	44 24 0 0 68	74 12 0 0 86	101 16 0 0 117	46- 200 66
Hurghada	23	0	12	1-10 11-27 28-47 ≥ 48 All speeds	17 75 0 0 92	47 27 0 0 74	35 0 0 0 0 35	9 1 0 0 10	17 9 0 0 26	27 11 0 0 38	9 1 0 0 10	δ 0 0 0 5	7 1 0 0 8	37 9 0 0 46	82 91 1 0	44 112 11 0 167	33 33 1
Quaeir ,	13	0	0	1—10 11—27 28—47 ≥ 48 All speeds	105 54 0 0 159	38 1 0 0 39	9 0 0 9	19 0 0 0 19	13 1 0 0 14	24 6 0 0 30	19 0 0 0 19	16 0 0 0 16	60 1 0 0 61	94 8 0 0	83 20 0 0	72 64 0 0	55 15 70

UPPER AIR CLIMATOLOGICAL DATA

Table B 1.—MONTHLY MEANS AND MONTHLY ABSOLUTE HIGHER & LOWER VALEUS OF ALTITUDE, AIR TEMPERATURE & DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

APRIL --- 1968

noi	Presure	Alt	itude of Pre	ssure Surfac	ce (cpm)		Temper	ature (°(')		De	w point (°C)
Station	Surface (Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
Mersa Matruh (A) 0000 UT	Surface 1000 850 700 600 500 400 300 20 200 150 100 70 60 50 40 30 20 10	26 26 26 24 24 24 22 23 23 19 17 10 8 4 4 4	** 1014m.b. 151 1525 3118 4348 5729 7377 9369 10671 11997 16309 18482 19421 20619 22113 24001	1021m.b. 205 1573 3198 4432 5836 7483 9497 10702 12102 13590 16420 18540 19528 20780	1008m-b. 103 1459 3000 4190 5546 7138 9100 10300 11755 13626 16184 18400 19275 20583	26 26 26 24 24 24 23 23 19 17 10 8 4 4 3	15.3 16.9 11.9 2.3 	20.6 25.4 23.0 7.9 2.7 -13.4 -26.4 -42.3 -47.1 -50.0 -53.8 -57.9 -59.0 -58.0 -55.8	10.8 12.1 - 1.0 - 5.1 - 14.6 - 24.9 - 34.4 - 47.8 - 56.0 - 58.1 - 63.4 - 68.0 - 68.0 - 66.5 - 57.2	17 9 8 6 2 8 1	10.7 9.2 2.3 10.3 14.0 23.0 30.0
Helwan 0000 UT	Surface 1000 850 700 600 500 400 300 250 200 150 160 70 60 50 40 30 20	28 28 28 28 28 27 27 27 27 26 27 23 12	99 im.b. 116 1499 3100 4328 5743 7375 9374 10579 12009 13804 16296	100 tm.b. 1.8 1.547 3470 4410 5831 7491 9571 10715 12115 13952 16456	991m-b. 55 1444 3097 4217 5607 7204 9154 10377 11822 13665 16058	28 6 28 28 27 27 27 27 26 27 23 12	18.3 15.8 13.3 2.8 	30 1 21.0 22.5 7.4 	11.9 11.9 5.3 -5.7 -15.0 -23.0 -37.3 -48.4 -66.4 -66.6 -70.4	28 4 13 11 11 10 10 9 10 5 4	6.1 5.3 -1.0 -9.3 -18.1 -27.1 -38.1 -51.7 -57.0 -60.6 -63.9 -70.1
Aswan 0000 UT	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	24 24 24 22 22 22 22 22 19 18 17 14 6	988m.b- 92 1488 3104 4347 5643 7447 9480 10707 12161 13959 16482	99.*m.b. 151 1534 3143 4393 5826 7509 9576 10810 12251 14044 16499 — — — —	983m.b. 43 1448 3039 4242 5625 7363 9384 10606 12075 13833 16300 — — — — —	24 24 22 22 22 22 22 19 18 17 14 6	20.1 16.5 5.5 2.0 11.8 23.9 39.4 47.7 55.0 61.0 70.6 	28.0 21.4 9.3 1.4 -9.4 -20.1 -22.0 -42.0 -48.6 -57.4 -67.2	7.8 -4.0 -9.9 -16.6 -27.2 -48.7 -51.8 -60.2 -68.7 -72.7	24 4 2 2 2 2 2 	0·5

N = The number of cases the element has been observed during the month.

^{*} The atmospheric pressure corrected to the elevation of the radiosonde station.

UPPER AIR CLIMATOLOGICAL DATA

Table B 1. (contd.)—MONTHLY MEANS AND MONTHLY ABSOLUTE HIGHER & LOWER VALUES OF ALTITUDE, AIR TEMPERATURE & DEW POINT AT STANDARD AND ELECTED PRESSURE SURFACES

APRIL — 1968

						· · · · · · ·					
ion	Pressure	Alti	tude of Pre	ssure Surfac	e (gpm)		Тетр	erature (°C)		Dew 1	Point (°C)
Station	Surface (Millibar)	N	M ean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
Mersa Matruh (A) 1200 UT	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	26 26 26 25 25 24 24 22 21 19 15 112 2 2	* 1015m.b. 154 1536 3132 4362 5766 7410 9410 10619 12048 13889 16407 18630 19589 20705 ——————	** 1022m,b. 213 1584 3231 4486 5908 7582 9623 10843 12271 14095 16581 18660 19613 — — —	1010m.b. 114 1476 3031 4228 5600 7218 9166 10374 11860 13746 16325 18600 19515 — — —	26 26 26 25 25 24 24 22 21 19 15 12 2 1	21.6 20.1 13.4 3.1 -5.2 -15.0 -28.2 -42.2 -50.9 -56.2 -67.3 -62.2 -62.8 -62.6 -57.5	35.6 34.8 23.4 9.9	11.8 14.4 3.6 - 4.2 -11.9 -22.4 -35.5 -45.4 -55.0 -65.6 -63.7 -69.0 -66.0 -63.0	17 10 8 5 3 2 	13.2 9.4 - 0.7 - 9.5 -14.6 -21.6
Helwan 1200 UT	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	27 27 27 27 27 27 27 27 27 26 26 21 3 1	997m-b- 112 1509 3112 4350 5754 7401 9415 10626 12055 13882 16422 18627 19605 — — — —	1002m,b- 158 1557 3192 4434 5859 7525 9556 10772 12185 13995 16512 18680	990m.b. 50 1446 3025 4248 5634 7267 9255 10455 11854 13658 16311 18540	27 27 27 27 27 27 27 27 27 26 26 21 3 1	28.1 -25.3 14.3 3.4 -4.5 -14.5 -27.0 -42.6 -47.2 -55.6 -62.7 -61.3 -61.3 	38.2 29.7 24.0 8.2 — 1.1 —10.5 —23.7 —39.2 —44.0 —47.2 —51.6 —57.8 —59.4 ————————————————————————————————————	19.8 20.8 5.6 2.6 9.6 19.7 32.4 49.0 58.2 63.2 65.2 66.2 64.4 	24 3 13 13 12 12 12 12 12 12 1	4 0 4 .9 - 3.8 -14.9 -21.0 -28.7 -40.8 -54.0 -59.9 -63.4 -67.3 -70.7 -68 8
Aswan (A) 120) UT	Surface 1000 850 700 600 509 400 309 250 200 150 100 70 60 50 40 30 20	24 24 24 24 23 23 21 18 16 16 16 15 9 1	989m.b. 87 1506 3123 4373 5805 7482 9533 10786 12245 14076 16564 18845 — — —	* 995m.b. 149 1546 3169 4417 5872 7558 9641 10885 12333 14145 16688	983m.b. 37 1468 3073 4308 5715 7286 9431 10697 12139 13975 16456 — — — —	24 24 24 23 23 21 18 16 16 15 9 1	31.5 	39.0 26.2 17.1 3.8 - 8.4 -17.9 -32.2 -39.6 -47.6 -53.8 -61.7	24.0 10.9 3.4 6.913.025.840.749.657.662.671.6	23 -5 4 2 2 1 	-2.3 - 5.4 -17.8 -22.4 -29.8 -10.7

N = The number of cases the element has been observed during the month.

[•] The atmospheric pressure corrected to the elevation of the radiosonde station.

Table B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE; THE HIGHEST WIND SPEED IN THE UPPER AIR

					Free	zing Le	vel							First	Tropop	ause				Highe	st w	ind sp	peed
			Mean		1	Highest		1	Lowest			Mean]	Highest]	Lowest		<u>a</u>	(i)	9	30 \$
	Station	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Direction (000—360)°	Speed in Knots
		(N)	(N)	(N)						•	(N)	(N)	(N)										
	Mersa Matruh (A)	3248 (23)	671 (23)	11.3 (5)	4085	625	_	1570	838		11067 (11)	228 (11)	57. 7 (11)	12150	195	—64 .5	9490	279	49.4	12400	195	295	110
	Helwan	33 62 (27)	680 (27)	9.1 (11)	4100	623	-	2120	784	-6.4	11765 (24)	212 (24)	-59.1 (24)	15320	117	-62.4	7940	36 0	-43.4	11670	218	300	14
3	Aswan (A)	4035 (22)	623 (22)	<u>-</u>	4610	582	-	2400	758	-	15500 (1)	118 (1)	-67.0 (1)	_	_						-	-	-
		(N)	(N)	(N)							(N)	(N)	(N)										
	Morsa Matruh (A)	3 363 (26)	655 (26)	6.0 (5)	4240	615	-	1985	800	-4.8	111 74 (17)	232 (17)	56.1 (17)	12430	188	-63.0	8150	351	-43.6	14810	0 13	320	0 1
1800 O.T.	Helwan	3596 (27)	655 (27)	-16.2 (12)	4220	612		2440	739	-13.2	11951 (26)	202 (26)	-57.5 (26)	15060	124	62.0	9610	284	-44.5	1483	0 12	320	0 1
	Aswan (A)	4137 (23)	615 (23)	-20.3 (3)	4780	574	-	2690	737	_	1 433 8 (5)	150 (5)	-62.5 (5)	15740	115	69.8	10440	265	-44.5	1379	21:	2 290	0 1

N = The number of cases the element has been observed during the month.

Table B 3.—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN CALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

MERSA MATRUH (A) - APRIL 1968

							-	Wind	betwe	en sp	ecified	range	es of	direc	tion (000-	360)*						oalm	er of (TN)	₩ind
Tine.	Freesure Surface Millibar		45 / 14		15 / 44	045 / 074		075 / 104		05 / 34	134 / 164	- 1	16/ / 19/	- 1	195 / 224	- 1	225 / 254		255 / 284	285 / 314		315 / 844	Tumber of oa	Total number observations (T	soslar wi
_		N	(ff)	N	(ff)	N	n N	(ff) m	N	(ff)	N	(ff) m	N	(ff) m	N	(ff)	N	ff) N	m (ff)	N	ff) m	N (fi	12	Total observe	Mean
0000 U.T.	8urface 1000 850 700 600 600 400 250 250 150 100 70 60 80	3 2 1 3 1 1 1 2 0 0 0 -	10 10 3 22 40 50 53 63 70	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	12	0 - 0 - 0 - 0 - 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10 20 — — — — — — — — — — — — — — — —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 - 10	1 1 0 0 0 0 0 0 0 0 0 0 0	- - -	0 2 0 3 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	20 17 30		3 1 2 4 3 3 4 2 2 2 1	11 10 9 118 229 330 41 777 776 990 660 333 — — — — — — — — — — — — — — — —	3 2 14 20 12 12 12 12 12 12 12		26 11 10 10 10 10 10 10 5 2 1	9 10 10 18 26 29 35 48 64 75 60 33 —
1200 U.T.	Suriace 1000 8£0 700 600 600 400 300 230 200 156 100 70 60 50 40 30 20 10	3 3 2 1 3 1 2 3 0 0 0 0		1 0 0 0 0 0 0 0	- .	1 10 0	0 0 0	12 - - - - -	0 0 1 1 0 0 0 0 0 0 0 0	3 7	1 1 1 1 1 1 1 1 1 1	2 7 - - - - - - -	2 1 1 0 - 0 0 - 0 0 - 0 0 - 0 - 0 - 0 - 0	- - - - - -	1 2 1 1 0 1 0 0 0 0		- - -	0 44 60 44 60 60 60 60 60 60 60 60 60 60 60 60 60	19 16 22 26 30	4 2 6 1 3 2 11 2 6 3 4 4 5 5 4 6 0 - 1 6	1	8 14 9 15 4 11 5 19 2 24 4 31 3 40 2 50 2 60 3 73 2 91 1 64	1 0 0	26 25 24 23 22 21 17 12 10 6 5 1	14 15 13 17 22 29 34 47 58 68 72 64 —

N = The number of cases the wind has been observed from the range of direction during the month. TN = The total number of cases the wind has been observed for all directions during themonth.

Table B 3 (contd.).—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

HELWAN-APRIL 1968

					Wind b	etween sp	ecified ran	ges of dire	ection (000	360)*				calm	er of (TN)	wisd ta)
Time	Pressure Surface Millibar	345 / 014	015 / 044	045	075 104	105 / 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	315 / 344	₽ eg	numb tions	alar (kno
		N (ff)	N (ff)	N (ff)	N (ff) m	N (ff) m	N (ff)	N (ff) m	N (ff) m	N (ff)	N (ff) m	N (ff) m	N (ff)	Number wir	Total observe	Mean sc speed
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	6 8 1 9 2 8 4 18 3 30 2 36 6 4 47 1 32 0 — — — — — — — — — — — — — — — — — —	3 10 4 16 2 22 3 21 3 3 33 0 — 0 1 19 0 — 0 — 0 —	3 14 2 18 0 1 2 0 0 0 0 0 	3 14 2 3 1 9 1 6 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	1 2 8 0 — 2 8 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0	0 - 0 - 1 3 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0	0	0	0	5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	28 6 28 27 26 26 20 17 12 7 1 —————————————————————————————	10 11 13 18 22 26 36 49 52 53 50 31 ———————————————————————————————————
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	8 11 2 16 2 12 4 43 6 44 3 4 3 5 2 11 1 1 0	3 2 4 2 5 13 2 3 9 2 2 15 3 0 — 3 0 — 3 0 — 5 0 — 0 — 0 — 0 —	0	1 10 0 16 1 27 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0	1 6 0 — 3 19 3 28 2 18 5 18 2 14 1 28 1 38 0 — 0 — 1 16 — — — — — — — — — — — — — — — —	5	6 9 1 4 10 4 16 5 16 5 10 7 26 8 52 6 48 4 57 6 53 1 45 0 — — — — — — — — — — — — — — — — — — —	3 15 0 -6 1 6 2 16 5 17 8 23 6 30 3 36 3 44 4 58 3 43 1 33 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	27 6 26 28 22 22 21 21 18 14 10 2 1 —	10 10 13 22 21 27 31 48 50 50 51 39 16

N - The number of cases the winds has been observed from the range of direction during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

Table B 3 (contd.).—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

ASWAN (A) - APRIL 1968

)			-				w	ind t	oetwe	en sp	ecifie	ed ran	nges o	f dire	ction	(000-	-300))°							calm	er of (TN)	pu (
Time	Pressure Surface Millibar	1 .	45 / 14		15 / 44	04 [07		07	1		05 / 34	į .	35 / 64	1	65 / 9 4	19 / 22		22 / 25	ļ	25 / 28	۱ ا	28 3	35 1 14	31 / 34	'	ig e	number stions (7	ean sosiar wind speed (knots)
	j	N	(ff)	N	(ff)	N	(ff) m	N	(ff)	N	(ff)	N	(ff)	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	Number win	Total numbe observations	Mean spec
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	5 2 3 1 0 0 	11 16 19 30 	3 5 2 0 0 0 	8 13 15 - - - - - - - - -	3 0 0 0 0 	10 4 13	5 0 0 0 0	9	0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	14	0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5	0 1 2 0 1 1 1	14 20 37 47 	1 3 1 1 0	8 	5 4 0 2 0	12 12 21 	8 2 2 1 0	8	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	24 20 5 5 1 —	9 15 19 22 31 47 — — — — —
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	3 2 2 2 2 1 1 1 0 0 0	- 1	4 0 4 0 1 0 0 0 0 0 0 0 0	11	1 1 0 0 0 0 0 0 0 0	_ _ :	1	15 14 29 19 8 	1	22 18 20 10 4 	1 0 0 0 0 0 0 0 0 0	18 -7 	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0		1 1 1 1 2 1 2 0 0 0 	16 20 35 49 55 18 47 35 ———————————————————————————————————	0 6 7 10 5 3 1 5 6 2 —	20 41 34 53 40 50 63 74 30 —	2 7 2 3 5 7 6 4 3 1 0	14 	6 -5 4 5 1 1 0 0 0 0 	11 24 15 26 16 		24 23 23 21 22 16 12 10 8 7 2	12 13 21 26 31 38 43 52 65 75 30 —

N = The number of casees the wind has been observed from the range of directions during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR - APRIL 1968

This month was slightly warmer than normal and rainless. The month was characterised by two khamsin heat waves during theperiods: (3rd-4th) & (10th-15th). The first heat wave was of light intensity, but the second wave was excessive and reached its peak on the 14th when the highest maximum air temperature for the month (39.2°C) was reported. A cold spell was experienced on the lst and 2nd and two light cold waves during the periods (5th-8th) and (18th-26th).

The extreme maximum soil tempratures were higher than the corresponding values of last April at all depths between 2 and 100 cms., and the differences ranged between 3.8° C at 2cms. and 0.6°C at 50 cms. The extrememinimum soil temperatures were lower than the corresponding values of last April at depths between 2 & 10cms., and higher at deeper depths between 20 and 100 cms,; the differences were generally slight and ranged between 0.4° and 1.0.°C.

The mean daily pan evaporation was 0.20 mm. more than the corresponding value of April 1967. The mean daily actual duration of bright sunshine was 0.7 hours less than the corresponding value of April 1967.

TAHRIR - APRIL 1968

Compared with last April, this month wasslightly warmer and more rainy. The month was characterised by two khamsin heat wavesduring the periods: (3rd-6th) & (9th-16th), and a warm spell on the 28th. The second heat wave yielded the highest maximum air temperature for the month (40.9°C) on the 14th. A cold spell occurred on the 1st and 2nd and a cold wave during the period (17th-26th) yielding the lowest maximum air temperature for the month (21.3°C) and the highest daily rainfall amount (3.7mms.) on the 23rd.

The extreme maximum soil temperatureswere higher than the corresponding values of last Apirl at all depths between 2 & 100cms., and the differences ranged between 7.0°C at 2 cms. & 0.9°C at 100cms. The extreme minimum soil temperature at 2 cms. depth was slightly higher (0.1 °C) than the corresponding value of last April. At all other depths between 5 & 100 cms. the values were lower than last April with differences ranging between 1.7 °C at 5 cms. & 0.1 °C at 100 cms.

The mean daily Pan evaporation was 0.58 mm. less than the corresponding value of April 1967. The mean daily actual duration of bright sunshine was 0.6 hour less than the corresponding value of April 1967.

BAHTIM - APRIL 1968

This month was nearly the same as last April with respect to the mean daily air temperature. The month was mainly characterised by two khamsin heat waves during the periods (4th-6th), (11th-16th). The first heat wave was of light intensity, but the second wave was excessive and yielded the highest maximum air temperature for the month (39.0 °C) on the 14th. Two cold waves were experienced during the periods (1st-2nd), (18th-26th). The second cold wave was the more pronounced; it yielded the lowest maximum air temperature for the month (19.8 °C) and the maximum daily rainfall amount (2.5 mm.) on the 23rd.

The extreme maximum soil temperatures were higher than the corresponding values of last April at all depths between 2, 100 cms., and the differences ranged between 7.5 °C at 2 cms. 0.9 °C at 100 cms. The extreme minimum soil temperatures were lower than the corresponding values of last April at 2 & 5 cms. depths and the differences were 1.6 °C & 1.3 °C respectively. At deeper depths between 10 & 100 cms. the values were higher than last April, and the differences ranged between 0.1 °C at 20 cms. & 1.3 °C at 100 cms.

The mean daily Pan evaporation was 1.45 mms. less than the corresponding value of April 1967. The total actual duration of bright sunshine was 22.0 hours less than the corresponding value of April 1967.

KHARGA - APRIL 1968

This month was slightly warmer than normal. The month was characterised by two heat waves during the periods: (4th-7th) and (10th-17th). The second heat wave yielded the highest maximum air temperature for the month (40.6 °C) on the 15th. Two cold waves were experienced during the periods (1st-3rd) and (18th-27th). The first cold wave yielded the lowest maximum air temperature for the month (25.2 °C) on the 1st.

The extreme maximum soil temperatures were higher than the corresponding values of last April at all depths, except at 100 cms. depth where the value was 0.3 °C lower; the differences ranged between 2.6 °C at both 2 & 10 cms. depths and 0.7 °C at 50 cms. depth. The extreme minimum soil temperatures were higher than the corresponding values of last April at all depths, apart from 10 &20 cms. depths where the values were slightly lower (0.4 to 0.6 °C); the differences ranged between 1.3 °C at 2 cms. & 0.2 °C at 100 cms.

The mean daily Pan evaporation was 3.18 mms. less than the corresponding value of April 1967. The mean daily actual duration of bright sunshine was 0.1 hour more than the corresponding value of Apil 1967.

Note: During this month records of the mercury in steel hygrograph were not available at El-Kasr & Bahtim centres. For these centres the mean of day of air temperature, relative humidity and vapour pressure were calculated according to the following equations:

Mean of day of air temperature.

⁼ (0600 + 1200 + 1800) U.T. dry bulb observations + minimum air temperature / 4

Mean of the day of relative humidity.

^{= (0600 + 1800)} U. T. observations/2.

Mean of the day of vapour pressure.

^{= (0600 + 1200 + 1800)} U. T. observations/3.

Table C 1.—AIR TEMPERATURE AT 1½ METRES ABOVE GROUND
APRIL — 1968

		Air Te	m peratu	re (°C)				Mean	Duratio ab	n in ho ove the				rature		
STATION	Mean Max.	Mean Min.	Mean of the day	Night time mean	Day time mean	-5°C	0°C	5°C	10°C	15°C	20°C	25°C	30°C	35°C	40°C	45°C
	1		1													
Kasr	23.8	12.9	17.7	i – i	_	-	_		_	_	_	-	_	_	_	-
ahrir	29.1	12.7	20.1	15.9	22.6	24.0	24.0	24.0	23.6	18.2	10.8	5.2	2.0	0.8	0.0	0.0
lahtim	28.6	10.1	18.4	_	_	_				_		_	_			_
Charga	33.0	16 0	25.1	21.3	27.4	24.0	24.0	24.0	23.7	22.3	18.4	12.0	5.7	1.8	0.0	0.0
-																

Table C 2.—ABSOLUTE VALUES OF AIR TEMPERATURE AT 1½ METRES ABOVE GROUND,
ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS
APRIL — 1968

	Ma	x. Temp.	at li me	tres	Mi	n. Temp.	at l ₂ me	tres	Min.	Тетр. а	t 5 cms.	above
STATION	Hig	hest	Low	est	Hig	hest	Lov	vest	Dry	Soil	Gr	885
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date
			•		<u></u>			<u> </u>	<u>: </u>]
Cl Kasr	3 9.2	14	17.9	14	18.2	6	8.0	8	4.9	2	_	_
ahrir	40.9	14	21.3	23	17.1	15	6.1	3	4.0	3	_	-
Sahtim	3 9.0	14	19.8	23	14.9	15	3.7	3	0.3	3	_	_
Charga	40.6	15	25.2	15	25. 3	16	8.0	3	6.3	22	_	_
											-	

able C 3.—(SOLAR + SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY & VAPOUR PRESSURE AT $1\frac{1}{2}$ METRES ABOVE GROUND, EVAPORATION & RAINFALL

APRIL — 1968

	liation a*	Duratio Sunshi	n of Br ine (hou		Rela	tive	Humi	dity %		Vapo	ur P	ressure	(mm	1)		pora- mms)	l Man	nfall (m	ms)
STATION	Solar + Sky Radiation gm. cal/cm²	Total Actual	Total Possible monthly	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 UT	Highest	Date	Lowest	Date	Piche	Pan class (A)	Total Amount monthly	Max. fall in one day	Date
		1						1	<u> </u>	[1	Ī	j			
El Kasr	472.4	265.5	37 5.8	71	68	62	9	12	10.7	11.6	17.5	14	3.9	10	6.8	9.26	1.2	1.1	22
Tahrir	526.6	294.3	387.6	76	69	45	24	14	11.6	12.2	17.4	15	6.8	3	8.4	8.18	3.8	3.7	23
Bahtim	57 9 .1	290.9	38 7.0	75	70	36	_	_	10.4	9.6		_	_	_	7.7	7.50	2.6	2.5	23
Kharga			382.1		22	14	4	5	5.0		10.3	17	2.1	6	20.6	15.97	Tr.	Tr.	15
			ļ								- 1								

TABLE C. 4.—EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS (cms) IN DIFFERENT FIELDS

APRIL - 1968

STATION	st (H)	E	ztreme		empera ferent				ld	Ext					c) in gr (cms.)	rass fic	old.
	Highest Lowest	2	5	10	20	50	100	200	300	2	5	10	20	50	100	200	300
El Kasr	H L				25.5 16.4				_			_	_	-	_	_	=
Tahrir	H L		46.4 13.7		3 2.3 16.7	27.3 18.2	24.7 19.1	22.7 20.2	22.2 20.9	_	_	_		<u>-</u>	_	=	_
Gisa	H L		38.9 14.1	33.0 16.5		24.6 19.0	22.6 19.7		22.0 21.7			_	_	_	_		=
Kharga	H L		47.2 14.5		32.6 22.0		26.7 23.8	23.0 25.0	26.3 26.1	_	_	_	_	_	_	 -	=

TABLE C 5 .- SURFACE WIND

		d Speed nat 1 meti			Days w	ith surfac	e wind sp	peed at 10	metres		Max. Gus at 10 r	
STATION	Mean of the day	Night time mean	Day time mean	≥10 knots	≥15 knots	≥20 knots	≥25 knots	≥30 knots	≥35 knots	≥40 knots	value	Date
El Kasr	3.8	3.0	4.5	_	_	_	_	_	_	_	_	
Tahrir	2.4	1.8	3.2	29	19	2	0	0	0	0	28	23
Giga	. 2 · 2	1.4	3.0	25	13	2	0	0	0	0	33	22
Kharga	3.3	2.6	4.1	27	18	6	1	0	0	0	32	16

PRINTED IN U.A.R. BY
THE GENERAL ORGANIZATION
FOR GOVT. PRINTING OFFICES. CAIRO
ALY SULTAN ALY
UNDER-SECRETARY OF STATE
Chairman of the Board of Directors

10756-1969-150



MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 5

MAY, 1968

U.D.C. 551, 506.1 (62)

ATMOSPHERIC SCIENCES

THE EGYPTIAN METEOROLOGICAL AUTHORITY JUL 1 ~ 1972

N:0.A.A.

U. S. De . of Commerce

PUBLICATIONS OF THE METEOROLOGICAL AUTHORITY OF THE ARAB REPUBLIC OF EGYPT—CAIRO

In fulfilment of its duties, the Egyptian Meteorological Authority issues serveral reports and publications on weather, climate and agro-meteorology. The principal publications are described on this page.

Orders for publications should be addressed to:

"Chairman of the Board of Directors, Meteorological Authority, Kubri-el-Qubbeh - CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Authority since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968 this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

As from 1st January 1972, the Daily Weather Report will not be issued or distributed because it does not serve no longer any good purpose as it used to be in the past. The Meteorological Authority is ready to supply the recipients of the Report with any information used to be included in it, if they so desire.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for Egypt.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of Egypt as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff of "The Meteorological Institute for Research and Training" and the Operational Divisions of the Meteorological Authority.

TECHNICAL NOTES

As from October 1970, the Meteorological Authority started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.



MONTHLY WEATHER REPORT

OLUME 11

NUMBER 5

MAY, 1968

U.D.C. 551, 506.1 (62)

CONTENTS

LAGE

	General Summary of Weather Conditions	1,2
	SURFACE DATA	
'able	AtMonthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	3
,,	A2. Maximum and Minimum Air Temperatures	4
,,	A3. Sky Cover and Rainfall	5
,,	A4 Number of Days of Occurrence of Miscellaneous Weather Phenomena	6
,,	A5. Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded within Specified Ranges	7,8
	UPPER AIR DATA	
able	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surface	9
,,	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	9
"	B3. Number of Occurrences of Wind Direction within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	. 9
	AGRO-METEOROLOGICAL DATA	
	Reviews of Agro-Meteorological Stations	10,11
able	Cl. Air Temperature at 1½ Metres above Ground	12
1)	C2.— Absolute Values of Air Temperature at 1½ Metres Above Groud, Absolute Minimur Air Temperature at 5 cms Above Ground Over Different Fields	12
,,	C3. (Solar -+ Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ metres above Ground, Evaporation and Rainfall	12
,,	C1. Extreme Soil Temperature at Different Depths in Different Fields	13
,,	65. Surface wind	13

Note: For explanatory notes on the tables please refer to Volume 11, Number 1 (January 1968).

GENERAL SUMMARY OF WEATHER CONDITIONS

MAY 1968

Normal spring in general, local thunderstorms in the Red Sea district between 21th & 26th.

GENERAL DESCRIPTION OF WEATHER

During this month five variant heat waves or evailed; tow of which were pronounced and prevailed round the periods (15th—18th) & (29th—31st), the other waves were rather ight.

The month was rainless in general, but heavy rain fell over local places in Delta and cattered thunderstorms occurred over the Red Sea on the 24th & 25th.

Rising sand occurred during several days of the month over scattered localities in the Western Desert & Upper Egypt districts. Early morning mist & fog developed during ew days over scattered parts in Delta & Cairo areas.

PRESSURE DISTRIBUTION

The most outstanding features of pressure listribution over the surface maps during this month were:

- The Atlantic anticyclone and its extension through West Europe & West Mediterranean.
- Deep low pressure systems moving rastwards through North Europe attached ometimes with secondaries through Central Europe.
- Moving anticyclones through Europe and their extensions through the Mediterranean.
- Thermal low pressure over Arabia & Sudan.
- Five shallow khamsin secondaries which leveloped over North Algiers on the 1st, 5th, 9th, 20th & 27th. All these secondaries

moved slowly eastwards and filled up over Libya, except the fourth secondary which reached north of Egypt while filling and amalgamated with the extension of the Sudan trough on the 25th.

During this month, the barometric pressure in Egypt experienced five consecutive falls round the periods: (2nd—7th), (9th—12th), (16th—18th), (24th—26th) & (28th—31st).

The first and fifth pressure falls were due to the slight deepening and NW elongation of the thermal trough over North Arabia through East Mediterranean. The second pressure fall was caused by the elongation of Sudan trough through North Arabia. The third fall occurred due to the northward elongation of Sudan trough through East Mediterranean. The fourth pressure fall was caused by the extension of Sudan trough northwestwards towards the Balkans.

Apart from the above mentioned periods high pressure established over East Mediterranean and the barometric pressure in Egypt was above normal.

The most important features of pressure distribution over the upper air charts were:

- Two deep upper low pressure systems, one over North Atlantic and the other over North Urasia.
- Secondary lows (or troughs) through middle latitutdes between 30° & 45°N, traversing East Mediterranean and Egypt on the 4th, 15th, 20th & 29th.
- Upper high pressure belt over the subtropical latitudes south of latitude 30°N.

SURFACE WIND

The prevailing winds during this month blew from NE to NW directions and were generally light to moderate. Winds became fresh to strong during several days over scattered parts in the Mediterranean, Western Desert & Red Sea districts. On the other hand, calms were frequent most of night & early morning intervals in scattered places of the country.

Gales were reported over Kom Ombo & Aswan on the 7th and over Hurghada on the 25th.

TEMPERATURE

Maximum air temperature remained slightly above normal most of this month, apart from the period (19th—23rd) when it was slightly below normal. The deviation above normal was generally appreciable during the two pronounced heat waves which prevailed round the periods (16th—18th) & (29th—31st), and was slight to moderate during the other heat waves.

Maximum air temperature values ranged generally between 24°C & 34°C in the northern parts, between 32°C & 38°C in the cen-

tral parts and between 37°C & 42°C in the southern parts.

The absolute maximum air temperature was 45.1 °C reported at Kena on the 18th.

Minimum air temerature was above normal most days of the month with slight to moderate deviation, and was slightly below normal during few days.

Minimum air temperature values ranged generally between 14°C & 20°C in the northern & central parts and between 20°C & 24°C in the southern parts.

The absolute minimum air temperature was 10.2°C reported at Damanhour on the 1st.

PRECIPITATION

This month was rainless in general, but heavy rain fell over local places in Delta on the 24th & 25th.

The highest daily rainfall was 21.6 mms reported at Benha on the 25th, which was also the highest monthly rainfall.

Cairo, February 197.

Chairman (M. F. TAHA)

Board of Directors

TABLE A 1.-MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION

MAY -- 1968

	Atmos					Air I	Cemperat u	ıre °C				Rela	tive	Bright Sunshine Duration (Hours) Total Total Actual Possible % 364.9 425.6 86 344.1 425.6 81 348.4 424.5 82 374.1 419 4 89	ne	Ime.		
	Pressure M.S		Maxi	mum	Minir	Minimum			Bulb	Wet	Bulb	H um id	ity %	-			tion n	
STATION	Mean	D.F Normal or Average	(A) Mean	D.F Normal or Average	(B) Mean	D.F Normal or Average	A+B 2	Mean	D.F Normal or Average	Mean	D.F Normal or Avesage	Mean	D.F Normal or Average			%	Piche Evaporation mms Mean	
Sallum Mersa Matruh (A) Alexandria (A) Port Said (A) El Arish (Ghazza)	1013.9 1013.6 1013.1 1011.9	0.6 +0.1 +0.2 -0.0	28 0 26.4 28.0 21.9	+1.8 +0.9 +1.4 +1.3	18.3 15.2 17.6 20.1	-1.8 -0.7 +1.1 +1.0 -	23.2 20.8 22.8 23.8	23.0 21.1 22.5	+2.1 +1.0 +1.1	17.9 18.6 19.3	+1.7 +2.3 -1.6	58 78 72 	- 1 +12 + 5	364.9 344.1	425.6 425.6	86 81	7.5 5.9 4.8 6.3	
Tanta	1012.4	+0.3	33 5	+1.8	1/ 3	+1.9	24.9	24.2	+1.6	18.4	+2.0	54	+ 5	348.4	424.5	82	7.8	
Cairo (A)	1011.2	-1.0	33.9	71.6	18.3	+0.9	26.1	25.8	+1.2	17.9	+0.9	.3	0		_		22.2	
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Aswan (A)	1010.4 1009.1 1008.2 1007.5	-0.6 -1.6 -0.6 -1.1	35.4 35.8 36.9 39.3 39.4	+1.7 +0.9 +0.8 +0.5 +1.5	17.8 17.2 19.8 20.7 22.4	$ \begin{array}{c c} +0.6 \\ +0.8 \\ +0.6 \\ +0.6 \\ +1.7 \end{array} $	26.5 26.5 28.4 27.6 31.0	26.9 28.6 30.6 31.2	+1.2 +1.0 +0.5 +1.2	17.6 17.3 18.1 16.2	+1.0 +1.6 +0.7 +0.9	35 2.7 14 13	$ \begin{array}{c c} -1 \\ +5 \\ +2 \\ +1 \end{array} $	_		-	9.8 15.9 20.8 14.3 24.8	
Siwa. Bahariya. Farafra Dakhla Kharga	1011.4 1011.6 1012.2 1010.5 1000.2	$ \begin{array}{r} -1 & 5 \\ -0 & 2 \\ -0 & 6 \\ +0 & 1 \\ -1 & 1 \end{array} $	36.1 35.6 35.9 35.8 37.9	+1.9 +1.2 +1.6 -1.1 +0.2	17.5 19.2 18.9 19.1 22.1	+0.9 +2.0 +2.1 0.4 +1.2	26.8 27.4 27.4 27.5 19.9	27.4 27.8 27.8 28.0 30.4	+1.8 +2.3 +2.3 +1.4 +2.0	16.8 16.8 14.4 15.5 15.7	+1.3 +1.0 -0.1 +0.5 0.0	29 27 22 20 18	$ \begin{vmatrix} & 0 \\ & -1 \\ & -1 \\ & +2 \\ & -4 \end{vmatrix} $	_ 		-	15.6 12.8 21.1 21.9 26.4	
Tor	1008.9 1009.7	-0.4 +0.6	31.1 29.9	+1.4 0.4	20.9 22.9	+0.5 -0.1	26 0 20.4	26.6 26.7	+1.0 0.0	19.2 20.1	 +1.2 +1.5	47 52	+ 3 + 8	_ _ _		_		

Table A 2. MAXIMUM AND MINIMUM AIR TEMPERATURES

MAY - 1968

			Ma	ximum	Temper	ature °	С			Grass Tem				Mini	imum Temperature °C				
Station	Highent	<u>e</u>	Lowest	· ·	No.	of Day	s with	Max-Te	emp.	u u	Normal	est		. **		No. of Days with Min. Temp.			
	gill	Date	Lov	Date	>25	>30	>35	>40	>45	Mean	Dev. From	Highest	Date	Lowest	Date	< 10	 <5	Temp.	<-5
Sallum Mersa Matroh (A) Alexandria (A) Fort Said (A) El Atish Ghazza	34.9	31 31 17 18	23 4 22.7 25.0 23.4	15 3 20 1·3	26 19 30 25	7 2 4 2 -	0	0 0	0 0 0	18.0		22.8 30.6 21.0 23.4	31 17 30 30	15.2 11.6 13.2 17.4	5 1 9 1	0 0 0	0 0 0 0 -	0 0	0 0 0 0
Tanta	36.8	15	29 5	20	31	28	7	0	o	-	_	19.6	28	11.5	1	0	0	0	o
Cairo .(A) Fayoum Minya .(A) Assyout .(A) Luxor .(A) Aswan .(A)	43.6 42.8 43.0 44.8	17 17 17 17 18 18	30.9 31.8 32.8 35.0 35.4	20 19 22 21 21	31 31 31 31 31 31	31 31 31 31 31 31	17 17 22 30 31	0 1 3 3 11 10	0 0 0 0 0	15.8 14.9 18.9 15.8		23.1 20.8 21.6 25.5 24.6 24.8	18 17 17 17 19 28	13.8 14.7 14.6 16.5 18.0 18.0	1 1,10 1,21,23	0 0 0 0 0	0 0 0 0 0	0 0 0	0 0 0 0 0
Siwa Bahariya Farafra Dakhla Kharga	43.2 43.9 43.3 40.6 44.4	17 17 17 16 18	30 6 32.0 32 2 32.6 34.0	18 2 22 20 21	31 31 31 31 31	31 31 31 31 31	18 15 16 15 27	3 2 3 2 7	0 0 0 0	15.9 15.6 18.6 ————————————————————————————————————		22.1 25.9 24.7 24.8 27.2	27 17 18 31 29	12.5 15.1 15.5 12.0 17.6	4 3 1 8 24	0 0 0 0	0 0 0 0	0 0	0 0
Tor	 36.5 34.8	17 18	27.7 27.8	24 1	31 31	23 11	2 0	0	0 0	18.8 20.8	-	24.3 26.6	29 31	18.1 20.0	26 2	0	 0 0		0 0

		Mean	Sky Cove	er Oct		Rainfall mms											
Station	00	06	12	18	Daily	Total	Dev. From Normal	Max. Fall in one day		Number of Days With Amount of Rain							
	U.T.	U.T.	U.T.	U.T.	Mean .	Amount		Amount	Date	< 0 1	≥ 0.1	≥ 1.0	≥ 5.0	≥10	≥ 25	≥ 5	
Sallum. Meras Matruh. Alexandria. Fort Said. El Arish. Ghazza	0.7 1.3 2.6	2.0 2.9 2.3 1.5	1.8 1.6 2.1 1.3	1.6 1.9 2.4	1.5 1.7 2.2	Tr. Tr. 0.0 0.0	3.3 2.5 2.0 3.0	Tr. Tr. 0.0 0.0	14 17 —	1 1 0 0	0 0 0	0 0 0 0	0 0 0	0 0 0	0 0 0	0	
Canta , , ,	0.0	1.4	1.9	0.6	1.0	3.6	- 0.1	3.6	25	1	1	1	. 0	0	0		
Estro (A) Fayoum Minys (A) (A) Luxor (A) (A) Aswan	0.8 - 0.0 0.1 0.2 0.4	0.5 0.3 0.4 0.9	1.4 1.0 0.8 1.0	1.4 1.0 0.9 0.7 0.8 0.8	0.5 0.5 0.7 0.9	0.0 0.0 0.0 0.0 Tr. Tr.	- 0 7 - 1.3 - 0 6 - Tr - 0.4 0.0	0.0 0.0 0.0 0.0 Tr. Tr.		0 0 0 0 1 1 1	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0		
Siwa Bahariya Farafra Dakhla Kharga	0.4	1.0 0.5 0.6 0.0 0.2	1.0 1.4 1.4 9.6 0.7	0.8 1.1 0.9 0.5 0.4	0.8 0.8 - 0.3 0.4	0 0 Tr. 0.0 0.0	- 1.8 - 0.1 - 6.1 - 0.1 - 0.3	0.0 Tr. 0.0 0.0	25 — —	0 1 0 0 0	0 0 0 0	0 0 0 0	0 0 0	0 0 0	0 0 0		
Tor	$\frac{1}{0.3}$	6.7 1.0	 1.6 1.6	1.4 1.0	1,1	$\begin{bmatrix} -0.3 \\ 1.5 \end{bmatrix}$	$\begin{array}{c c} -0.1 \\ +1.5 \end{array}$	0. 2 1.5	24 24	2 1	2 1	0 1	0 0	0 0	0 0	-	

5

Table A 4. DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA.

MAY - 1968

Station	Rain	Preci ș Snow	lce. Pellets	Hail	Frost	Тhunderstorm	Mist Vis ≥ 1000 metres	Fog V's <1000 Metres	Haze Vis	Thick Haze Vis	Dust or Sandrising Vis ≥1000 Metres	Dust or Sandstorm Vis <1000 Metres	Gule	Clear Sky	Cloudy Sky
Sallum	0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 	0 0 0	0 4 6 1	1 2 5 0	0 0 1 0 -	0 0 0 0 -	1 2 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	22 20 23	0 1 0 -
Tant	1	0	0	0	0	0.	7	3	0	0	0	o	0	26	0
Cairo (A)	0	0	Ü	0	0	0	4	4	5	0	3	0	0	19	0
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Aswan (A)	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0 1 2	0 0 0 0	0 4 1 4 6	0 0 0 1 3	0 0 0 0	19 28 25 26	0 0 0 0
Siwa Bahariya Farafra Dakhla Kharga	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 9	0 0 0 0	1 1 2 10 4	0 0 0 0 0	0 0 0 0	24 25 	0 0 - 0
Tor	 2 1	- 0 0	0 0	 0 0	 0 0	- 1 2	- 0 0		0 0	 0 0	3 0	 0 0	 1 0	24 2 5	0

Table A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

MAY - 1968

	rs)	ours)	hours)			Number	in ho		occur ges of					g fro	m the	,
STATION	calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots		015 C4 / 07	1	1	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	,	All directions
Sallem	38	0	0	1-10 U1-27 28-47 ≥48 All speeds		30 98 26 9 0 0	1 0 0	55 1 0 0 56	8 1 0 0	8 0 0 0 8	1 1 0 0 2	8 3 0 0	40 6 0 0 46	78 0 0 0 78	56 26 0 0 82	618 88 0 0 706
Mersa Matcuh (A)	28	2	0	1-10 11-27 28-47 >48 All speeds	44 0 0	32 27 16 28 0 0 0 0 78 55	8 0 0	22 13 1 0 36	31 0 0 0 31	21 0 0 0 0 24	13 0 0 0 13	17 0 0 0 17	89 2 0 0 91	79 2 0 0 81	62 67 0 0 129	533 180 1 0 714
Alexandria (A)	-1	0	9	1-10 11 27 28-47 ≥48 All specis	39 0 0	15 7 0 0 0 0 67 35	0 0	8 0 0 0 8	5 0 0 0 5	6 : 0 : 0 : 6 :	9 : 0 : 0 : 0 9	5 0 0 0 5	17 8 0 0 25	47 0 0	174 137 0 0 0	477 254 0 0 731
Port Said (A)	2			1-10 11-27 28-47 ≥48 All si-ceds	38 : 0 0	69 24 20 8 0 0 0 0 98 32	8 0 0	6 0 0 0 6	12 0 0 0 12	4 0 0 0 4	9 0 0 9	14 1 0 0	32 3 0 0 35	29 20 0 0 49	89 22 0 0	619 120 0 0 739
Tanta	53	0	0	1 10 11-27 28-47 ≥48 All speeds	20 0	40 27 3 0 0 0 0 47 30	0 0	2 0 0 0 2	2 0 0 0	4 0 0 0 4	31 0 0 0 31	52 0 0 0 52	79 6 0 0 85	11 0 0	171 31 0 0 202	613 78 0 0 691
Cairo (A)	18	0	4	1 10 11 27 28-47 ≥48 All specis	•	34 84 09 32 0 0 0 0 43 116	7 0 0	5 0 0 0 5	0 0 0	1 1 0 0	2 2 0 0 4	10 1 0 0 11	18 4 0 0	31 11 0 0 42	70 22 0 0	459 203 0 0 72%
Fayor m	12	3	0	1 · 10 11 · 27 28 · 47 ≥ 48 All speeds	0 0	51 11 27 (0 0 0 0 78 11	0 0	5 0 0 0 5	3 0 0 0 3	7 0 0 0	7 0 0 0	8 0 0 0 8	14 0 0 0 14	18 0 0 0 18	57 3 .0 0	683 46 0 0 729
Minya (A)	22	6	0	1-10 11-27 28-47 >48 All speeds		66 7 41 1 0 6 0 0	0 0	1 0 0 0	13 0 0 0 13	18 0 0 0 18	8 0 0 0 8	3 0 0 0	5 0 0 0 5	5 0 0 0 5	46 3 0 0	499 217 0 0 716

Table A 5 (contd.)—NUMBER IN HOURS OF OCCURRENCES GF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

MAY - 1968

				MA	1	150	,G 										
Station	calm (hours)	variable (hours)	unrecorded (hours)	Wind speed in knots	345 014	015		075	inge⊧ 105	of d	ireotic	195	licate		285	315	
Assyout (A)	0	1	0	1-10 11-27 28-47 ≥48 All speeds	50 36 0 0 86	18 33 0 0 51	11 0 0 12	11 0 0	19 1 0 0	5 3 0 0 8	4 1 0 0	7 1 0 0 8	6 0 0 0 6	89 4 0 0 93	33 0 0	144 87 0 0 231	543 200 0 0 743
Luxor (A)	0	1	0	1-10 11-27 28-47 >48 All speeds	129 3 0 0 132	83 5 0 0 88	27 5 0 0 32	29 0 0 0 2 9	13 0 0 0 13	27 2 0 0 29	75 1 0 0 76	19 2 0 0	39 I 0 0	91 0 0 0 91	115 4 0 0 119	71 2 0 0 73	718 25 0 0 743
Aswan (A)	2	6	0	1-10 11-27 28-47 ≥48 Al: speeds	210 18 0 0 228	69 6 0 0 75	32 0 0 0 32	12 1 0 0	4 2 0 0 6	10 0 0 0	8 0 0 0 8	2 0 1 0 2	10 2 0 0	28 6 0 0	57 7 0 0 64	197 54 0 0 251	639 96 1 0 736
Siwa	14	11	0	1-10 11 27 28-47 ≥ 48 All speeds	3 0 0	17 0 0	12! 8 0 0 129	101 8 0 0 109	67 6 0 0 73	30 4 0 0 34	11 2 0 0	7 1 0 8	23 3 0 0 26	56 2 0 0 58	04 13 0 0 67	46 8 0 0 54	644 75 0 0 719
Dakhla	в	0	8	1-10 11-27 28-47 - 48 All speeds	78 18 0 0 96	35 26 0 0 61	27 18 0 0 45	28 1 0 0 29	22 0 0 0 0 22	13 0 0 0 13	41 0 0 0 41	32 0 0 0 32	41 0 0 0 41	54 0 0 0 54	90 0 97	171 28 0 0 199	638 92 0 0 739
Kharga	0	!	5	1-10 11-27 28-47 ≥ 18 All speeds	103 129 0 0 732	47 19 0 0 66	11 0 0 0	6 0 0	10 0 0 0 10	5 0 0 0 5	3 0 0 0 3	5 0 0 0 5	5 0 0 5	0 0 0 11	52 6 0 0 58	206 120 0 0 326	464 274 0 0
Hurghada	9	0	2	I-10 11-27 28-47 ≥ 18 Arl speeds	20 78 0 0 98	41 81 0 0	24 5 0 0 29	5 0 0	13 10 0 0 23	22 8 0 0 30	11 0 0	3 2 0 0 5	6 0 0 0 6	15 2 0 0	48 80 0 0 128	200 1 0 250	260 472 1 0 733
Qивејг	10	3	10	1·10 11-27 28-47 ≥48 All speeds	45 38 0 0 83	14 0 0 0 0	12 0 0 0	28 4 0 0 32	16 5 0 0 21	1! 1 0 0	12 0 0 0 12	13 0 0 0 13	40 0 0 0 40	87 4 0 0	101 61 0 0	95 133 1 0 229	474 246 1 0

UPPER AIR DATA

Table B 1.—MONTHLY MEANS AND MONTHLY ABSOLUTE HIGHER & LOWER VALUES OF ALTITUDE, AIR TEMPERATURE & DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES.

MAY - 1968

Climatological upper air data for Mersa Matruh, Helwan & Aswan upper air stations at 0000 & 1200 U.T. are missing since number of days of release of radiosonde sets at these stations are less than the permissible number needed for calculating or processing monthly values.

Table B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE; THE HIGHEST WIND SPEED IN THE UPPER AIR

MAY -- 1968

Climatological upper air data for Mersa Matruh, Helwan & Aswan upper air stations at 0000 & 1200 U.T. are missing since number of days of release of radiosonde sets at these stations are less than the permissible number needed for calculating or processing monthly values.

Table B 3. -NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

MAY - 1968

Climatological upper air data for Mersa Matruh, Helwan & Aswan upper air stations at 0000 & 1200 U.T. are missing since number of days of release of radiosonde sets at these stations are less than the permissible number needed for calculating or processing monthly values.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL-KASR - MAY 1968

This month was slightly warmer than normal and rainless. The daily maximum air temperatures were above normal most days of the month. The month was characterized by a short heat wave on the 14th yielding the highest maximum air temperature for the month (31.0°C) and three warm spe'ls during the periods (10th-12th), 25th & (29th-30th).

The extreme maximum soil tempartures were higher than the corresponding values of last May at all depths between 2 & 100 cms. and the differences ranged between 4.2°C at 2 cms. and 1.0°C at 100 cms. The extreme minimum soil tempratures were higher than the corresponding values of last May at all depths between 2 & 100 cms. apart from the 20 cms. depth where the value was slightly lower (0.7°C); the differences ranged between 1.8°C at 2 cms. & 0.1°C at both 10 th 100 cms.

The mean daily actual duration of bright sunshine was 0.2 hour more than the corresponding value of May 1967.

TAHRIR - - MAY 1968

Compared with last May, this month was warmer and appreciably less rainy (total monthly rainfall was 0.3 mm. against 46.5 mms. for last May). The daily maximum air temperatures were above normal during the whole month apart from the period (19th-22nd) during which they were slightly below normal. The month was characterized by two heat waves during the periods: (9th-17th) and (25th-28th) and two warm spells on the 6th & 31st. The first heat wave was prolonged and yielded the highest maximum air temperature for the month (38.4°C) on the 17th and the highest minimum air temperature (21.6°C) on the 18th.

The extreme maximum soil temperatures were higher than the corresponding values of last May at all depths between 2 & 100 cms., and the differences ranged between 5.4°C at 2 cms. and 1.3°C at 100 cms. The extreme minimum soil temperatures were higher than the corresponding values of last May at all depths between 2 & 50 cms. with differences ranging between 3.4°C at 2 cms. & 0.7°C at 5 cms. At 100 cms. depth, the value was the same as last May.

The mean daily Pan evaporation was 0.47 mm. more than the corresponding value of May 1967. The total actual duration of bright sunshine was 26.3 hours more than the corresponding value of May 1967.

BAHTIM - MAY 1968

This month was warmer than last May and rainless (total monthly rainfall for last May was 57.7 mms.) The daily maximum air temperatures were above average most days of the month. The month was characterized by a warm spell on the 11th and two neat waves during the periods (15th-18th) and (27th-28th). The first heat wave yielded the highest maximum air temperature for the month (38.6°C) and the lowest mean laily relative humidity (42%) on the 17th.

The extreme maximum soil temperatures were higher than the corresponding values of last May at all depths between 2 & 100 cms., and the differences ranged between 8.0°C at 2 cms. depth and 1.8°C at 100 cms. depth. The extreme minimum soil temperatures were also higher than the corresponding values of last May at all depths between 2 & 100 cms., and the differences ranged between 2.8°C at 2 cms. & 0.8°C at 20 cms.

The mean daily Pan evaporation was 1.24 mms. more than the corresponding value of May 1967. The total actual duration of bright sunshine was 14.4 hours more than the corresponding value of May 1967.

KHARGA - MAY 1968

This month was slightly warmer than normal. The daily maximum air temperatures were above normal during the month apart from the period (19th—25th) during which they were below normal. The month was characterized by three heat waves during the periods: (10th—11th), (15th—18th) and (27—31st). The second heat wave was the most pronounced and yielded the highest maximum air temperature for the month (44.4°C) on the 18th.

The extreme maximum soil temperatures were higher than the corresponding values of last May at all depths between 2 & 100 cms. and the differences ranged between 0.4°C & 1.0°C. The extreme minimum soil temperatures were higher than the corresponding values of last May at depths between 2 & 20 cms. with differences ranging between 1.7°C at 2 cms. and 0.2°C at 20 cms. At 50 cms. depth the extreme min mum soil temperature was the same as last May, and at 100 cms. it was slightly lower 0.2°C).

The mean daily Pan evaporation was 1.76 mms. more than the corresponding value of May 1967. The total actual duration of bright sunshine was 17.4 hours more than the corresponding value of May 1967.

mean of the day of air temperature

Note.—During this month recording charts of the mercury in steel hygrograph were not available at El Kasr, Tahrir and Bahtim centres. For these centres mean of the day of air semperature; relative humidity and vapour pressure are calculated using the following equations:

 $[\]approx$ [(0600 + 1200 + 1800) U.T. dry bulb thermometer readings + minimum air temperature] \div 4.

mean of the day of relative humidity

^{= (0600 + 1800)} U.T. observation $\div 2$.

mean of the day of vapour pressure

 $^{= (0600 + 1200 + 1800) \}text{ U.T. observations} \div 3.$

TABLE C 1.—AIR TEMPERATURE AT 12 METRES ABOVE GROUND MAY — 1968

		Air Te	mperat	ure (°C)				Mean	Duratio al	n in ho	ours of follow	daily ai ing val	ir tempe ues	ersture		
STATION	Mean Max.	Mean Min.	Mean of the day	Night time mean	Day time mean	5°C	0°C	5°C	10°C	15°C	20°C	25°C	30°C	35°C	40°C	45
El Kasr	25.2	15.8	20.9	_		'	_						-			-
Tahrir	33.2	16.9	23.9	_	_		-		_					_		
Bahtim	33.5	14.4	23.3		_	-	-				_	-	_		-	-
Kharga	37.9	22.1	30.4	26.6	31.7	24.0	24.0	24.0	24.0	24.0	23.9	19.8	11.8	5.0	0.8	0.

TABLE C 2.—EXTREME VALUES OF AIR TEMPERATURE AT 13 METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS

MAY -- 1968

Max.	remp. at	$1\frac{1}{2}$ metro	es (°C)	Min.	Temp. at	$1\frac{1}{2}$ metro	es (°C)	Min. Te	mp. at 5	cms. aho	vo (°C
Hig	hest	Lov	west	Hig	hest	Lov	rest	Dry	soil	Gra	.00
Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Dat
31.0	14	21.9	1	20.7	17	11.4	1	7.3	1	-	
38.4	17	29.6	20	21.6	18	11.8	1	10.4	l	_	
38.6	17	29 .6	19	18.3	28	10.4	2	7.6	2		-
44.4	18	34.0	21	27.2	29	17.6	24	15.4	24	_	-
	Value 31.0 38.4 38.6	Highest Value Date 31.0 14 38.4 17 38.6 17	Highest Low Value Date Value 31.0 14 21.9 38.4 17 29.6 38.6 17 29.6	Value Date Value Date 31.0 14 21.9 1 38.4 17 29.6 20 38.6 17 29.6 19	Highest Lowest High Value Date Value Date Value 31.0 14 21.9 1 20.7 38.4 17 29.6 20 21.6 38.6 17 29.6 19 18.3	Highest Lowest Highest Value Date Value Date 31.0 14 21.9 1 20.7 17 38.4 17 29.6 20 21.6 18 38.6 17 29.6 19 18.3 28	Highest Lowest Highest Low Value Date Value Date Value 31.0 14 21.9 1 20.7 17 11.4 38.4 17 29.6 20 21.6 18 11.8 38.6 17 29.6 19 18.3 28 10.4	Highest Lowest Highest Lowest Value Date Value Date Value Date 31.0 14 21.9 1 20.7 17 11.4 1 38.4 17 29.6 20 21.6 18 11.8 1 38.6 17 29.6 19 18.3 28 10.4 2	Highest Lowest Highest Lowest Dry Value Date Value Date Value Date Value 31.0 14 21.9 1 20.7 17 11.4 1 7.3 38.4 17 29.6 20 21.6 18 11.8 1 10.4 38.6 17 29.6 19 18.3 28 10.4 2 7.6	Highest Lowest Highest Lowest Dry soil Value Date Value Date Value Date Value Date Date </td <td> Highest Lowest Highest Lowest Dry soil Green </td>	Highest Lowest Highest Lowest Dry soil Green

TABLE C 3.--(SOLAR + SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY, VAPOUR PRESSURE AT 1½ METRES, EVAPORATION & RAINFALL MAY - 1968

Soar+Sky) Radiation gm. cal/cma Duration of Bright Evapora-Relative Humidity % Rainfall (mm: Vapour pressure (mms) Sunshine (hours) tion(mms) Total Possible monthly Max. Fall-in one day Total Actual monthly day Amount \mathbf{day} U.T. **STATION** Monthly Pan class Lowest Highest Piche 1200 Date Date Date of % ь 1200 Mean UT Total . El Kasr. . . . 550.6 328.3 406.4 17 82 83 74 16.3 16.8 19.9 14,28 31 0.0 10.7 1 3.9 0.0 598.2 349.3 424.7 Tahrir 73 4.1 30 8 15 5 15.3 21.0 0.3 10.8 26 9.9 10.22 8 0.3 Bahtim. . . . €47.1 335 4 423.6 79 €3 30 19 15 10.8 17.3 0 0 26 7.0 8 12.3 10.78 0.0 576.3 374.5 Kharga. . . . 414.1 90 :0 13 18 6.2 0.06 6.1 10.9 19 3.1 10 26.1 20.63 0.0

Table C 4.—EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS (ems)
IN DIFFERENT FIELDS

MAY — 1968

STATION	Highest (H) Lowest (L)	Ex	treme		te m pera ifferent	•		•	ld	E	ktreme		empera ferent	•		rass fie	ld
	Hig Lov	2	5	10	20	50	100	200	300	2	5	10	20	50	100	200	300
El Kasr	H L	43.9 22.1	39.5 19.5		28.0 3 19.9					<u>-</u>	 - -	_	_ _	_	_	-	-
Tahrir	H L		47.4 21.2		35.3 2 23.8	30.5 24.6			24 2 22.3	<u> </u>	_	_	<u>-</u>	_	_	=	_
Bahtim	H L	53.3 23.1			31.1 24.6				22.6 22.0	_	-	_		_		_	=
Kharga	H L				2 35.4 4 28.2				26 8 26.2	<u>-</u>		_				_	-

Table C 5.—SURFACE WIND

MAY — 1968

		l Speed 1 t ll metr			Days wi	th surface	wind sp	eed at 10	metres		Max. Gue	
8TATION	Mean of the day	Night time mean	Day time mean	≥10 knots	≥15 knots	> 20 knots	≥25 knots	≥30 knots	≥35 knots	≥40 knots	Value knots	Date
El Kasr	3.3	2.2	4.5	_		_	_		_		_	_
Tahrir	2.5	1.7	3.4	31	24	2	0	0	0	0	29	18
Bahtim	2.6	1.6	3.6	31	26	1	0	0	0	0	29	9
Kharga	4.0	3.4	4.6	31	26	8	0	o	0	0	36	29

PRINTED IN ARAB REPUBLIC OF EGYPT
BY THE GENERAL ORGANIZATION
FOR GOVT. PRINTING OFFICES. CAIRO
First Under-Secretary of State
ALY SULTAN ALY
Chairman of the Board of Directors



MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 6

JUNE, 1968

U.D.C. 551, 506.1 (62)

ATMOSPETE SCIENCES

LILLERY

N.O.A.A.

Post of Commerce

THE EGYPTIAN METEOROLOGICAL AUTHORITY

CAIRO

PUBLICATIONS OF THE METEOROLOGICAL AUTHORITY OF THE ARAB REPUBLIC OF EGYPT—CAIRO

In fulfilment of its duties, the Egyptian Meteorological Authority issues serveral reports and publications on weather, climate and agro-meteorology. The principal publications are described on this page.

Orders for publications should be addressed to:

"Chairman of the Board of Directors, Meteorological Authority, Kubri-el-Qubbeh - CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Authority since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968 this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

As from 1st January 1972, the Daily Weather Report will not be issued or distributed because it does not serve no longer any good purpose as it used to be in the past. The Meteorological Authority is ready to supply the recipients of the Report with any information used to be included in it, if they so desire.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for Egypt.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of Egypt as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff of "The Meteorological Institute for Research and Training" and the Operational Divisions of the Meteorological Authority.

TECHNICAL NOTES

As from October 1970, the Meteorological Authority started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.



MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 6

JUNE, 1968

U.D.C. 881, 506.1 (62)

THE EGYPTIAN METEOROLOGICAL AUTHORITY
CAIRO

CONTENTS

PAGES

	General Summary of Weather Conditions	1~2
	SURFACE DATA	
Table	A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	3
,,	A2.—Maximum and Minimum Air Temperatures	4
*1	A3Sky Cover and Rainfall	5
,,	A4Number of Days of Occurrence of Miscellaneous Weather Phenomena	6
,,	A5.—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	7, 8
	UPPER AIR DATA	
Гаble	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surfaces	9.10
19	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	11
19	B3.—Number of Occurreneces of Wind Direction Within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	12-14
	AGRO-METEOROLOGICAL DATA	
T able	Reviews of Agro-meteorological stations	15,16 17
,,	C2.—Absolute Values, of Air Temperature at 1½ Metres Above Ground, Absolute Minim um Air Temperature at 5 Cm3 Above Ground Over Different Fields	17
1)	C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ Metres Above Ground, Evaporation and Rainfall	17
,,	C4.—Extreme Soil Temperature at Different Depths in Different Fields	18
"	C5Surface wind	18

Note For explanatory notes on tables please refer to Volume 11, Number 1 (January 1968).

GENERAL SUMMARY OF WEATHER CONDITIONS

JUNE - 1963

Changeable intervened with six heat waves. A record for daily rain at Sallum on the 7th.

GENERAL DESCRIPTION OF WEATHER

This month was characterized by six heat waves which were separated by short periods of mild summer weather. The heat waves were generally of short duration and moderate intensity with their peaks round the 4th, 9th, 15th, 20th, 23rd & 26th.

Rain was reported locally over Sallum on the 6th & 7th. The daily rain on the 7th at Sallum was (7.4 mms), a record for Sallum during June. Weather was sandy for many days in the western Mediterranean & Upper Egypt & Western Desert districts.

PRESSURE DISTRIBUTION

The most important pressure systems over the surface maps during this month were :

- The Atlantic anticyclone and its extension through West Europe & the Mediterranean.
- -- Deep low pressure systems through North Europe, associated sometimes with secondaries through middle latitudes.
- Moving anticyclones through Europe, and their extension southwards to the Mediterranean.
- Monsoon low pressure troughs over Sudan and the Arabian Gulf.
- Four shallow khamsin secondaries, two of which filled up near the Gulf of Serte on the 3rd & 7th, and the other two secondaries passed through East Mediterranean on the 20th & 23rd.

During this month, the barometric pressure in Egypt experienced six consecutive falls

round the periods: (2nd-4th), (7th-9th), (13th—15th), (17th—20th), (21st—23rd) & (28th-30th).

The pressure falls during the first three periods were due to the northward elongation of the Sudan monsoon trough. The pressure falls during the fourth and fifth periods were due to the northeastward transit of two shallow khamsin secondaries through East Mediterranean. The last pressure fall was due to the westward elongation of the Iraq monsoon trough through East Mediterranean.

During the rest periods of the month, the barometric pressure in Egypt was above normal and high pressure established over East Mediterranean & NE Africa.

The most important pressure systems over the 700 & 500 m.b. upper air charts were :

- Upper low pressure systems over North Atlantic and North Urasia.
- Secondary upper lows (or troughs) through middle latitudes, traversing East Mediterranean on the 6th & 22nd.
- —Upper high pressure system south of latitude 30°N.

SURFACE WIND

The most prevailing surface winds during this month were generally light to moderate, and blew from NE to NW directions. Surface winds became fresh to strong during many days of the month over scattered parts mainly in the Mediterranean (the western part), Western Desert, Red Sea districts. Calms were frequent most of night and early morning intervals in scattered localities.

TEMPERATURE

Maximum air temperature was much changeable during this month. It showed moderate to large departures above normal during the heat waves which prevailed most days of the month, and slight departures below normal during the mild periods. Maximum air temperature values ranged generally between 28°C & 35°C in the northern parts, between 33°C & 40°C in the central parts and between 40°C & 44°C in the southern parts.

The absolute maximum air temperature was 46.4°C reported at Kom Ombo on the 9th.

Minimum air temperature was similarly changeable as maximum air temperature but to a less extent. It was in general moderately above normal during the heat waves, and slightly below normal during the mild periods.

Minimum air temperature values ranged most days of the month between 17°C & 23°C in the northern and central parts, and between 22°C & 27°C in the southern parts.

The absolute minimum air temperature was 14.8°C reported at Shebin El Kom on the 17th.

PRECIPITATION

No measurable rain was reported during this month all over the Republic, except at Sallum on the 6th & 7th. On the 7th (7.4 mms) fell over Sallum which is regarded as a record during June.

The highest daily rainfall amount was 7.4 mms reported at Sallum on the 7th.

The highest monthly rainfall amount was 8.7 mms reported at Sallum.

Chairman (M. F. TAHA)

Board of Directors

Cairo, March 1972

SURFACE DATA

Table A 1.- MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION

JUNE -- 1968

		apheric				Air (remperati	are °C				Rel	ative	Brig	ht Sunshi	ne	nme.
		re (mbs) .S.L	Max	imum	M ini	mum		Dry	Bulb	Wet	Bulb	Humie	lity %	Dur	ation (Hor	ırs)	tion 1
STATION	Mean	D.F. Normal or Average	(A) Mean	D.F. Normal or Average	(B) Mean	U F. Normal or Average	<u>A+B</u>	Mean	D.F Normal or Average	Mean	D.F Normal or Average	Mean	D.F. Normal or Average	~ ~	Total Possible	%	Piche Evaporation mm
allum	1012.7 1012.5 1012.5 1011.3	0.0 -0.1 +0.8 +0.4 -	31 2 30.4 31.9 59.4	- 1.7 + 2 4 + 3.5 + 0.9	21.7 20.7 21.4 13.3	+1.9 +2.5 +1.2 +0.9	26.5 15.6 26.6 16.3	16.3 25.2 25.9	+1.6 +1.9 +1.7 	20.9 £1.4 21.5 —	+1.9 +1.8 +1.0 -	59 70 66 —	- 2 + 1 - 5 -	357.6 361.4	424.1	84 85 —	9 (8.4 7.8 7.1
nta	1011.7	-0.1 +0.2	35.2 36.1	+1.2	19.6 21.7	+2.2	27.4	28.2	+1.0	20.8 19.8	+1.2	59	+ 6	361.3 —	422.4	86	8.6
xyoum (A) inya (A) isyout (A) ixor (A) wan (A)	1008.8 1007.2 1006.5	0.0 -0.1 +0.5 +0.4	37.7 38.5 40.1 43.0 42.7	+1.7 $+2.1$ $+2.4$ $+2.0$ $+0.5$	20.7 20.5 22.8 24.1 25.8	+0.8 +1.5 +1.2 +1.5 +1.6	19.2 29.5 31.4 18.5 34.2	29.8 31.4 33.8 34.6	+2.0 +1.4 +1.2 +0.7	20.0 19.7 20.0 17.7	 +1.0 +1.6 +0.7 +0.2	36 29 23 13	4 + 3 0 + 1	361.6 — — —	416.1	87	10.6 18.5 24.4 15.9 30.5
wa	1010.8 1011.1 1011.5 1009.8 1008.5	$ \begin{array}{c c} -1.0 \\ +1.2 \\ 0.0 \\ +1.6 \\ +0.7 \end{array} $	39.1 38.4 39.3 39.9 41.4	+1.8 +1.9 +1.6 +1.4 +2.2	21.7 22.7 22.4 24.1 26.4	+2.3 +3.2 +2.2 +1.6 +3.2	30.4 30.5 30.8 32.0 33.9	30.4 30.8 30.9 32.5 34.1	+1.1 +1.6 +0.4 +1.4 +1.6	19.4 19.1 16.9 18.4 18.4	$+1.1 \\ +0.7 \\ 0.0 \\ +1.2 \\ +0.4$	31 18 13 19 20	+ 1 - 2 + 1 + 1	360.0	409.8	- - - 88	18.3 14.8 23.4 26.4 31.4
or		 +0.8 +1.3	34.4 33.1	 +2.5 +0.7	24.4 26.7	+0.8 +1.2	2 9 4 19.9	29.8 29.8	+1.2 +0.6	10.8 21.8	+0.4 +1.0		- 3 + 2			_ 	23.3 21.4

دد ا

TABLE A 2.- MAXIMUM AND MINIMUM AIR TEMPERATURES

JUNE - 1968

	}		Ma	ximum	Tempera	sture •C				Grass Ten				Minimu	ım Tempe	rature *	°C		
STATION	est		est	•	N ₀	. of Da	ys with	Max-T	'e m p.	Менп	From Normal	lest	Date	Lowest	\$	N)ays wi Temp.	th
	Highest	Date	Lowest	Date	>25	>30	>35	>40	>45	M	D. From	Highest	Ded	Lor	Date	<10	< 5	< 0	<- 5
Sallum	41.6 40.2 38.7 32.7	12 19 1 15	25.4 26.7 28.4 27.5	13 5 11 12	30 30 30 30	18 10 20 6	4 3 5 0	2 1 0 0	0 0 0 -	21.7 		25,4 23,6 24,0 24,6	13 23 24 22	19.2 17.1 18.0 21.8	6,11 11 12 18 —	0 0 0 0 0	0 0 0	0 0 0 0 0	0 0
Tanta	41.6	4	31.4	27 10	30	30	16	2	0	_	-	21.2	10 20	18.0	12,13,17 18	0	0	•	•
Cairo. (A) Fayoum Minya (A) Assyout (A) Luxor (A) Aswan (A)	42.8 44.2 45.0 45.7 45.7	3 3 3 4 8	31.0 32.7 33.4 34.0 37.6 38.5	10 17 28 29 17	30 30 30 30 30 30	30 30 30 30 30 30	26 26 28 30 30	6 8 16 27 26	0 0 0 1 2	18.6 17.9 21.8 20.2		23.8 23.6 25.5 26.8 29.8	3 9 9,20 10	16.6 17.8 20.0 19.6 22.6	17 18 18 18 30	0 0 0 0	6 0 0 0	0 0 0	•
Siwa	43.9 44.0 44.1 44.6 45.6	3 3 3 3 3	34.2 33.5 32.0 35.0 36.2	8 10 10 17 19	30 30 30 30 30	30 30 30 30 30 30	27 27 28 28 28 30	13 10 14 18 21	0 0 0 0 0 2	20,5 20.7 22.8 — 24.6		26.9 27.1 25.9 28.7 30.2	2 3 4 23 9	18.8 20.3 19.0 17.6 22.8	18 12,17 11 18 4	0 0 0 0	0 0 0 0	0 0 0	0
Tor	38.1 38.0	, — 9 16	31.7 30.4	18 29	30 30	30 30	10 4	0	0	$\begin{array}{c} - \\ 22.7 \\ 25.2 \end{array}$	7: -	27.0 29.4	10 10	22.2 24.5	5 5	0 0 0	0 0 0	0 0	0

TABLE A 3.-SKY COVER AND RAINFALL

÷		Mean	Sky Cove	r (Oct)					Rain	afall (n	2 ms)					
Station	00	06	12	18	Daily	Total	Dev. From	Max.		1	vumbei	of day	w with .	Amount	of Rai	n
	U.T.	U.T.	U.T.	UT	Mean	Amount	Normal	Amount	Dte	<0.1	≥0.1	≥1.0	≥5.0	≥10	≥ 25	≥!
Mezandria	0.9 0.8 0.8 2.8 	1.3 2.5 2.4 1.1	1.7 2.1 2.1 1.1	1.8 2.0 2.4 —	1.4 1.7 2.3 —	8.7 0.0 0.0 0.0 —	+ 8.6 - Tr. - Tr. - Tr.	7.4 0.0 0.0 0.0 0.0	7	0 0 0 -	2 0 0 -	2 0 0 -	1 0 0 -	0 0 0 -	0 0 0	
'anta	. 0.4	1.6	1.3	0.6	0.9	0.0	Tr.	0,0		0	: 0	. 0	0	0	0	
airo	A) 0.6 A) 0.4 A) 0.7	1.8 1.5 0.9 0.7 1.1 1.2	1.1 1.0 0.8 1.1 0.8	1.5 1.0 1.2 0.9 1.0 0.7	1.1 0.9 0.6 1.0 0.7	0.0 Tr. 0.0 0.0 0.0	+ Tr Tr Tr. 0.0 0.0	Tr. 0.0 0.0 0.0 0.0	7,10 — — — —	0 2 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	
liwa. Sahariya Farafra Oakhla Charga	0.8	1.4 1.1 0.9 0.2 0.6	1.4 1.4 1.4 0.3 0.8	1.2 1.2 1.1 0.3 0.6	61.1 - 0.3 0.6	Tr. Tr. 0.0 0.0	+ Tr. - 0.2 0.0 - Tr. - Tr.	Tr. Tr. 0.0 0.0 0.0	7,9,10 — —	1 3 0 0	0 0 0	0 0 0 0	0 0 0	0 0 0	0 0 0	
or	. 0.9	0.8 1.1	1.0 0.7	1.2 0.6	1.0 0.6	0.0	0.0 - Tr.	0.0 0.0	=	0	0	0	0	0	0 0	-

TABLE A 4- DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA

	Preci	piation		orm	0 m tres	Vis Metres	a.	Vie	rising detros	istorm Metres			
Station	Rain Snow	Ice Pellets	Frost	Thunderstorm.	Mist Vis >1000	Fog Vis	I'aze Vis ≥ 1000 Metres	Thick Haze Vie	Dust or Sandrising Vis ≥1000 Metres	Dust or Sandstorm Vis <1000 Metres	Gale	Clear Sky	Cioudy Sky
Sallum . Mersa Matruh . (A) Alexandria . (A) Port Said . (A) El Arish Ghazza	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 2 0 	0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 8 0 —	0 0 0 0	0 0 0 0	22 18 17 —	0 0 1 -
Tanta	0 0	0 0	0	0	0	0	0 3	0	0 3	0	0	25 20	0
Fayoum Minya (A) Amyout (A) Luxor (A) Aswan (V)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0	0 () 0 0	0 0 0 0	0 0 0 0	0 0 1 4 0	0 0 0 0	0 - 3 4 8	0 0 0 0 1	0 0 0 0	24 24 25 28	0 0 0 0
Siwa Bahariya Farafra Dakhla Kharga	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	() () () () ()	0 0 0 0	0 0 3 14 0	0 0 0 0	1 0 6 23 12	0 0 0 0 0	0 0 0 0	23 24 — 24 24	0 0 0 0
Tor	0 0 0	0 0 0 0	- 0 0	- 0 0	_ 0 0	0 0	 0 υ	0	7 0	0	0	24 25	1 0

Table A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

		118)	ours)		N	umb	er in						ind b dicate		g fro	m th	•
Station	calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knota	345 / 014	015 / 044	045 / 074	075 / 104	105 / 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	1	1	All directions
allum,	24	2	0	1-10 11-27 28-47 ≥48 All speeds	38 11 0 0 49	104 45 0 0 149	76 5 0 0 81	77 0 0 0 77	34 1 0 0 35	7 5 0 0 12	10 6 0 0	5 7 0 0 12	12 7 0 0	22 6 0 0 28	47 39 0 0	66 64 0 0	498 196 0 0
eras Matruh . (A)	2	0	0	1-10 11-27 28-4; ≥48 All speeds	58 40 0 0 98	74 29 0 103	31 12 0 0 43	17 18 0 0 35	29 31 0 0	20 30 0 0	9 9 0 0 18	16 14 0 0	15 6 0 0 21	37 2 0 0 39	37 15 0 0 52	75 94 0 0 169	418 300 0 0 718
dexandria (A)	1	0	0	1-10 11-27 28-47 ≥48 All speeds	36 28 0 0 64	31 31 0 62	29 8 0 0 37	54 1 0 0 55	36 0 0 0 36	7 0 0 0 7	17 0 0 0 17	5 0 0 0 5	7 1 0 0 8	0	98 0 0	124 (3 0 0 187	478 241 0 0 719
Port Said (A)	0	0	o	1-10 11-27 28-47 >48 All speeds	157 17 0 0 174	61 13 0 0	41 3 0 0 44	14 0 0 0 14	7 0 0 0 7	5 0 0 0 5	6 0 0 0 6	11 0 0 0	23 0 0 0 23	57 6 0 6 63	31 0 0	178 34 0 0 212	616 104 0 0 720
Tanta , , , ,	40	0	119	1-10 11-27 28-47 ≥48 All apceds	36 2 0 0 38	53 19 0 0 22	54 4 0 0 58	19 0 0 0 19	0 0 0 0	7 0 0 0	9 0 0 0	42 0 0 0 42	49 1 0 0 50	63 3 0 0	94 15 0 0	80 11 0 0 91	506 55 0 0 561
lairo ,	14	0	2	1-10 11-27 28-47 ≥48 All speeds	79 64 0 0 143	87 59 0 0	0	25 30 0 0 55	6 1 0 0	6 0 0	2 0 0 0 2	11 0 0 12	6 1 0 0 7	15 9 0 0 24	37 12 0 0 49	92 53 0 0 145	426 278 0 0 704
Fayoum	17	0	2	1-10 11-27 28-47 ≥48 All speeds	279 3 0 0 283	236 38 0 0 214	10 3 0 0 13	3 0 0 0 3	2 0 0 0 2	0 0 0	0 0 1	2 0 0 0 2	23 1 0 0	17 1 0 0 18	19 0 0 0 19	59 3 0 0 62	652 49 0 0 701
Minya	15	3	0	1-10 11-27 28-47 ≥48 All Speeds	457 222 0 0 579	30 4 0 0 34	6 0 0 8	1 0 0 0 1	1 0 0 0	1 0 0 0	0 0 0 0	0 0 0 1	8 0 0 8	12 0 0 0 12	0 0	0	466 236 0 0 702

Table A 5 (contd.)—NUMBER IN HOURS OF OCCURRENCE OF CONCURRENT SURFACE WIND SPEED AND DIFECTION RECORDED WITHIN SPECIFIED RANGES

	ê	urs)	tours)] [:	Numl	oer in						vind ndica		ng fr	om th	ı•
S tation	calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	1	045 / 074	/	105 / 134	135 / 164	1	1	1	1	1	315 / 344	All directions
Assyout (A)	4	0	22	110 11-27 28-47 ≥48 * All speeds	50 94 0 0	14 11 0 0 25	5 0 0 10	2 2 0 0 4	3 0 0 0 3	3 0 0 0	3 0 0 0 3	3 0 0 0 3	1 0 0 0	81 0 0 81	170 17 0 6	109 0 0	456 238 0 0 694
Lux o1 (A)	2	0	2	1-10 11-27 28-47 ≥48 All speeds	106 5 0 0	73 0 0 0 73	24 1 0 0	33 0 0 0 33	15 0 0 0 15	22 0 0 0 22	50 0 0 0 50	27 0 0 0 0	27 0 0 0 27	75 0 0 0 75	133 7 0 0	116 2 0 0 118	701 15 0 0 716
A bwaii (A)	1	0	0	1-10 11-27 28-47 ≥48 All speeds	226 89 0 0 315	73 3 0 0 76	0 0 11	9 0 0 0 9	8 0 0 0 8	3 0 0 0 3	2 0 0 2	5 0 0 0 5	5 0 0 0 5	28 0 0 0 28	45 11 0 0 56	143 59 0 0	556 163 0 0 719
B;wa ,	16	0	0	1-10 11-27 28-47 >48 All speeds	44 11 0 0 55	87 16 0 0 193	64 0 0 0 64	58 1 0 0 59	51 19 0 0 70	40 7 0 0 47	13 1 0 0 14	12 3 0 0 15	15 1 0 0 16	42 8 0 0 59	68 14 0 0 82	96 33 0 0	590 114 0 0 704
Dakhla	2	0	C	1 10 11 27 28 47 ≥48 All speeds	77 60 0 0	44 35 () () 79	26 14 0 0 40	25 1 0 0 26	20 0 0 0 20	14 0 0 0 14	27 0 0 0 21	36 0 0 0 36	16 0 0 0 16	33 0 0 0 0	5 () ()	122 80 0 0 202	523 195 0 0 718
Kharga	0	0	0	1 10 11 27 28 47 >48 All speeds	61 312 0 0 373	34 8 0 0 42	6 0 0 0	0 0 0	1 0 0 0	0	2 0 0 0 2	1 0 0 0	2 0 0 2	0 0 0	26 2 0 0 28	91 173 0 0 264	225 495 0 0 120
Harghada	()	0	13	1-10 11-27 28-47 >48 All speeds	15 124 0 0	41 54 0 0 95	15 0 0 0 15	7 0 0 0	7 0 0 0 7	10 3 0 0	3 0 0 3	0 0 0 0	1 0 0 0 1	3 0 0 0 3	35 81 1 0 117	58 237 12 0	195 499 13 0 707
Quesir	1	0	5 16	1~10 11~27 28-47 ≥48 All speeds	29 4 0 0 33	8 0 0 0 8	2 0 0 0	5 0 0 5	12 0 0 0 12	11 0 0 0 11	3 0 0 0 3	2 0 0 0 2	1 0 0 0	9 0 0 9	31 13 0 0 44	28 45 0 0	141 62 0 0

UPPER AIR CLIMATOLOGICAL DATA

Table B 1.— MONTHLY MEANS, ABSOLUTE HIGHER AND LOWER VALUES OF ALTITUDE, AIR TEMPERATURE AND DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

Station	Pressure Surface	Alt	itude of Pred	ssure Surface	(gpm)		Tempe	rature (°C)		Dew	Point (°C)
8	Millibar	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
	Surface	21	101: mb	1016mb	1007mb	21	22.6	27.7	19.0	21	18.5
- 1 Ì	1000	20	135	10.5	90	20	22.8	32.0	19.8	20	18.5
- 11	850	20	1543	1584	1511	20	18.3	£6.2	11.9	18	8.1
- 11	700	20	3177	3236	3135	20	8.2	12.5	4.4	11	- 1.6
H	600	19	4433	4489	4381	19	0.2	3.5	-5.3	7	-6.6
U.T.	500	18	5868	5925	5800	18	9.6	-6.5	-12.1	5	-18.9
Mersa Matruh 0000	4 00 3 00	17	7754 9619	7025 9098	7470 9510	17 14	-21.2 -36.4	-17.0 -29.9	-24.4 -39.9	2	-28.9 -44.7
8	250	12	10870	10966	10740	12		28.5 38.5	-59.3 -50.7		- 44.7
- 4 / !	200	12	12334	12453	12187	12	- 53.4	-49.5	-60.6	_	<u> </u>
# (150	7	14158	14294	13994	7	62.9	00.3	-67.1		
١١	100	3	16585	16725	16413	3	70.6	68.0	72.6		
•	70	2	18795	18810	18780	2	-68.2	66.7	-(9.7	I —	
5	60	2	19732	19759	19706	2	-62.0	61.0	-63.1		_
> ₹	50	$\begin{bmatrix} 2\\2 \end{bmatrix}$	20874	20891	20857	2	- 57 . 6	-55.9	-59.3	-	_
11	40 30	' 2	22246 24140	22287	22:06	2	-53.8	53.0	-54.6	-	_
11	20	i	20776	24164	24076	$\frac{2}{1}$	-48.4 -46.2	-48.1			
\	10	-	-	-	-			_			_
	Surface	29	998 mb	999mb	991mb	29	24.1	29.7	21.0	29	15.1
	1000	29	95	13.1	57	_					
11	850	92	1512	1558	1480	29	20.2	24.1	14.7	28	1.8
11	700	29	3170	32 l	3130	20	10.6	14.1	6.3	28	 9.3
	600	19	4424	4461	4390	29	2.2	6.0	- 1.4	27	-17.8
₽	5 00	29	5871	5907	5524	29	7.7	2 .9	-11.0	27	-25.9
D	4 00 8 00	27 27	7570 9642	7641 9753	7497	27	-19.9	-13.7 -28.6	24.0 40.3	26 26	-31.8 -47.0
Holwan 6000 U.T.	2 50	27	10858	11023	9528 10750	$\frac{27}{27}$	-34.4 -43.2	-28.0 -38.4	-40.3 -49.7	25	-54.8
8 ()	200	27	12368	12515	12180	27	-52.8	-42.5	5 9 3	23	-62.8
5	150	27	14183	1 4339	13973	27	-62.5	-54.3	-69.4		_
- 1	100	27	16624	16789	10435	27	71.5	65.5	—78.3		_
₩	70	21	18760	18940	18590	21	- 67.0	63 .5	72.5		
] [60	20	16710	19946	19541	20	62.4	58.5	-65.2) — .	_
11	50 40	19	20840	21002	20682	19	58.4	54.9	-62.0		_
11	30	16	22246 24099	22417 24264	22084 23943	18 16	5 5 .5	-51.7 -50.0	58.4 57.7		_
11	20	10	26729	26897	26571	10	52.4 47.2	- 44.4	_50.1		_
']	10	1 -								<u> </u>	<u> </u>
										ì	
1	Surface	23	984mb	987mb	982mb	23	29.4	33.0	26, 2	23	5.7
	000	23	52	80	33			-		_	_
	000 850	23 23	52 1 4 98	80 1521	33 1473	23	25.8	_	20,1	23	
	000 850 700	23 23 23	52 1 4 98 3168	80 1521 3100	33 1473 3135	23 23	25.8 13.0	一 28.9 15.3	20,1 10,4	23 21	0.3 - 9.0
	000 850	23 23	52 1498 3168 4441	80 1521 3100 4480	33 1473 3135 4410	23 23 23	25.8 13.0 3.8	 28.9 15.3 7.9	20,1 10,4 0,0	23	0.3 - 9.0 -15.9
J.T.	000 850 700 600	23 23 23 23	52 1 4 98 3168	80 1521 3100	33 1473 3135	23 23	25.8 13.0	一 28.9 15.3	20,1 10,4	23 21 21	0.3 - 9.0
) U.T.	000 850 700 600 500 400 300	23 23 23 23 23 23 22 21	52 1498 3168 4441 5898 7615 9712	80 1521 3100 4480 5954 7690 9817	33 1473 3135 4410 5850 7532 9593	23 23 23 23 23	25.8 13.0 3.8 - 5.5 -16.7 -31.7	28.9 15.3 7.9 - 2.2 -13.4 -27.6	20.1 10.4 0.0 11.8 21.3 37.7	23 21 21 20 20 16	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4
000 U.T.	000 850 700 600 500 400 300 250	23 23 23 23 23 23 22 21 19	52 1498 3168 4441 5898 7615 9712 1(976	80 1521 3000 4480 5954 7690 9817 11103	33 1473 3135 4410 5850 7532 9593 10844	23 23 23 23 23 22 21 19	25.8 13.0 3.8 - 5.5 -16.7 -31.7 -40.4	28.9 15.3 7.9 — 2.2 —13.4 —27.6 —36.2	20.1 10.4 0.0 11.8 21.3 37.7 45.6	23 21 21 20 20 16 7	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4 -53.2
1 0000 U.T.	000 850 700 600 500 400 300 250	23 23 23 23 23 22 21 19	52 1498 3168 4441 5898 7615 9712 10976 12465	80 1521 3000 4480 5954 7690 9817 11103 12613	33 1473 3135 4410 5850 7532 9593 10834 12311	23 23 23 23 23 22 21 19	25.8 13.0 3.8 - 5.5 -16.7 -31.7 -40.4 -51.0	28.9 15.3 7.9 - 2.2 -13.4 -27.6 -36.2 -48.5	20.1 10.4 0.0 11.8 21.3 37.7 45.6 54.1	23 21 21 20 20 16	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4
ran 0000 U.T.	000 850 700 600 500 400 300 250 200	23 23 23 23 23 22 21 19 19	52 1498 3168 4441 5898 7615 9712 10976 12465 14285	80 1521 3000 4480 5954 7690 9817 11103 12613 14447	33 1473 3135 4410 5850 7532 9593 10844 12311 14125	23 23 23 23 23 22 21 19	25.8 13.0 3.8 - 5.5 -16.7 -31.7 -40.4 -51.0 -64.5	28.9 15.3 7.9 - 2.2 -13.4 -27.6 -36.2 -48.5 -62.7	20.1 10.4 0.0 11.8 21.3 37.7 45.6 54.1 66.5	23 21 21 20 20 16 7	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4 -53.2
Aswan 0000 U.T.	000 850 700 600 500 400 300 250 200 150	23 23 23 23 23 22 21 19 19 17 17	52 1498 3168 4441 5898 7615 9712 10976 12465 14285 16677	80 1521 3700 4480 5951 7690 9817 11103 12613 14447 16857	33 1473 3135 4410 5850 7532 9593 10844 12311 14125 16524	23 23 23 23 23 22 21 19 19	25.8 13.0 3.8 — 5.5 —16.7 —31.7 —40.4 —51.0 —64.5 —77.3	28.9 15.3 7.9 — 2.2 —13.4 —27.6 —36.2 —48.5 —62.7 —72.6	20.1 10.4 0.0 11.8 21.3 37.7 45.6 54.1 66.5 79.8	23 21 21 20 20 16 7 1	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4 -53.2
Aswan 0000 U.T.	000 850 700 600 500 400 300 250 200 150 100 70	23 23 23 23 23 23 22 21 19 19 17 17	52 1498 3168 4441 5898 7615 9712 10976 12465 14285 14285 18769	80 1521 3200 4480 5954 7690 9817 11103 12613 14447 16857 18930	33 1473 3135 4410 5850 7532 9593 10844 12311 14125 16524 18680	23 23 23 23 23 22 21 19 19 17	25.8 13.0 3.8 - 5.5 -16.7 -31.7 -40.4 -51.0 -64.5 -77.3 -69.4	28.9 15.3 7.9 - 2.2 -13.4 -27.6 -36.2 -48.5 -62.7 -72.6 -66.5	20.1 10.4 0.0 11.8 21.3 37.7 45.6 54.1 66.5 79.8 76.0	23 21 21 20 20 16 7 1	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4 -53.2
Aswan 0000 U.T.	000 850 700 600 500 400 300 250 200 150 100 70	23 23 23 23 23 22 21 19 19 17 17 17	52 1498 3168 4441 5898 7615 9712 1(976 12465 14285 16677 18769 19702	80 1521 3000 4480 5954 7690 9817 11103 12613 14447 16857 18930 19855	33 1473 3135 4410 5850 7532 9593 10844 12311 14125 16524 18680 19609	23 23 23 23 23 22 21 19 19 17 17	25.8 13.0 3.8 - 5.5 -16.7 -31.7 -40.4 -51.0 -64.5 -77.3 -69.4 -64.6	28.9 15.3 7.9 - 2.2 -13.4 -27.6 -36.2 -48.5 -62.7 -72.6 -66.5 -62.3	20.1 10.4 0.0 11.8 21.3 37.7 45.6 54.1 66.5 79.8 76.0 66.8	23 21 21 20 20 16 7 1	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4 -53.2
Aswan 0000 U.T.	000 850 700 600 500 400 300 250 200 150 100 70	23 23 23 23 23 23 22 21 19 19 17 17	52 1498 3168 4441 5898 7615 9712 10976 12465 14285 14285 18769	80 1521 3200 4480 5954 7690 9817 11103 12613 14447 16857 18930	33 1473 3135 4410 5850 7532 9593 10844 12311 14125 16524 18680	23 23 23 23 23 22 21 19 19 17	25.8 13.0 3.8 - 5.5 -16.7 -31.7 -40.4 -51.0 -64.5 -77.3 -69.4 -64.6	28.9 15.3 7.9 - 2.2 -13.4 -27.6 -36.2 -48.5 -62.7 -72.6 -66.5 -62.3 -55.8	20.1 10.4 0.0 11.8 21.3 37.7 45.6 54.1 66.5 79.8 76.0	23 21 21 20 20 16 7 1	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4 -53.2
Aswan 0000 U.T.	000 850 700 600 500 400 300 250 200 150 100 70 60 50 40	23 23 23 23 23 22 21 19 19 17 17 17 13 10 8 6	52 1498 3168 4441 5898 7615 9712 1(976 12465 14285 16677 18769 19702 20838 22231 24056	80 1521 3000 4480 5954 7690 9817 11103 12613 14447 16857 18930 19855 20987	33 1473 3135 4410 5850 7532 9593 10844 12311 14125 16524 18680 19609 20738	23 23 23 23 23 22 21 19 17 17 17 13	25.8 13.0 3.8 - 5.5 -16.7 -31.7 -40.4 -51.0 -64.5 -77.3 -69.4 -64.6	28.9 15.3 7.9 - 2.2 -13.4 -27.6 -36.2 -48.5 -62.7 -72.6 -66.5 -62.3	20.1 10.4 0.0 -11.8 -21.3 -37.7 -45.6 -54.1 -66.5 -79.8 -76.0 -66.8 -61.1	23 21 21 20 20 16 7 1	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4 -53.2
Aswan 0000 U.T.	000 850 700 600 500 400 300 250 200 150 100 70 60 50	23 23 23 23 23 22 21 19 19 17 17 17 17 18 6	52 1498 3168 4441 5898 7615 9712 1(976 12465 14285 16677 18769 19702 20838 £2231	80 1521 3000 4480 5954 7690 9817 11103 12613 14447 16857 18930 19855 20987 22306	33 1473 3135 4410 5850 7532 9593 10844 12311 14125 16521 18680 19609 20738 22139	23 23 23 23 23 22 21 19 17 17 17 13 10 8	25.8 13.0 3.8 - 5.5 -16.7 -31.7 -40.4 -51.0 -64.5 -77.3 -69.4 -59.6 -59.6	28.9 15.3 7.9 - 2.2 -13.4 -27.6 -36.2 -48.5 -62.7 -72.6 -66.5 -62.3 -55.8 -54.6	20.1 10.4 0.0 -11.8 -21.3 -37.7 -45.6 -54.1 -66.5 -79.8 -76.0 -66.8 -61.1 -57.5	23 21 21 20 20 16 7	0.3 - 9.0 -15.9 -25.0 -35.4 -47.4 -53.2

N - Number of observations of specified pressure surface.

^{*} The atmospheric pressure corrected to the elevation of the radiosonde stations.

UPPER AIR CLIMATOLOGICAL DATA

Table B 1 (contd.) --MONTHLY MEANS, ABSOLUTE HIGHER AND LOWER VALUES OF
ALTITUDE, AIR TEMPERATURE AND DEW POINT AT STANDARD
AND SELECTED PRESSURE SURFACES

JUNE - 1968

Station	Pressure Surface	Alt	itune of Pre	ssure Surfac	· (gpm)		Tempe	erature (°C)	i	Dow	Point (°C)
SC	M illib a r	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
	Surface	24	1013mb.*	1015mb,*	1010mb.*	24	28.1	40.2	25.0	24	20.0
- / /	1000	24	138	160	116	24	26.4	38.5	18.5	24	17.4
. 11	850	24	1557	1592	1530	24	19.6	25.6	14.8	23	5.8
Mersa Matruh (A) 1200 U.T.	700	23	3196	3250	3158	23	9.4	14.0	5.8	14	-5.2
n l	600	22	4452	4508	4408	22	0.6	4.5	3.7	10	-13.2
≥ []	500	22	5890	5950	5832	22	- 8.9	-5.2	-14.9	õ	-22.0
~~ <u>~</u>	400	22	7577	7650	7464	22	-21.0	16.9	-24.7	2	35.8
-	300	19	9632	9745	9512	19	= 35.7	-28.1	40.7	l	-51.0
구 📙	250	19	10888	11019	10726	19	45.2	37.0	51.5		
_ (200	18	12348	12514	12146	18	53.2	-47.4	= 60.5	_	
1	150	13	14182	14352	13941	13	61.2	: 7 . 1	- 64.0	[
- -	100	10	16637	16812	16413	10	-65.7	-60.5	- 70.4		
Ž	70	6	18789	18950	18700	6	=62.1	-60.2	-65.4		
- #	60	5	19800	19895	19716	5	-58.9	- 56.5	61.0		
- -	50	1 5	20963	21042	20889	5	-54.5	51.7	56,0		
ž	40	+	22391	22431	22339	4	50.0	-49.0	- 51.5		
11	30	4	24287	21337	24229	4	-46.7	-45.7	- 48.0		_
- 11	20	3	27025	27065	26976	3	-41.8	-39.8	43:0		
,	10	_		_	_						
		1	•	•				t		<u> </u>	
- 1	Surface	30	994 m b	998 mb	990mb	30	34 .5	40.0	29.9	30	10.4
	1000	30	89	1:3	41				· '		
1	850	30	1525	1557	1476	30	21.3	27.6	14.5	30	0.2
4 1	700	30	3175	3270	3 129	30	10.9	15.4	7.4	29	-11.0
	600	30	4440	4535	4376	30	2.5	6.6	4.4	27	18.9
F \	500	30	5888	5981	5834	30	— 7.1	-1.8	-12.0	30	27.1
5	400	19	759 2	7692	7166	99	-18.5	-10.8	-24.4	29	36.4
او	3 00	29	9673	9788	9499	29	- 3 3.3	-27.3	-40.2	:8	49.3
8 /	150	28	10928	11070	10715	28	-42.4	-35.6	-49.8	15	56.1
<u> </u>	200	26	12402	12576	12026	26	51.9	-47.2	62.3	22	= 63.9
- -	150	2.5	14234	14404	13968	25	-61.8	59,1	- 65.8	2	-71.2
Helwan 1300 U.T.	100	24	16699	16864	16484	24	-70.2	-64.4	75.7	-	-
ž 📗	70	16	15837	18980	18600	16	-65.2	-58.8	-69.3	 	_
11	60	15	19769	19912	19501	15	-60.1	-57.2	 62 . 1		
1	50	15	20923	21(83	20640	15	-55.4	-52.6	-58.9	_	_
1	40	7	£2367	22533	22054	7	-51.9	-48.7	- 55.3	_	_
11	3 0	7	243 90 .	24433	24183	7	-45.2	-35.8	-50.7		_
1	20	2	27235	27592	26878	2	-50.5	-44.5	- 56.5		_
' '	10	1		-	1						1

N = Number of observations of specified pressure surface.

[•] The atmospheric pressure corrected to the elevation of the radiosonde stations.

Note.—Climatological upper air data for Asava at 1200 U.T. are missing since number of release of radiosonde set at this station are less than the permissible number needed for calculating or processing monthly values.

TABLE B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE; THE HIGHEST WIND SPEED IN THE UPPER AIR

JUNE - 1968

					Fre	ezirg le	vel			-	1			First	Tropo	pause				High	ne st w	ind s	peed
			Mean			Highes	t	!	Lowest	i		Mean		1	Highes	t		Lowes	ŧ	î	b.)	•	o te
	Station	Aliitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Direction (900—360)*	Speed in Knote
		(N)	(N)	(N)	!			:			(N)	(N)	(N)										
F-(M. Matruh (A)	4375 (18)	604 (18)	- 7.6 (9)	4 940	564	_	3700	65 3	· -	14746 (5)	140 (5)	-66 9 (5)	16618	100	-71.3	12000	210	-57.5	13780	163	240	92
TO 0000	Helwan	4778 (29)	574 (29)	-19.4 (27)	5360	535	-25.1	4390	603	- 5.9	15455 (21)	124 (21)	-71.2 (21)	17300	85	-75.7	12550	191	-6 0. 0	13060	181	220	145
1	Aswan(A)	4990 (23)	561 (23)	-19 1 (20)	55 4 0	5 3 0	-25.1	4140	6 00	-11.3	16661 (11)	101 (11)	-78.0 (11)	17920	84	-83.2	15770	116	-78.4	_	_		
		(N)	(N)	(N)	1	· :		i :			(N)	(N)	(N)										
.i.	M. Matruh (A)	4578 (22)	59 4 (22)	-13 8 (7)	511 0	554	_	3860	642	_	13 (30) (10)	172 (10)	-61.1 (10)	15280	125	-65.5	11320	239	-42.1	13800	162	250	95
1200 U.T.	Helwan	4843 (30)	571 (30)	-20 6 (26)	5 560	522		4030	C26	- 8.2	15999 (20	115 (20)	-70.6 (20)	17630	85	-75.6	12180	201	-62.3	14470	223	310	140
\	A-wan(A)		-		-	. —	-	-	_	-		-									-	-	-

N = The number of cases the element has been observed during the month.

Table B 3. NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES MERSA MATRUH (A) — JUNE 1968

Time	Pressure Surface (Millibar)	Wind between specified ranges of direction (000-360)° 345
0000 U.T.	Surface 1000 85.0 700 600 500 400 300 250 200 150 100 70 60 30 20 10	$ \begin{bmatrix} 2 & 6 & 1 & 10 & 1 & 10 & 1 & 6 & 0 & - & 1 & 10 & 2 & 10 & 2 & 16 & 1 & 4 & 3 & 6 & 3 & 12 & 4 & 11 & 0 & 21 & 10 \\ 2 & 8 & 1 & 10 & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 24 & 0 & - & 1 & 20 & 0 & 0 & 0 & - & 1 & 14 & 3 & 13 & 0 & 9 & 14 \\ 4 & 19 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 3 & 18 & 1 & 22 & 0 & 8 & 19 \\ 1 & 16 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 19 & 3 & 32 & 3 & 12 & 0 & 8 & 22 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 19 & 3 & 32 & 3 & 12 & 0 & 8 & 22 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 19 & 3 & 32 & 3 & 12 & 0 & 8 & 22 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 19 & 3 & 32 & 3 & 12 & 0 & 8 & 22 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 19 & 3 & 32 & 3 & 12 & 0 & 8 & 22 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 19 & 3 & 32 & 3 & 12 & 0 & 8 & 22 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 19 & 3 & 32 & 3 & 12 & 0 & 8 & 22 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 19 & 3 & 32 & 3 & 12 & 0 & 8 & 22 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 19 & 3 & 32 & 3 & 12 & 0 & 8 & 22 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 220 & 0 & - & 1 & 120 & 3 & 27 & 0 & 5 & 25 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & 5 & 31 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & 4 & 47 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 \\ 0 & - & 0 & - & 0$
1200 U.T.	Surface 1000 800 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

N = The number of cases the element has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

Table B 3. (Cont.) —NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

HELWAN — JUNE 1968

		{			Wind	between sp	pecified rar	nges of dire	ection (000	360)⁴				Calm	ber of (T N)	wind
Tiem	, Pressure Surface (Millibar)	345 / 014	015 / 044	045	104	105 / 134	135	165 / 194	195	225 / 254	255 / 284	285 / 314	315 / 344	70-0	1 2 0 1	Scalar wi
		N (ff)	N (ff	N) (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	Number win	Total Num Observations	Mean
0000 G.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	14 9	5 13 3 11 0	3 21 1 19 0 — 0 — 0 — 0 — 0 — 0 — 0 — 2 28	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -		0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	- - -		1 17 0 - 1 21 7 21 4 31 7 52 7 57 7 65 6 54 4 42 0 - 0 - 0 -	- - 5 5 36 5 34 5 32 10 42 10 52 8 56 8 52 6 60 4 42 0 - 0 - 0 - 0 - - -	2 23 7 23 12 29 7 27 6 34 6 33 3 34 4 63 2 52 1 29 0 — 0 — 1 37 0 — 0 —	2 6 -4 20 10 24 8 19 5 33 37 7 3 39 2 32 1 54 1 33 0 0 0 0	000000000000000000000000000000000000000	29 29 29 26 26 26 24 21 17 10 6 1 6 5 4	9 18 24 27 28 35 46 53 58 55 37 19 20 27 21 24
1"00 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	11 12	3 10	3 15 0	2 9 0 0 0 0 0 0 0 0	1 8 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0 — 1 11 0 — 1 3 0 — 0 — 0 — 0 — 0 — 1 22 0 — 1 27 0 — 1 25 0 — 0 —	0	0 — 0 — 1 19 0 — 1 12 2 40 1 39 2 34 5 50 2 24 1 9 1 35 0 — 0 — 0 —	1 13 17 4 24 1 55 3 24 8 36 7 53 9 55 7 54 5 55 3 22 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	0	2 12	9 12 3 14 4 18 7 17 6 21 3 31 3 44 3 60 1 40 0 — 0 — 0 — 0 — 0 — 0 —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30 30 30 29 29 27 24 19 17 9 2 8 7 6 4 4 2 2	12 14 21 21 26 35 49 52 55 65 28 19 24 24 28 29

N = The number of cases the element has been observed during the month.

TN = The total number of eases the wind has been observed for all directions during the month.

Table B 3. (Contd.) - NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

ASWAN (A) -- JUNE 1968

		Wind between specified ranges of direction (000-360)°	Calm	of N.)
Time	Pressure Surface (Millibar)	345 015 045 075 105 135 165 195 225 255 285 315 014 044 074 104 134 164 194 224 254 284 314 344	Number of Ca winds	Number of vations (TN) Scalar wind ed (Knots)
		$ \left[\begin{array}{c c c c c c c c c c c c c c c c c c c $	Numb	Total Nu Observati Mean Sea Speed
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	$ \begin{vmatrix} 9 & 10 & 3 & 7 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 6 & 3 & 8 & 7 & 10 \\ \hline 5 & 16 & 8 & 16 & 4 & 12 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 1 & 6 & 0 & - & 2 & 14 \\ 3 & 12 & 1 & 8 & 2 & 13 & 0 & - & 0 & - & 0 & - & 2 & 9 & 2 & 16 & 4 & 9 & 1 & 19 & 2 & 8 & 3 & 12 \\ 2 & 16 & 0 & - & 2 & 7 & 1 & 16 & 0 & - & 1 & 14 & 0 & - & 2 & 20 & 4 & 18 & 1 & 24 & 2 & 13 & 2 & 11 \\ 3 & 7 & 1 & 29 & 0 & - & 0 & - & 2 & 11 & 1 & 17 & 0 & - & 1 & 9 & 1 & 11 & 3 & 9 & 2 & 12 & 2 & 12 \\ 0 & - & 1 & 17 & 1 & 37 & 1 & 13 & 2 & 9 & 0 & - & 0 & - & 1 & 15 & 2 & 4 & 2 & 9 & 3 & 14 & 2 & 16 \\ 2 & 21 & 0 & - & 1 & 14 & 0 & - & 2 & 15 & 1 & 14 & 1 & 20 & 4 & 16 & 1 & 15 & 1 & 16 & 1 & 12 \\ 1 & 45 & 0 & - & 0 & - & 1 & 19 & 1 & 11 & 2 & 19 & 1 & 16 & 1 & 31 & 3 & 14 & 0 & - & 0 & - & 2 & 16 \\ 0 & - & 0 & - & 0 & - & 0 & - & 2 & 12 & 2 & 20 & 2 & 22 & 2 & 24 & 3 & 17 & 1 & 25 & 0 & - & 1 & 23 \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 4 & 30 & 3 & 24 & 1 & 50 & 0 & - & 2 & 26 & 0 & - & 0 & - \\ 0 & - & 0 & - & 0 & - & 1 & 17 & 3 & 51 & 3 & 16 & 1 & 20 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 1 & 17 & 3 & 51 & 3 & 16 & 1 & 20 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 1 & 26 & 5 & 27 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 1 & 26 & 5 & 27 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 0 & - & 1 & 38 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 0 & - & 1 & 38 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 0 & - & 1 & 38 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 0 & - & 1 & 38 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 0 & - & 1 & 38 & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - & 0 & - \\ 0 & - & 0 & - & 0 & - & 1 & 38 & 0 & - & 0 & - & 0 & - & 0 $	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	23

N = The number of cases the element has been observed direction during the month,

TN = The total number of cases the wind has been observed for all directions during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR — JUNE 1963

This month was warmer than normal. The daily maximum air temperatures were bove normal during all the month. The month was characterized by three heat waves luring the periods (1st-4th), (12th-14th), on the 19th and a warm spell on the 22nd. The hird heat wave yielded the highest maximum air temperature for the month (40.0°C).

The extreme maximum soil temperatures were higher than the corresponding values of last June at all depths between 2 & 100 cms., and the differences ranged between 1.0°C at 2 cms. & 1.0°C at 50 cms. The extreme minimum soil temperatures were also higher than the corresponding values of last June at all depths between 2 & 100 cms., and the differences ranged between 3.0°C at 20 cms. & 0.9°C at 100 cms.

The mean daily Pan evaporation was 0.51 mms, more than the corresponding value of June 1967. The total actual duration of bright sunshine was 13.4 hours less than the corresponding value of June 1967.

TAHRIR - JUNE 1968

This month was warmer than last June. The daily maximum air temperatures were above normal most days of the month. The month was characterized by five heat waves during the periods: (1st-4th), (8th-9th), (14th-15th), (19th-20th) and (22nd-25th). The first heat wave yielded the highest maximum air temperature for the month (42.1°C) on the 4th.

The extreme maximum soil temperatures were higher than the corresponding values of last June at depths between 2 & 20 cms. with differences ranging between 4.4°C at 5 cms. and 0.5°C at 20 cms. At 50 & 100 cms.depths the extreme soil maxima were slightly ower than last June with differences ranging between 0.3° & 0.1°C. The extreme minimum soil temperatures were higher than the corresponding values of last June at dll depths between 2 & 100 cms., and the differences ranged between 3.3°C at 20cms.& 1.3°C at 100 cms.

The mean daily Pan evaporation was 1.09 mms. less than the corresponding value of June 1967. The total actual duration of bright sunshine was 22.5 hours less than the corresponding value of June 1967.

BAHTIM JUNE 1968

This month was warmer than last June. The daily maximum air temperatures were above average most days of the month. The month was characterized by five heat waves during the periods: (1st - 5th), (8th - 9th),(13th - 15th), (19th - 23rd) and on the 26th. The first heat wave yielded the highest maximum air temperature for the month (42. OC) on the 4th.

The extreme maximum soil temperatures were higher than the corresponding values of last June at all depths between 2 & 100 cms., and the differences ranged between 6.5°C at 2 cms. & 1.4°C at 20 cms. The extreme minimum soil temperatures were also higher than the corresponding values of last June at all depths between 2 & 100 cms. and the differences ranged between 3.9°C at 50 cms. and 1.8°C at 100 cms.

The mean daily Pan evaporation was 0.58 mms. less than the corresponding value of June 1967. The mean daily actual duration of bright sunshine was 0.6 hour less than the corresponding value of June 1967.

KHARGA - JUNE 1968

This month was warmer than normal. The daily maximum air temperatures were above normal most of the month. The month was characterized by five heat waves during the periods: (1st-9th), (13th-16th), (19th-20th), on the 23rd & (26th-27th). The first heat wave was prolonged and excessive, yielding the highest maximum air temperature for the month (45.6°C) on the 3rd and the highest minimum air temperature (30.2°C) on the 9th.

The extreme maximum soil temperatures were lower than the corresponding values of last June at 2 & 5 cms. depths and the differences were 0.9°C &1.5°C respectively. At deeper depths between 10 & 100 cms. the extreme soil maxima were higher than last June with small differences ranging between 0.6°C & 0.1°C. The extreme minimum soil temperatures were higher than the corresponding values of last June at all depths between 2 & 100 cms., and the differences ranged between 4.1°C at 5 cms. and 0.6°C at 100 cms.

The mean daily Pan evaporation was 0.16 mms. less than the corresponding value of June 1967. The total actual duration of bright sunshine was 10.2 hours less than the corresponding value of June 1967.

Note:

During this month recording charts of the mercury in steel hygrograph were not available at El Kasr, Tahrir, Bahtim & Kharga centres. For these centers mean of the day of air temperature, relative humidity and vapour pressure were calculated using the following equations:

mean of the day of air temperature.

- = [(0600+1200+1800)] U.T. dry bulb readings + minimum air temperature] ÷ 4.
- mean of the day of relative humidity.
 - = (0600+1800) U.T. observations $\div 2$.

mean of the day of vapour pressure.

= (0600 + 1200 + 1800) U.T. observations $\div 3$.

Table C 1.- AIR TEMPERATURE AT $1\frac{1}{2}$ METRES ABOVE GROUND

		Air Te	mperat _t	ire (°C)				Mean	Duratio:	n in ho ove the				erature	_	
8TATION	Mean Max.	ì	of the	Night time mean	time	_5°C	0°C	5°C	10°C	15°C	20°C	25°C	30° C	35*C	40°C	45°C
]			İ	ļ				
El Kasr	29.9	20.6	24.8		_	-	_	-	_			-	<u> </u>	-		-
Tehrir	3 5.4	19 8	26.6	_	_	-	_	-		_	_	_			_	
Bahtim	36.1	18.8	27.0	_	_	_	_		_	_	_		_	_	<u> </u>	
Kharga	41.4	26.4	34.1	31.0	35.3	-	_					_	-	_		_

Table C 2.— EXTREME VALUES OF AIR TEMPERATURE AT 1½ METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS.

JUNE - 1968

	Max.	Temp. at	l ₂ metre	(°C)	Min.	Temp. st	l ₂ metre	• (°C)	Min. Te	emp. at 5	cms. aho	ve (°C)
STATION	High	nest	Lov	vest	High	est	Lov	vest	Dry	soil	Gre	106
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date
El Kasr	40 0	19	26.5	5	24.6	23	15.2	11	11.5	11		
Tahrir	4 2 l	4	30.7	27	21 8	5	17.1	12	15.4	12		
Bahtim, , , , .	42.0	4	31.4	10	8 02	8	15.6	17	12.1	17		
Kharga	45.6	3	36.2	29	30.2	9	22.8	4	20.2	4		

Table C 3. - (SOLAR+SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY, VAPOUR PRESSURE AT 1½ METRES ABOVE GROUND, EVAPORATION & RAINFALL

	Radia- al/cm ⁸		on of I		Rela	stive	Huma	idity		Vap	our pr	cesure	(mms)		•	ms)	Rai	nfall (m	rens)
STATION	(Solar+Sky) F tion gm. cal	Total Actual monthly	Total Possible monthly	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 U.T.	Highest	Date	Lowest	Date	Piche	Pan class A	Total Amou- nt Monthly	Max. Fall in one day	Dete
El Kasr ,	564.8	3 58 9	425.5	81	74	65	21	10	17.8	18 9	22.5	19	11.1	12	6.1	11.08	0.0	0.0	_
Tahrir.	635.9	l	422.3	81	71	47	29	ļ	18.3	1			13.1		10.5	10.96		0.0	_
Bahtim .	609 9			82	55	29	12	ĺ	13 9	ĺ	1		7.5		16.0	13.83	0.0	0.0	_
Kharga .	500 8	3 60.0	400 0	88	22	12	4	3	8.0		14.1	29	2.9	3	32.2	25.79	0.0	0.0	_

TABLE C 4.--EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS (cms) IN DIFFERENT FIELDS

JUNE - 1968

STATION	st (H)				•	etature depth							•		o (°C) i	ms,)	
	Highest Lowest	2	5	10	20	50	100	200	300	2	5	10	20	50	100	200	300
El Kasr	H L	48.8 25.7	42.9 24.0		30 2 26.0	28.3 26.0	26.3 23.7		_	<u> </u>	_	_		_	_	_	
Tahrir	H L	56.7 27.8			37.2 29.9		30.6 28.6		26.4 21.6	 -	_	<u></u>	_	 -	_	=	-
Bahtim	H L	58.0 3 0.1	41.4 28.4	38.7 28.3		30.9 28.2	28.3 25.9			-	_	<u>-</u>	_	-	_	_	=
Kharga	H L	59.9 24.5				34.6 32.4			27.4 26.9		_	_	_	_	_	_	_

TABLE C 5 .- SURFACE WIND

		Speed m	1	ļ	Days wit	th surface	wind spe	ed at 10	metres.			et (knots)
STATION	Mean of the day	Night time mean	Day time mean	≥ 10 knots	≥ 15 knots	> 20 knots	> 25 knots	≥ 30 knots	≥ 35 knots	≥ 40 knota	Value (knots)	Date
El Kasr	4.0	3.2	5.0	-	-	_	_		_	-	_	
Tahrir	2.6	1.7	3.5	30	18	3	0	0	0	0	28	4
Bahtim	3.1	1.9	4.3	29	28	10	o	0	0	0	27	2,8
Kharga	5.1	4.2	6.0	30	28	25	.7	4	1	o	42	22

PRINTED IN ARAB REPUBLIC OF EGYPT BY THE GENERAL ORGANIZATION FOR GOVT. PRINTING OFFICES. CAIRO

First Under-Secretary of State

ALY SULTAN ALY

Chairman of the Board of Directors



MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 7

JULY, 1968

U.D.C. 551. 506.1 (62)

PUBLICATIONS OF THE METEOROLOGICAL AUTHORITY OF THE ARAB REPUBLIC OF EGYPT—CAIRO

In fulfilment of its duties, the Egyptian Meteorological Authority issues serveral reports and publications on weather, climate and agro-meteorology. The principal publications are described on this page.

Orders for publications should be addressed to:

"Chairman of the Board of Directors, Meteorological Authority, Kubri-el-Qubbeh - CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Authority since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968 this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

As from 1st January 1972, the Daily Weather Report will not be issued or distributed because it does not serve no longer any good purpose as it used to be in the past. The Meteorological Authority is ready to supply the recipients of the Report with any information used to be included in it, if they so desire.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapil state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for Egypt.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of Egypt as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff of "The Meteorological Institute for Research and Training" and the Operational Divisions of the Meteorological Authority.

TECHNICAL NOTES

As from October 1970, the Meteorological Authority started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.



MONTHLY WEATHER REPORT

FOLUME 11

NUMBER 7

JULY, 1968

U.D.C. \$\$1. 506.1 (62)

CONTENTS

		ragm
	General Summary of Weather Conditions	1-2
	SURFACE DATA	
Fa ble	A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	3
,,	A2.—Maximum and Minimum Air Temperatures	4
,,	A3.—Sky Cover and Rainfall	5
,,	A4.—Number of Days of Occurrence of Miscellaneous Weather Phenomena	6
3+	A5.—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	7,8
	UPPER AIR DATA	
lable.	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surfaces	9.10
**	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	11
"	B3.—Number of Occurrences of Wind Direction Within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	12-14
	AGRO-METEOROLOGICAL DATA	
l'able	Reviews of Agro-meteorological stations	15,16 17
**	C2.—Absolute Values, of Air Temperature at 1½ Metres Above Ground, Absolute Minim um Air Temperature at 5 Cms Above Ground Over Different Fields	17
"	C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ Metres Above Ground, Evaporation and Rainfall	17
**	C4.—Extreme Soil Temperature at Different Depths in Different Fields	18
,,	C5.—Surface wind	18

Nets For expianatory notes on tables please refer to Volume 11, Number 1 (January 1968).

GENERAL SUMMARY OF WEATHER CONDITIONS

JULY 1968

Normal summer intervened with two mild periods. Early morning mist over Delta, Canal & Cairo areas

GENERAL DESCRIPTION OF WEATHER

The prevailing weather during this month was generally rather hot in the northern parts, hot in the central parts and excessively hot in the southern parts. The month was intervened with two heat waves round the periods: (1st-4th) & (10th-20th). The first heat wave was light, while the second was excessive. Both heat waves broke down with mild periods.

Early morning low clouds developed frequently with few occasions of mist over scattered parts in Lower Egypt & Cairo. Light rising sand occurred during several days over scattered parts in the Western Desert & Red Sea areas.

PRESSURE DISTRIBUTION

The most outstanding features of pressure distribution over the surface maps during this month were:

- The Atlantic anticyclone.
- Deep low pressure systems through North Europe, attached sometimes with secondaries over Central Europe.
- Local anticyclones moving through Europe.
- A ridge over Central Mediterranean & Libya.

— The complex monsoon low pressure system over the Arabian Gulf, Arabia & North Sudan.

The barometric pressure over Egypt during this month experienced six falls slight in general round the periods: (3rd - 4th). (8th - 10th), (13th - 15th), (17th - 18th), (20th-21st) & (24th-26th) respectively. These pressure falls were caused by the slight deepening of the Iraq monsoon trough and its westward elengation through East Mediterranean during the first five periods or its north-westward elongation towards the Balkans during the last period. These elongations were favoured by the transits of secondary lows or troughs north of the Black Sea area.

During the rest periods of the month, the barometric pressure over Egypt was above normal and high pressure over Central Mediterranean & Libya intensified and extended slightly eastwards.

The most important features of pressure distribution over the upper sir charts were:

- Two deep upper low pressure systems over North Atlantic and North Urasia.
- Secondary upper lows or troughs over middle latitudes traversing East Mediterranean and north Egypt on the 10 th & 17 th.
- Upper high pressure system over the subtropical latitudes south of 30°N.

SURFACE WIND

The prevailing surface winds during this month were generally light to moderate and blew from NE to NW directions. Winds became fresh to strong during several days of the month over scattered parts in the Mediterranean, Western Desert, Upper Egypt & Red Sea districts. Calms were frequent most of night and early morning intervals in scattered localities.

TEMPERATURE

Maximum air temperature oscillated slightly to moderately above normal in the northern parts most days of the month. In the central and southern parts, it was slightly to moderately above normal during the two heat waves and slightly below normal otherwise. Maximum air temperature values ranged most days of the month

between 29°C & 35°C in the northern parts, between 34°C & 40°C in the central parts, between 40°C & 44°C in the southern parts.

The absolute maximum air temperature was 47.2°C reported at Kom Ombo on the 17th.

Minimum air temperature oscillated slightly to moderately above normal most days of the month in all districts - Minimum air temperature values ranged generally between 19°C & 25°C in the northern & central parts and between 22°C & 28°C in the southern parts.

The absolute minimum air temperature was 16.8°C reported at Imbaba on the 4th.

PRECIPITATION

As usual this month was rainless.

Chairman (M. F. TAHA)

Board of Directors

Cairo, March 1972

33

Table A 1. — MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION.

JULY — 1968

	Atmos					Air T	emperatu	re °C				Rela	tive	Brigh	ht Sunshir		8 E
•	M.S	e (mbs) l.L.	Maxi	imum	Mini	mum		Dry	Bulb	Wet	Bulb	Humid	lity %	Dura	tion (Hou	rs)	tion (
STATION	Mean	D.F. Normal or Average	(A) Mean	D.F. Normal	(B) Mean	D.F. Normal or Average	A+B 2	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Total Actual	Total Possible	%	Piche Evaporation (mms)
Sallum	1011.5 1010.7 1010.0 1008.2	+ 1.2 - 0.9 + 1.5 + 0.7	31.5 29.0 31.4 30.8	+ 0.6 - 0.2 + 1.7 + 0.4	22.2 21 1 23.4 24.5	+ 0.9 + 0.8 + 0.8 + 0.4	26 9 25.1 27.4 27.7	26.6 25.4 26.7 —	+ 0.5 + 0.4 + 0.7 -	21.8 21.9 22.6 —	+ 0.4 + 0.4 + 0.1 -	64 72 69 —	0 -1 -4 -	380.6 (355.9)	432.3 (418.4)	88 (85)	8.6 7.8 6.7 7.2 —
Canta	1009.1	+ 1.5	34.3	- 9.1	20.6	+ 1.3	27.4	26.8	+ 0.3	22.1	+ 0.7	6 5	+ 3	378.0	431.0	88	6.4
airo (A)	1008.6	+ 0.6	3 5.2	0.0	22.1	+ 0.6	28.7	28.2	+ 0.3	21.4	+ 0.1	52	1	_	_		19.1
ayoum (A) linya (A) lasyout (A) luxor (A) luxor (A)	1007.5 1006.8 1005.7 1005.5	+ 0.6 0.0 + 0.9 + 0.8	37.8 37.5 37.5 41.1 42.0	+ 1.1 + 0.8 + 0.7 + 0.6 + 0.9	21.8 21.6 23.0 24.8 25.7	+ 0.3 + 1.3 + 0.7 + 1.2 + 1.0	29.8 29.5 30.2 32.9 33.9	29.6 30.3 33.0 34.2	$\begin{vmatrix} + 1.1 \\ + 0.5 \\ + 0.2 \\ + 0.6 \end{vmatrix}$	20.6 20.3 20.6 18.3	$ \begin{array}{c c} + 0.3 \\ + 0.9 \\ + 0.7 \\ + 0.2 \end{array} $	40 36 28 14	$ \begin{array}{c c} - & 5 \\ + & 2 \\ + & 3 \\ - & 1 \end{array} $	377.6	425.3	8 9	10.1 16.5 20.0 14.8 30.6
iwa shariya arafra akhla harga	1010.3 1008.9 1009.8 1008.2 1007.0	+ 0.6 + 0.9 + 0.4 + 1.4 + 0.6	38.0 38.0 37.9 38.3 40.0	$\begin{array}{c c} + & 0.1 \\ + & 1.1 \\ + & 0.7 \\ - & 0.2 \\ + & 0.6 \end{array}$	21.1 22.5 22.4 20.5 24.9	+ 0.4 + 2.0 + 1.1 - 2.4 + 1.7	29.6 30.3 30.4 29.4 31.8	29.9 30 4 30.4 31.2 33.0	$ \begin{vmatrix} +0.2 \\ +1.0 \\ +0.6 \\ +0.2 \\ +1.4 \end{vmatrix} $	20.2 19.7 17.4 17.8 18.1	+ 0.8 + 0.3 - 0.2 - 0.1 - 0.6	37 33 28 21 23	$ \begin{array}{r} + 3 \\ - 3 \\ + 4 \\ 0 \\ - 3 \end{array} $	365.1		_ _ _ _ 87	15.9 12.4 19.7 23.9 26.1
or	1004.7 1005.8	+ 0.3 + 0.9	34.2 33.1	+ 1.3 - 0.1	26.0 26.9	+ 1.1 + 0.6	30.1 30.0	30.4 30.2	+ 0.9 + 0.3	21.8 22.8	+ 0.1 + 0.6		 - 3 + 3	 - -		 - -	24.4 16.8

Note: The number of records for the sunshine at Port-Said was 30 days only.

Table A2. - MAXIMUM AND MINIMUM AIR TEMPERATURES

JULY - 1968

		- " "	Ma	ximum I	'empera	ture *C		·		Grass Ten				Minim	ım Tempe	erature '	•c	_	
Station	1981	\$	est	ę.	No.	of Da	ys with	Max-Te	emp.	Mean	From Normal	Highest	8	Lowest		1	o. of Da	•	th
	Highest	Date.	Lowest	Date.	>25	>30	>35	>40	>45	Me	D. From	Higl	Date		Date	<10	<5	<0	<-5
Sallum	37. 2 33.0 35. 8 33. 6	19 3 12 16 —	27.4 28.4 28.7 28.2	7 7 25 7 —	31 31 31 31 —	22 14 28 21 —	1 0 1 0 -	0 0 0 -	0 0 0 -	21.9 ————————————————————————————————————		24.5 24.3 25.0 26.4	19 20 17.19.20 11,12	20.7 19.0 20.3 22.8	7 25 3 6 —	0 0 0 -	0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 -
Tanta	37.8	12	31.8	31	31	31	11	0	0	_	-	23.0	17	18.6	26	o	o	0	0
Coiro (A)	39.7	15	32.3	31	31	31	14	o	o	_	_	25.6	15	20. 3	22	0	0	0	0
Fayoum		12 16 15 17 17	34.8 34.8 34.3 37.4 38.5	31 7 31 9 10	31 31 31 31 31	31 31 31 31 31	28 30 24 31 31	7 6 6 17 25	0 0 0 3 3	19.9 19.8 21.6 21.4		26.2 26.2 27.4 30.0 31.0	14 16 14 18 16	18.2 18.0 19.2 22.2 24.1	24 29 25 7	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
Siwa	43.6 42.4 42.0 41.8 44.4	19 12 13 4 16	34.3 35.1 34.2 33.8 37.4	6,31 21 25 24	31 31 31 31 31 31	31 31 31 31 31	27 31 29 29 31	8 7 7 9 1 3	0 0 0 0	20.5 20.2 22.1 — 23.0		24.5 26.8 26.8 29.0 31.4	12 13 13 17 14	18.5 19.6 20.0 19.8 20.3	26,29 25 2 11 2	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
Tor	- 36.4 37.0		31.6 31.3	 8 6	31 31	31 31	8 2	0 0	0 0	24.5 24.6	-	29.0 28.6	18 18	23.1 25.0	- 10	0 0	0 0	0 0	- 0 0

Table A 8.-SKY COVER AND RAINFALL

JULY - 1968

		Mean S	Sky Cover	Oct.					Rair	ıfali mn	18.					
Station	. 00	06	12	18	Daily	Total	D. From	Max. in one		N	umber	of Day	s with	Amount	of Ra	in
	U.T.	U.T.	U.T.	U.T.	Mean	Amount	Normal	Amount	Date	<0.1	≥0.1	≥1.0	≥5.0	≥10	≥25	≥50
Sallum (A) Morsa Matruh (A) Alexandria (A) Port Said (A) El Arish (A)	0.2 0.6 2.2	0.7 3.5 1.9 0.7	0.2 0.9 1.4 0.3	0.3 1.6 0.8	0.3 1.2 1.5	0,0 0,0 0,0 0,0 0 .0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0		0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 -	0 0 0 0	0 0 0 0	0 0 0
Tanta	0.5	0.9	0.5	0.0	0.4	0. 0	0.0	0.0		0	0	0	0	0	0	0
Cairo	— 0.7	2.5 1.6 1.1 0.7	0.9 0.5 0.5 0.4	0.5 0.7 0.7 0.6	0.9	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0		0 0 0	0 0 0	0 0 0 0	0 0 0	0 0 0	0 0 0	0 0
Luxor (A)	0.5 0.8	1.0	0.9	0.8	0.8	0.0	Q. 0 C. 0	0.0	=	0	0	0	0	0	0	0
Bahariya	0.0 0.0 - 0.0 0.5	0.8 0.2 0.0 0.3 0.8	0.2 0.3 0.4 0.4 0.7	0.2 0.3 0.0 0.4 0.4	0.1 0.2 - 0.3 0.6	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0		0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0
Tor	0.5 0.4	0.9	0.8	0.9	0.7	0.0 0.0	0.0 0.0	0.0 0.0	=	0 0	0 0	0 0	0 0	0 0	0 0	0 0

Table A 4. DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA

JULY - 1968

		Precip	oitation			Lin Lin	/ metres	x (d.)	" Pes	Vis tres	rici sg	(o) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		CI)	
Station	Rain	Snow	Ice. Pellets	Hail	Frost	Thunderstorm	Mist_Viv = 1600	Fog Vis <1090 Metres	Haze Vis ≥ 1000 Meres	Thick Hazs Vis <1000 Metres	Dust or Sandring Vis > 1000 Metra	Dust or Suddoura Vis <1000 Metros	Galo	Clear Sky	Cloudy Sky
Sallum (A) Mersa Matruh (A) Alexandria (A) Port Said (A) Al Arish (A) Ghazza (A)	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 4 0 0	0 3 2 0 -	8 0 0 0 -	0 0 0	2 5 0 0	0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31 24 21	0 0
Canta	0	0	0	0	0	0	3	2	0	0	0	0	O	31	0
Fayoum	0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	4 0 0 0 0	3 0 0 0 0	0 0 0 0 0	0 0 0 0 8	0 0 0 0	0 0 0 0 0 0	22 26 27 25	0 0 0 0
iwa	0 0 0 0	0 0 0 0	0 0 0		0 0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0 2 0	0 0 0 0 0	0 0 0 0 6 1	0 0 0	0 0 0 0 0	24 31 31 24 26	0 0 0 0 0
Tor	0	- 0 0	- o o	- 0 0	- 0 0	0 0	0 0	- 0 0	- 0 0	 0 υ	- 8 0	— 0 0	 0 0	26 25	0 0

Table A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

JULY - 1968

	(92	urs)	10 urs)]	Numb	er in		s of c						ng fr	om t	: h•
Station	Caim (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	015 / 044	1	1	105 / 134	135 / 164	165 / 194	1	1	1	285 / 314	315 / 344	Š
Salium	1	0	0	1-10 11-27 28-47 ≥48 All speeds	83 48 0 0	129 57 0 0 186	15 0 0 0 15	20 0 0 0 20	7 0 0 0	2 0 0 0 2	1 0 0 0	2 0 0 0 2	8 0 0 8	15 0 0 0	51 27 0 0	135 143 0 0	27
Mers a Matrub . (A)	8	0	35	1-10 11-27 28-47 ≥48 All speeds	76 126 0 0 202	13 2 0 0 15	4 1 0 0 5	5 3 0 0 8	0 3 0 0	1 0 0 0	2 0 0 0 2	24 2 0 0 26	5 0 0 0 5	66 1 0 0 67	83 35 0 0 118	69 180 0 0 249	353
A ^l exandria	ì	0	0	1—10 11—27 28—47 >48 All speeds	15 1 0 0 16	8 0 0 0 8	2 0 0 0 2	4 0 0 0 4	3 0 0 0	0 0 0	1 0 0 0	5 0 0 0 5	2 0 0 0	39 10 0 0 49	141 118 0 0 259	227 166 0 0 393	448 295 0 0 743
Port Said (A)	3	0	8	1-10 11 £7 28-47 ≥48 All speeds	140 5 0 0 145	9 0 0 0 9	5 0 0 0 5	2 0 0 0 2	4 0 0 0 4	1 0 0 0 1	2 0 0 0	4 0 0 0 4	42 16 0 0 58	55 53 0 0 168	97 0 0	164 53 0 0	509 224 0 0 733
Canta	11	0	210	1-10 11-27 28-47 ≥48 All speeds	17 0 0 0 17	15 0 0 0 15	0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0	1 0 0 0 1	53 0 0 0 53	90 0 0 0 90	7	168 1 0 0	61 0 0 61	515 8 0 0 523
Cairo	63	0	0	1-10 11-27 28-47 ≥48 All speeds	116 83 0 0 199	72 18 0 0 90	38 4 0 0 42	15 0 0 0 0	3 0 0 0 3	0 0 0 0 0 0 0	0 0 0 0	1 0 0 0	0	30 0 0 0 30	87 10 0 0 97	133 71 0 0 204	495 186 0 0 681
'ауо и да	6	1	1	1-10 11-27 28-47 ≥48 All speeds	410 2 0 0 412	96 1 0 0	2 0 0 0	0 0 0	0 0 0 0 0 0 0 0	0 0 0	0 0 0	1 0 0 0	2 0 0 0 2	3 0 0 0 3	0 0 0	196 1 0 0	732 4 0 0 736
linya	6	0	0	28-47 ≥48	406 218 0 0 624	56 6 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	1 0 0 0 1	1 0 0 0 1	0 0	1 0 0 0	0 0 0 0	8 0 0 0 8	39 2 0 0 41	512 226 0 0 738
lyout	1	0	49	1-10 11-27 28-47 ≥48 All speeds	26 10 0 0	5 1 0 0 6	0 0 0 0	0	0 0 0 0	2 0 0 0 0 2	0 0 0 0	2 0 0 0 0 2	5 10 0 0 5 1	3 0 0	83 1 0 0	21 0 0	476 218 0 0

Table A 5 (contd.).—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

JULY - 1968

	(52)	ours)	hours)			Num	ber in				rrence lirecti				ing fi	rom t	he
Station	calm (Lours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	015 / 044		075 / 104	105 , 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	1	1	All directions
Luxor	10	0	0	1-10 11-27 28-47 ≥48 All speeds	23 0 0 0 23	9 0 0 0 9	10 0 0 0 10	3 0 0 0 3	13 0 0 0 13	49 0 0 0 49	80 0 0 0 80	81 0 0 0 81	73 0 0 73	1 0 0	184 6 0 0	74 12 0 0 86	715 19 0 0 734
Aswan	2	6	1	1-10 11-27 28-47 ≥48 All speeds	75 19 0 0 94	22 1 0 0 23	7 0 0 0 0 7	3 0 0 0 3	3 0 0 0 3	16 0 0 0 16	30 2 0 0 32	14 0 0 0 14	11 0 0 0 11	56 6 0 0 62	110 70 0 0 180	163 127 0 0 290	510 225 0 0 735
Siwa	2	14	0	1-10 11-27 28-47 ≥48 All speeds	15 0 0	141 17 0 0 158	51 0 0 0 51	21 0 0 0 21	6 0 0 0 6	5 0 0 0 5	1 0 0 0	5 0 0 0 5	14 0 0 0 0 14	0 0 0	103 10 0 0	181 21 0 0 202	665 63 0 0 728
Dakhla	1	8	0	1—10 11—27 28—47 ≥48 All speeds	85 39 0 0 124	73 3 0 0 76	9 0 0 0 0 9	9 0 0 0 9	2 0 0 0 2	3 0 0 0 3	14 0 0 0 14	11 0 0 0	38 0 0 0 38	109 0 0 0 109	143 0 0 0 143	150 47 0 0 197	646 89 0 0 735
Kharga	13	1	12	1—10 11—27 28—47 ≥48 All speeds	120 71 0 0 191	31 2 0 0 33	19 0 0 0	9 0 0 0 9	1 0 0 0	2 0 0 0 2	0 0 0 0	7 0 0 0 2	3 1 0 0 4	17 0 0 0 17		200 125 0 0 325	495 223 0 0 718
Hurghada	17	0	0	1—10 11—27 28—47 ≥48 All speeds	28 121 0 0 149	35 20 0 0 55	17 0 0 0 17	2 0 0 0 2	6 0 0 0 6	24 0 0 0 0 24	5 0 0 5	0 0 0 0	1 0 0 0	5 4 0 0	47 53 0 0	36 301 22 0 359	206 499 22 0 727
Quseir	5	6	300	1—10 11—27 28—47 ≥48 All speeds	54 83 0 0 137	13 0 0 0 13	7 0 0 0 7	6 0 0 6	4 0 0 0 4	13 0 0 0 13	6 0 0 6	3 0 0 0 3	9 0 0 0 9	12 0 0 0 12	41 1 0 0 42	89 98 0 0 187	257 182 0 0 439

UPPER AIR CLIMATOLOGICAL DATA

Table B 1.—MONTHELY MEAN AND MONTHLY ABSOLUTE HIGHER AND LOWER VALUES OF ALTITUDE AIR TEMPERATURE AND DEW POINT AT STANDARD AND SELECTED PRESURE SURFACES

JULY -- 1968

aoi	Pressure	Alt	itude of Pre	ssure Surfac	e (gpm)		Temper	rature (°C)		Dew P	oint (°C)
Station	Surface (Millibar)	N	Mean	Highest	Lowest	N	Mean i	Highest	Lowest	N	Moan
Merse Metruh 0000 U.T.	Surface	21 21 21 20 19 19 16 14 14 13 11 6 6 4 3 2	1011m.b.* 119 1533 3180 4448 5908 7632 9757 11035 12537 14376 16792 18965 19892 20972 22378 24182	1013m.b.* 140 1553 3215 4497 5972 7713 9830 11104 12599 14464 16990 19170 20114 20994 22407 24208	1008m.b.* 98 1517 3143 4395 5842 7582 9691 10928 12453 14279 16680 18850 19760 20932 22349 24156 ————————————————————————————————————	21 21 21 21 20 19 19 16 14 14 13 11 6 6 4 3 2	22.8 22.7 19.9 11.5 4.0 — 3.8 —14.9 —29.9 —38.5 —49.2 —61.6 —73.2 —66.0 —61.9 —59.8 —54.2 —54.6 —	25.4 24.6 25.3 15.1 7.2 2.1 —11.3 —27.0 —35.5 —45.1 —55.2 —66.1 —62.8 —58.9 —58.1 —50.5 —44.4	20.2 20.0 13.4 7.5 1.9 — 8.5 —22.9 —38.2 —41.4 —51.7 —64.9 —78.9 —69.8 —65.0 —61.0 —57.0 —54.7	21 21 18 4 2 1 1 	20.0 19.9 5.1 5.5 - 6.6 - 8.8 - 20.8
Holwen 0000 U.T.	Surface	31 31 31 31 31 31 31 29 29 26 21 18 16 13	993m.b. 78 1491 3145 4418 5878 7614 9747 11032 12542 14374 16786 18869 19791 20891 22296 24128 20833 31494	* 995m.b. 95 1510 3182 4458 5934 7676 9808 11093 12699 14631 16895 18960 19960 20961 22405 24205 20670 31525	989m.b. 39 1465 3105 4370 5826 7522 9648 10930 12436 14133 16563 18680 19692 20725 22058 24051 20771 31463	31 31 31 31 31 31 31 29 29 26 21 18 16 13 11	24.4 	29.3 — 26.1 17.3 8.0 2.4 — 9.7 — 24.8 — 35.5 — 42.2 — 53.8 — 69.5 — 65.3 — 62.0 — 57.7 — 53.4 — 47.7 — 45.0 — 38.5	22.0 14.5 8.5 -0.2 -12.0 -19.8 -30.0 -40.9 -50.8 -69.9 -78.9 -77.5 -72.6 -63.8 -62.5 -55.0 -47.2 -39.6	31 	17.8
Aswan 0000 U.T.	Surface	29 29 28 28 28 27 27 27 27 27 27 26 25 16 14 13 6	983m.b.* 46 1486 3157 4432 5887 7622 9758 11043 12545 14373 16778 18861 19785 20912 22315 24182 26795	986m.b.* 85 1503 3193 4481 5941 7659 9813 1111 12630 14480 16906 19000 19897 21054 22517 24451 26860	981m.b.* 23 1471 3121 4371 5820 7554 9676 10959 12459 14260 16643 18738 19661 20779 22194 24038 26732	29 28 28 28 27 27 27 27 27 27 26 26 16 16 14 13 6	29.6 25.6 13.3 3.5 5.1 -12.4 -27.8 -37.7 -49.6 -63.6 -77.2 -71.2 -64.9 -60.0 -57.3 -51.5 -47.4	34.0 30.0 20.4 6.8 0.2 -10.0 -25.5 -35.6 -47.2 -61.6 -74.2 -64.8 -59.9 -56.2 -54.6 -47.5 -41.5	26.5 	29 -28 27 28 27 27 26 26 24 	6 3 -2.1 -4.1 -10.8 -19.8 -31.4 -42.9 -51.9 -61.8

N - The number of cases the element has been observed during the month.

^{*} The atmospheric pressure corrected to the elevation of the radiosonde station.

UPPER AIR CLIMATOLOGICAL DATA

Table B 1 (cont l.).—MONTHLY MEAN AND MONTHLY ABSOLUTE HIGHER AND LOWER VALUES OF ALTITUDE, AIR TEMPERATURE AND DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

JULY - 1968

Station	Pressure Surface	Alti	tude of Pre	ssure Surfac	e (gpm)		Tempe	rature (°C)		Dow 1	Point (°C)
ž	Millibar	N	Mean	Highest	Lowest	И	Mean	Highest	Lowest	N	Moan
-	Surface	31	992m.b.	994m.b.	988m.b.	31	34.3	39.7	31.3	23	11.1
, 1	1000	31	65	89	34					=	
-	850		1503	1531	1469	31	22.8	28.6	16 9	30	0.5
	700		3162	3198	3097	31	12.7	18 2	9.3	29	9.9
1 1	600		4437	4489	4366	30	5 .0	9 0	0.2	26	-16.4
1 1	5 00	30	5904	5:173	5844	30	- 2.8	3.0	-10.7	29	—24 .3
اان	400		7644	7726	7544	29	12. 3	- 7.6	-18.3	28	-32.1
U.T.	3 00		9785	9888	9631	29	-26.6	- 23.0	-29.0	28	- 26.6
	250		11074	11188	10958	28	- 37.4	-32.6	-39.5	26	-50.1
<u> </u>	200		12583	12709	12177	26	- 45.9	-44.3	- 50.5	23	-62.1
١ ١	150)	14448	14561	14333	26	61 . 1	- 57.2	-65.5	3	—70.4
Holwen	100		16867	17021	16746	25	-73.7	70.8	-76.6	-	
<u> </u>	70		18942	19150	18710	21	70.8	- 65.9	-85,5		_
Ě	6 0		19879	20059	19627	16	-63 5	59.6	—72.7	1 —	_
	50		21044	21154	20921	15	- 57.3	- 54.7	-60.3	_	_
]]	40		22446	22135	22165	11	52.9	50.5	55.6	J —	_
	3 0		24333	24439	24218	10	-48.5	46.5	51.2	-	_
- 1 1	29	4	27066	27146	26943	4	42.6	-41.0	45.0		_
1	10	-			_			_		-	_

N = The number of cases the element has been observed during the month.

[•] The atmospheric pressure corrected to the elevation of the radiosonde stations.

Note .—Climatological upper air data for Messa Matrih and Assean at 1200 U.T. are missing since number of release of radioscade sets at these stations are less than the permissible number needed for calculating or processing monthly values.

Table B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE. THE HIGHEST WIND SPEED IN THE UPPER AIR

JULY - 1968

					Free	zing Le	evel			1				First	Tropo	pause				Highe	st wi	nd sp	eed
			Mean			Highes	t		Lowest			Mean		I	lighest			Lowest		(g	·:		3
	Station	Altitude (gpm)	Pressure (n).	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altiturle (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Direction (000 -360)	Speed in Knots
		(N)	(N)	(N)							(N)	(X)	(2)										
	/ Morsa Matruh (A)	5178 (18)	542 (18)	_	5820	508	_	4270	549	_	16611 (7)	104 (7)	-71.3 (7)	17300	91	-72.5	15420	130	-67.3	7600		265	9;
0000 U.T.	Helwan	51 3 0 (31)	551 (31)	-19.2 (30)	5960	496	~18.4	3730	653	-10.7	16890 (21)	99 (21)	-76.3 (21)	17860	83	-78.8	16130	113	-73.0	21030	49	080	7
	Aswan (A)	4949 (28)	562 (28)	-12.9 (28)	5700	512	-25.1	3 98 0	632	-11.0	16089 (25)	101 (25)	-76.6 (25)	17910	82	-80.8	15830	120	-71.3	17385	90	110	8
		(N)	(N)	(N)							(N)	(N)	(N)										
	Mersa Matruh (A)	-	-	_			_	_					_	_	_	-	-	_	-	_	-	_	_
1200 U.T	Helwan	5433 (30)	530 (30)	-20.8 (28)	6480	468	_22.2	4400	604	-11.0	16736 (26)	101 (26)	-77.1 (26)	18280	80	-74.9	15390	127	-69.3	18120	80	115	7:
_	Aswan (A)	_		_	_	-	_		_	_		_	_	_			_	_	_				_

N = The number of cases the element has been observed during the month.

Table B 3.—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

MERSA MATRUH (A) JULY - 1968

					Wind b	etwern sp	ecified rang	ges of dire	ction (000	3 60)*				Calm	of (N)	wind (s)
Time	Pressure Surface (Millibar.)	345 / 014	015 / 044	045 / 074	075 / 104	105 / 134	135 / 164	165 / 164	195	225 / 254	255 / 284	285 / 314	315 / 344	o P	Number	Soalar w
		N	N	ff) N (ff)	N (ff)	N (ff)	N (ff)	N (ff) m	N (ff)	N (ff)	N (ff)	N (ff)	N (ff) m	Number	Total Observ	Mean
0000 U.T.	Surface	5 1 2 1 3 1 3 2 1 - 0 - 0 - 0 - 0 - 0 - 0 1 1 1 1 1 1 1 1 1	8 5 1 1 3 8 4 1 1 3 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	0	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0	1 8 0 — 0 — 0 — 0 — 0 — 0 — 0 — — — — — —	0	1 8 0 — 0 — 2 6 6 1 6 1 25 4 15 2 24 4 26 2 22 0 — 1 21 0 — 0 — 0 — 0 — — — — — — — — — — — —	11 8 1 14 1 18 3 10 3 23 4 18 2 40 1 7 0 — 1 44 2 23 0 — 0 — 0 — 0 — — — — — — — — — — — —	4 10 12 14 5 14 5 12 1 7 3 12 1 14 0 — 0 — 1 47 2 32 2 26 0 — 0 — 1 8 0 — — — 0 0 — 0 0 0 0 0 0 0 0 0 0	4 15 5 17 4 12 1 12 3 10 2 12 1 9 3 11 1 22 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	0 0 0 0 0 0 0 0 1 1 1 0 0 0 0 0 0	21 20 20 20 18 17 17 14 12 11 10 7 4 4 3 1	10 19 14 12 12 15 17 16 20 24 25 22 7 10 7 8

N = number of cases the wind has been observed for all directions during the month.

TN= The number of cases the elemnet has been observed during the month.

Ta B 3.(contd.)—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

HELWAN - JULY 1968

					Wind	between s	pecified ra	nges of di	rection (00	0—360)*				Calm	r of	wind te)
Time	Pressure Surface (Millibar)	345 / 014	015 / 044	045 / 074	075 / 104	105 / 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	315 / 344	₩ ₽	Number of	lean Soalar v Seepd (Knot
		N (ff)	N (ff)	N (ff) m	N (ff) m	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff) m	N (ff)	Number	Total Observe	Mean Seep
0000 U.T.	Surface	16 8	2 6 -5 10 2 17 1 21 3 16 2 14 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	3 10 	0 0 - 0 - 2 22 0 - 1 24 1 17 0 - 0 - 3 23 5 32 4 42 3 38 1 28 0	1 3 	0 -	0	1 43	0	0 4 7 0 3 12 4 19 5 22 5 20 5 28 7 27 2 22 1 11 0 0 0 0 0 0	1 7 4 13 6 12 3 9 3 16 0 — 0 1 1 13 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	8 - 8 12 3 16 1 10 1 12 2 11 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - - - 1 - 2 - 2 - 3 - 4 - 5 - 6 - <td< th=""><th>0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</th><th>31 31 31 31 31 30 30 28 28 21 12 8 7 6 5 2</th><th>8 </th></td<>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31 31 31 31 31 30 30 28 28 21 12 8 7 6 5 2	8
1200 U.T.	Surface	. 5 15 . 0 — . 1 20 . 1 11 . 0 — . 0 — . 0 — . 0 —	3 11 -5 12 1 7 1 21 0 0 1 19 0 1 25 0 0 0 0 0 1 0 0 0 — 5 9 2 14 2 14 3 12 1 14 1 9 0 — 0 — 1 18 1 27 0 — 0 — 0 — 0 — 0 — 0 — 0 —	0	0 — 0 — 1 16 1 33 1 12 1 9 2 18 1 22 3 25 2 28 2 37 3 28 1 56 1 40 1 31 0 —	1 13 15 0 — 14 18 2 12 20 4 18 2 18 5 25 1 10 0 —	0	0	0 — 1 3 5 9 5 16 4 24 7 22 9 23 9 27 4 25 2 23 1 23 0 — 0 — 0 — 0 — 0 —		3 10	14 11 15 1 15 1 18 1 19 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31 31 31 30 30 29 28 26 26 23 16 6 4 3 2 2	11 — 12 15 19 19 19 20 24 22 24 22 20 31 42 34 28 18 —	

N - The number of cases the wind has been observed during the month,

TN - The total number of cases the wind has been observed for all directions during the month,

Table B 3.(∞ntd) —NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

ASWAN (A) — JULY 1968

					Wind	letween s	pecifie d r a	inges of di	rection (0	00- 36 0)°			Calm	r of (T N)	wind ats)
Time	Pressure Surface (Millibar.)	345 / 014 (ff)	015 / 044 (ff)	045 / 074 (ff)	075 / 104 (ff)	105 / 134 (ff)	135 / 164 ; (if)	165 - 194 - (ff)	195 / 224 (ff)	225 / 254 (ff)	255 / 284 (ff)	285 315 /	Number of Cs winds	Numberations	Scalar ed (Ko
		N m	Nm	N m	N m	N m	N m	N m	N m	Nm	N m	N M M	Ž	Total Observ	Mean
.T.T. 0000	Surface	6 10 	1 7 1 3 1 9 0	0	1 3 0	0	1 1 1 5 8 8 6 12 2 10 4 16 5 12 5 13 5 4 32 1 1 18 0 — 0 — 0 — 0 — - —	0	0	1	0	10	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 25 24 24 23 23 23 23 22 25 22 15 13 12 10 4	9 10 11 13 10 15 17 25 33 45 36 46 43 —

N = The number of cases the element has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR --- JULY 1968

This month was slightly warmer than normal. The daily maximum air temperatures were above normal during all the month. The highest maximum air temperature for the month was 30.8°C and was recorded on both the 3rd and 20 th.

The extreme maximum soil temperatures were higher than the corresponding values of last July at all depths between 2 & 100 cms. and the differences ranged between 0.8°C & 1.1°C. The extreme minimum soil temperatures were also higher than the corresponding values of last July at all depths between 2 & 100 cms. and the differences ranged between 0.8°C at 2 cms. and 1.8°C at 10 cms.

The mean daily Pan evaporation was 0.79 mm. less than the corresponding value of July 1967. The total actual duration of bright sunshine was 5.9 hours less than the corresponding value of July 1967.

TAHRIR - JULY 1968

This month was slightly warmer than last July. The month was characterized by a short heat wave on the 1st and a prolonged wave which prevailed from the 10th till the 17th, yielding the highest maximum air temperature for the month (38.8°C) on the 12th and the highest minimum air temperature (24.0°C) on the 17th.

The extreme maximum soil temperatures were higher than the corresponding values of last July at all depths between 2 & 100 cms. with differences ranging between 3.1°C at 5 cms. and 0.5°C at 100 cms. The extreme minimum soil temperatures were high er than the corresponding values of last July at 2 cms. depth and also at depths between 20 and 100 cms. with differences ranging between 0.1°C & 0.7°C. At 5 and 10 cms. depths the extreme soil minima were lower than last July and the differences were 1.2°C & 0.7°C respectively.

The mean daily Pan evaporation was 0.29 mm. less than the corresponding value of July 1967. The total actual duration of bright sunshine was 7.7 hours less than the corresponding value of July 1967.

BAHTIM -- JULY 1968

This month was slightly warmer than last July. The month was mainly characterized by a heat wave which prevailed from the 10th till the 16th yielding the highest maximum air temperature for the month (38.4°C) on the 12th.

The extreme maximum soil temperatures were higher than the corresponding values of last July at all depths between 2 & 100 cms. and the differences ranged between 1.0°C at 2 cms. and 5.6°C at 5 cms. The extreme minimum soil temperature at 2 cms. depth was the same as last July. At all other depths between 5 & 100 cms. the values were higher than last July and the differences ranged between 1.1°C at 10 cms. and 2.3°C at 100 cms.

The mean daily Pan evaporation was 0.27 mm. less than the corresponding value of July 1967. The total actual duration of bright sunshine was 9.0 hours less than the corresponding value of July 1967.

KHARGA - JULY 1968

This month was slightly warmer than normal. The month was characterized by a short heat wave on the 4th and 5th and a prolonged wave which prevailed from the 11th till the 19th, yielding the highest maximum air temperature for the month (44.4°C) on the 16th and the highest minimum air temperature (31.4°C) on the 14th.

The extreme maximum soil temperatures were higher than the corresponding values of last July at all depths between 2 & 100 cms. and the differences ranged between 0.1°C at 5 cms. and 3.0°C at 10 cms. The extreme minimum soil temperatures were also higher than the corresponding values of last July at all depths between 2 & 100 cms and the differences ranged between 0.4°C & 1.0°C.

The mean daily Pan evaporation was 1.93 mms. less than the corresponding value of July 1967. The total actual duration of bright sunshine was 18.7 hours less than the corresponding value of July 1967.

Note.—During this month records of the mercury in steel hygrograph were not available at El Kasr, Tahrir, Bahtim & Kharga centres. For these centres the mean of day of air temperature, relative humidity and vapour pressure are calculated according to the following equations:

Mean of day of air temperature

^{= [} (0600+1200+1800) U.T. dry bulb observations + minimum air temperature] \div 4. Mean of day of relative humidity

⁼ (0600+1800) U.T. observations $\div 2$.

Mean of day of vapour pressure

⁼ (0600 + 1200 + 1800) U.T. observation \div 3.

Table C 1.—AIR TEMPERATURE AT 1½ METRES ABOVE GROUND

JULY — 1968

		Air Te	mperatu	ıre (°C)				Mean	Duratio abo	n in ho	urs of followi	daily a ng valt	ir temp	erature		
STATION	Mean Max.	Mean Min.	Mean of the day	Night time mean	Day time mean	-5°C	0°C	5°C	10°C	15°C	20°C	25°C	30°C	35°C	40°C	45° 0
	1	1														
El Kasr	29.6	21.2	25.6	_	27.3			_		_	_		_	_	_	_
Cahrir	34 .9	20.8	26.9	_	29.9		_		_				_	_	-	_
Bahtim	34.5	19.5	26.4	_	29.9		_		}]				_	<u> </u>
Kharga	40.0	24.9	33.0	29.9	3 5. 7		_		_	_	_		_			_
,															_	

Table C 2.—EXTREME VALUES OF AIR TEMPERATURE AT 11 METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5 cms ABOVE GROUND OVER DIFFERENT FIELDS

JULY - 1968

	Ma	k. Temp.	at l½ me	tres	Mir	. Temp.	at 1½ met	res	Min.	Temp.	t 5 cms. e	bove
STATION	Hig	hest	Lo	west	Hig	hest	Lov	rest	Dry	Soil	Gr	205
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date
				<u> </u>					<u> </u>			
El Kasr	30.8	3 . 20	28.5	5,6	24.8	16	18.4	24	16.2	28	-	_
Tahrir	38.8	12	32.4	21.24	21.0	17	18. 3	3	16.9	3	_	
Bahtim	38.4	12	31.7	31	22.3	15.17	15.8	29	13.7	29	_	_
Kharga	44.4	16	37.4	24	31.4	14	20.3	2	18.2	2	_	_
İ									1			

ble C 3.—(SOLAR + SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY & VAPOUR PRESSURE AT $1\frac{1}{2}$ METRES ABOVE GROUND, EVPORATION & RAINFALL

JULY - 1968

	73	Duratio Sunsh	on of Br ine (hou		Relat	ive H	Iumi	dity %		Vap	o ur I	erusser ⁽	(mm	8)		pora- (mma)	l	ofali (m	ms)
STATION	Solar+Sky Radia gm. cal/cm²	Total Actual	Total Possible monthly	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 UT	Highest	Date	Lowest	Date	Piohe	Pan class (A)	Total Amount monthly	Max. fall in one day	Date
					j			j]]]	
l Kasr	577.4	386.8	433.7	89	78	69	43	3	19.5	20.4	25. l	14	13.6	3	6.5	11.40	0.0	0.0	_
ahrir	632.8	381.2	43 0.9	88	76	50	38	12	19. 8	19.4	24.9	16	15.2	4	9.1	10.77	0.0	0.0	_
lahtima	654. 3	356 .8	429.5	83	69	39	25	12	16.9	15.1	22.9	16	10.6	1	10.4	10.68	0.0	0.0	
barga	570.6	36 5.1	418.9	87	23	16	9	5	8.2		13.3	}	5.1	1	26 . 1	20.03	0.0	0.0	-

Table C 4.—EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS (ems)
IN DIFFERENT FIELDS

JULY - 1968

STATION	est (H)	E	ztre me		•	ture (°C cptha (•	ry fiel	d	Ex			nperati ferent (_	as fiel	đ
	Highest Lowest	2	5	10	20	50	100	200	300	2	5	10	20	50	100	200	300
El Kasr	H L		40.2 25.4		30.8 27.3	29.4 28.0	27.4 26.3	23.5 20.4		_	_	=	_	_	_		 -
Tahrir	H L		50.2 27.2		38 4 30.7	33.8 31.5		29.6 28 1		<u>-</u>	=	_	_	_	_	_	_
Bahtim	H L	55.4 29.0			35.3 31.7	32 2 30.7	29.8 28.4	26.7 25.2		_	_	_	=	_	_	_	-
Kharga	H L		51.9 26.2				33.4 32.3			_ _	_	_	=	_	_	_	-

Table C 5 .- SURFACE WIND

JULY - 1968

		l Speed n t l½ metr			Days w	ith surface	wind sp	eed at 10	metres		Max. Gu	st (knots metres)
STATION	Mean of the day	Night time mean	Day time mean	≥10 knots	≥15 knots	≥ 20 konte	≥25 knots	≥30 knots	≥35 knots	≥40 knots	Value	Date
El Kasr	4.4	3.4	5 6			_		_			_	_
Tahrir	2.6	I.8	3.4	31	14	0	0	0	o	0	27	31
Bahtim	2.4	1.5	3 .5	29	7	0	0	o	0	0	24	7
Kharga	3.5	2.4	4.7	30	25	13	1	0	0	0	33	15
	,								ŀ	1		

PRINTED IN ARAB REPUBLIC OF EGYPT
BY THE GENERAL ORGANIZATION
FOR GOVT. PRINTING OFFICES. CAIRO
First Under-Secretary of State
ALY SULTAN ALY
Chairman of the Board of Directors



MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 8

AUGUST, 1968

ATMOSPHERIC SCIENCES
LIBRARY

Ark 1 7 1972

N.O.A.A. U. S. Dept. of Commerce

U.D.C. 551. 506.1 (62)

PUBLICATIONS OF THE METEOROLOGICAL AUTHORITY OF THE ARAB REPUBLIC OF EGYPT — CAIRO

In fulfilment of its duties, the Meteorological Authority of Egypt issues serveral reports and publications on weather, climate and agrometeorology. The principal publications are described on this page.

Orders for publications should be addressed to:

"Chairman of the Board of Directors, Meteorological Authority, Kubri-el-Qubbeh - CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Authority since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968, this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

As from 1st January 1972, the daily weather Report will not be issued or distributed because it does not serve no longer any good purpose as it used to be in the past.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for Egypt.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METFOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of Egypt as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in march 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff of "The Meteorological Institute for Research and Training" and the Operational Divisions of Meteorological Authority.

TECHNICAL NOTES

As from October 1970, the Meteorological Authority started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.



MONTHLY WEATHER REPORT

VOLUME 11 NUMBER 8

AUGUST, 1968

U.D.C. 551. 506.1 (62)

NOTICE

As from 25th November 1971, the name of the (Meteorological Department) has been changed to be the (Meteorological Authority).

CONTENTS

			PAGE
		General Summary of Weather Conditions	1,2
		SURFACE DATA	
Table	A1	Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine. Duration and Piche Evaporation	3
,,	A 2.	Maximum and Minimum Air Temperatures	4
,,	A 3	Sky Cover and Rainfall	5
,,	A4	-Number of Days of Occurrence of Miscellaneous Weather Phenomena	6
"	A5	Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	7,8
		UPPER AIR DATA	
Table	B1.	Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surface	9,10
,,	B2	Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	11
,,	В3	Number of Occurrences of Wind Direction within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	12-14
		AGRO-METEOROLOGICAL DATA	
		Reviews of Agro-meteorological Stations	15-16
Table	C1	Air Temperature at 1½ metres above Gorund	17
,,	C2	Absolute Values of Air Temperature at $1\frac{1}{2}$ metres above Ground, Absolute Minimum Air Temperature at 5 cms. above Ground over Different Fields	17
,,	C3.	(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ metres above Ground, Evaporation and Rainfall	17
• >	C1	Extreme Soil Temperature at Different Depths in Different Fields	18
,,		Surface wind	18

GENERAL SUMMARY OF WEATHER CONDITIONS

AUGUST 1968

Normal summer in general, excessively hot & dry between 8th & 15th.

Early morning low stratus & mist over Delta, Canal & Cairo areas.

GENERAL DESCRIPTION OF WEATHER

The prevailing weather during this month-was generally rather mild & humid in the northern parts, hot & rather humid in the central parts, excessively for & dry in the southern parts. The month was intervened will two heat waves round the periods (8th-15th) & (27th - 29th). The first heat wave was excessive all over the Republic and yielded records for maximum air temperature at Sallum & Mers.: Matruh. The second heat wave was of moderate intensity

Early morning low clouds developed frequently with few occasions of mist over Lower Egypt & Cairo areas. Seattered light rising sand was reported during several days over the Western Desert & Red Sea districts.

PRESSURE DISTRIBUTION

The most outstanding features of pressure distribution over the surface maps during this month were:

- The Atlantic anticyclone and its southeast extension through the Mediterranean.
- Deep low pressure systems through North Europe, attached sometimes with secondaries through Central Europe.
- Local anticyclones moving through Europe.
- A ridge of high pressure over Central & East Mediterranean.

The complex monsoon low pressure system over the Arabian Gulf, Arabia & North Sudan.

The barometric pressure over Egypt during this month showed five falls round the periods: (4th - 7th), (9th - 11th), (12th-14th), (18th - 20th) & (24th - 27th),

These pressure falls were caused by the slight deepening and northwestward elongation of the Iraq monsoon trough through Asia Minor. These elongations generally associated the transit of secondary depressions or troughs north of the Black Sea area.

During the other periods of the month, high pressure over Central Mediterranean moved slightly eastwards, and the barometric pressure over Egypt was above normal.

The most important features of pressure distribution over the upper air charts during this month were:

- Two deep upper lows pressure systems over North Atlantic and North Urasia.
- Secondary upper low or troughs over middle latitudes between 30° & 45°N traversing East Mediterranean and north of Egypt on the 2nd, 6th, 16th, 22nd & 30th.
- Upper high pressure system over the subtropical latitudes south of 30° N.

SURFACE WIND

The prevailing surface winds during this month were generally light to moderate and blew from directions between NE & NW. Winds became fresh to strong during several days over scattered parts in the Mediterranean (Western parts), the Western Desert, Upper Egypt & Red Sea districts. Calms were frequent most of night and early morning intervals in scattered localities.

TEMPERATURE

Maximum air temperature experienced appreciable rises above normal during the first heat wave (8th - 15th) and moderate rises during the second heat wave (27th-29th). During rest of the mouth, maximum air temperature was subnormal. Maximum air temperature values ranged most days of the m nth between 29°C & 34°C in the northern parts, between 32°C & 38°C in the cent-

ral parts, between 38°C & 44°C in the southern parts. It is worthy to mention that maximum air temperatures reported on the peak of the first heat wave records at Sallum (47°C) and Mersa Matruh (44°C).

The absolute maximum air temperature was 47.2°C reported at Sallum on the 13th.

Minimum air temperature oscillated slightly round normal during most days of the month. Minimum air temperature values ranged generally between 19°C & 24°C in the northern and central parts, between 23°C & 28°C in the southern parts.

The absolute minimum air temperature was 15.6°C reported at Beni Suef on the 25th.

PRECIPITATION

As usual, no rain was reported during this month all over the Republic,

Cairo, December 1971

Chairman (M. F. TAHA)

Board of Directors

Table A 1.—MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION

AUGUST—1968

		spheric				Air '	l'e mp erati	ire °C				Rel	ative	Bri	ght Sunsh	ine	mms.
		e (mbs) S.L.	Maxi	mum	Mini	imum		Dry	Bulb	Wet	Bulb	Humi	dity %	Dur	ation (Ho	u r s)	
S TATION	Mean	D.F. Normal or Average	(A) Mean	D.F. Normal or Average	(B) Mean	D.F. Normal or Average	A+B 2	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Total Actual	Total Possible	%	Piche Evaporation Mean
Sallum	1012.4 1012.0 1011.5 1010.0	+2.1 +1.9 +2.7 +2.0	32.7 30.8 31.5 29.3	+1.6 +0.9 +0.9 -1.5	22.1 20.9 22.4 23.8	+0.5 -0.1 -0.4 -1.1	27.4 25.8 26.9 26.5	26.7 25.7 26.2	+0.4 +0.2 -0.5 -	21.2 21.2 21.8 —	-0.7 -0.6 -1.2 -	69 66 66 — —	-7 -8 -6 -	867.4 373.6	411.1	89 91 —	9.0 9.9 7.2 7.0
Tanta	1010.5	+2.7	34.0	-0.6	19.8	+0.3	26.9	26.1	-0.8	21.5	-0.5	65	+1	3 66.0	410.6	89	5.9
Cairo(A)	1010.3	+1.8	34.2	_0.5	21.4	-0.4	27.8	27.4	-0.3	21.0	-0.8	54	-2	_			18.6
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Asswan (A)	1009.2 1008.2 1006.8 1006.2	+1.8 +1.2 +1.7 +1.1	36.8 36.1 36.4 41.2 41.3	+0.3 -0.3 -0.5 +0.2 0.0	20.6 20.0 21.4 23.3 25.2	-1.0 -0.5 -1.0 -0.3 0.0	28.7 28.0 28.9 32.2 33.2	28.2 28.8 32.3 33.2	-0.1 -1.6 -0.6 -0.6	20.6 20.0 20.4 18.2	$\begin{array}{c c} -0.2 \\ +0.2 \\ +0.4 \\ -0.2 \end{array}$	47 41 29 16	-3 +6 +8	374.8 — — —	406.7	92	8.7 14.1 17.7 13.6 28.7
Biwa	1011.3 1010.1 — 1009.3 1008.2	+1.5 +1.9 	38.0 37.4 37.8 38.1 39.4	+0.3 +0.6 +0.3 -0.7 +0.1	20.4 21.4 21.6 22.8 24.6	-0.3 +0.6 +0.5 0.0 +1.8	29.2 29.4 29.7 30.4 32.0	29.6 29.6 30.6 32.3	-0.2 0.0 -0.2 +0.4	20.2 19.5 — 18.2 18.6	+0.5 -0.3 -0.8 -0.5	88 84 — 24 21	+2 -2 - +1 -5	 375.0	402.7	93	14.8 12.5 20.3 24.2 25.8
Tor	1008.4 1007.5	 +1.9 +2.5	32.6 82.5	-0.6 -1.2	24.6 26.0	-0.6 -0.9	28.6 29.3	29.6 29.5	-0.5 -0.8	21.1 21.9	-1.0 -0.5	 43 49	5 +2	=	<u>-</u>		22.6 19.1

Table A 2.—MAXIMUM AND MINIMUM AIR TEMPERATURE
AUGUST — 1968

			Max	imum Te	mperatu	re °('				Grass Tem				Minin	no m T om	perature	}		
Station	Highest	Date	Lowest	Date	No.	of Day	s with	Max-Te	mp.	Mean	D. From Normal	Highest	Date	Lowest	Date	Þ		Days wi Temp.	th
	Ŧ.	_			> 25	> 30	> 35	> 40	>45	· · ·	D. Fro	H !		, Š	: "	<10	< 5	<0	<-5
Sallum	35.0	13 13 14 14	27.8 28.3 27.8 28.0	21 2,25 6 23	31 31 31 31	21 10 23 17	7 3 3 0	3 1 0 0	1 0 0 0	21.9 — 23.1 —		27.0 24.5 24.6 25.8	13 14 1 15	19.3 18.0 18.6 22.3	3 4 5 2	0 0 0 0	0 0 0	0 0 0	0 0 0 0 0
fanta	42.5	14	31.2	24	31	31	8	1	0		- named and a second	22.2	14	18.4	10	. 0	0	0	0
Cairo (A)	43.4	14	3 0.6	22	31	31	10	1	0	-		25.0	· 14	19.6	25	o	0	0	0
Fayoum	44.2 44.6 45.2 46.1 45.4	14 14 14 15	32.8 32.0 31.5 36.4 37.0	22 24 24 2 2	31 31 31 31 31	31 31 31 31 31	21 17 18 31 31	5 2 5 19 20	0 0 1 4 3	18.8 18.9 19.9 18.3		23.4 24.2 25.0 26.2 28.8	15 15 16 16 28	18.8 17.4 19.0 20.6 21.9	24 1 5,25 2 25	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
Biws	46.2 45.6 44.3 44.9 45.7	10 14 14 14 15	32.6 33.2 32.5 32.5 35.1	21 24 3 3 2	31 31 31 31 31	31 31 31 31 31	27 21 23 26 31	7 6 8 10 13	3 1 0 0	19.4 19.4 21.3 ————————————————————————————————————		25.0 25.1 26.1 29.2 30.2	13 15 15 13 12	15.9 19.0 18.8 18.6 20.3	3 27 4 4 4	0 0 0	0 0 0	0 0 0 0	0 0 0
For	38.6 36.3	16 15	31.0 30.1	25 25	31 31	31 31	7 3	- 0 0	- 0 0	22.5 24.1		27.8 28.0	16 28	22.4 23.8	3 25	0	0	0 0	000

Table A 3. -SKY COVER AND RAINFALL
AUGUST --- 1968

		Maet	n Sky Cove	er Oct.					Ra	infall mms						
GT - TYON			12	18	Daily	Total	D. From	•	. Fall ne day	N	Sumber o	f Days	with Am	ount of	f Rain	
STATION	U.T.	U.T.	1	1	Mean	Amount	Normal	Amount	Date	<0.1	>0.1	≥1.0	≥5.0	≥10	≥25	≥50
Sallum	0.2 1.0 1.8	0.6 2.1 1.9 1.2	0.9 1.6 1.8 0.5	0.7	0.5 1.5 1.8	0.0 0.0 0.0 0.0	0.0 0.0 -0.4 0.0	0.0 0.0 0.0 0.0		0 0 0 0 -	0 0 0	0 0 0 0 0 -	0 0 0 0	0 0 0	0 0 0	0 0 0
Tanta	0.0	0.4	1.1	0.0	0.5	0.0	0.0	0.0		0	. 0	0	0	0	0	. 0
Cairo (A)	1.2	2.3	1.0	0.3	: 1.1	0.0	- Tr.	0.0		0	, 0	0	0	0	0	0
Fayoum	$0.0 \\ 0.0$	1.2 0.7 0.0 0.2 0.6	0.3 0.1 0.0 0.2 0.5	0.0 0.0 0.0 0.2 0.4	0.2 0.0 0.2 0.2	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 Tr.	0.0 0.0 0.0 0.0 0.0		0 0 0 0	0 0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0
Siwa	0.2 0.0 0.0 0.0	0.0 0.3 0.0 0.0 0.1	0.3 0.1 0.1 0.0 0.0	0.0 0.1 0.0 0.0 0.2	0.1 0.1 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	 	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0	0 0 0	
Tor	0.0 0.0	0.3 0.3	0.5 0.2	0.2	0.3	0.0 0.0	0.0 0.0	0.0 0.0		0	0	0 0	0 0	0 0	0 0	

Table A 4.—DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA

AUGUST --- 1968

Station	Rain	Precipit Snow	istion Ice Pellets	Hail	Frost	Thunderstorm	Mist Vis > 1000 metres	Fog Vis <1000 Metres	Haze Vis ≥ 1000 Metres	Thick Haze Vis <1000 Metres	Dust or Sandrising Vis ≥1000 Metres	Dust or Sandstorm Vis <1000 Metres	Gale	Clear Sky	Cloudy Sky
Sallum	0	0 0 0	0 0 0 0	0 0 0	0 0 0	0 0 0 0 0 0 0 0 0	0 0 1 0 0	0 0 1 0	0 0 0 0 0	0 0 0 0 0 0	0 6 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	28 20 17 —	0 0 0 -
Tanta	0	0	0	0 0	0	0	3	0	0 3	0	0	0	0	30 23	0
Fayoum	0 0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 1	0 0 0 0	0 0 0 1 7	0 0 0 0	0 0 0 0	31 31 31 28	- 0 0 0
Siwa Bahariya Farafra Dakhla Kharga	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	() () () ()	0 0 0 0	0 0 0 2 0	0 0 0 0	0 0 0 9 3	0 0 0 0	0 0 0 0	31 31 — 31	0 0 - 0
Tor	- 0 0	0	0	0 0	- 0 0	0 0	0	 0 θ	- 1 0	 0 0	- 8 0	- 0 0	- 0 0		0 0

Table A 5.-NUMBER IN HOURS OF OCCURENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES AUGUST — 1968

	urs)	tours)	(hours)			Numl	er in		s of canges						ng fr	om th	ie
Station	caina (houre)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	/	015 / 044	1	075 / 104	1	135 / 164	165 / 194	, '	225 / 254	1	285 / 314	315	ije
Sallum	34	0	0	1—10 11—27 28—47 ≥48 All speeds	9 0 0	131 30 0 0	36 0 0 0 36	34 0 0 0 34	19 0 0 0	11 0 0 0	5 0 0 0 5	0 0 0	1 9 0 0	6 0 0	103 24 0 0	131 51 0 0 182	581 129 0 0 716
Mersa Matruh . (A)	18	0	0	1—10 1—27 28—47 ≥48 All speeds	90 102 0 0 192	13 3 0 0 16	5 2 0 0 7	2 0 0 0 2	6 0 0 0 0 6	7 0 0 0 0 1	5 3 0 0 8	26 1 0 0 27	53 1 0 0 54	89 2 0 0 91	44 20 0 0 64	97 155 0 0 252	437 289 0 0 726
Alexandria (A)	17	0	4	1—10 11—27 28—47 ≥48 All speeds	37 12 0 0 49	8 0 0 0 8	5 0 0 0 5	4 0 0 4	4 0 0 4	6 0 0 6	23 0 0 0 23	8 0 0 8	8 0 0 0 8	1 0 0	107 0 0	138 225 0 0 363	478 245 0 0 723
Port Said (A)	13	0	5	1—10 11—27 28—47 ≥48 All speeds	64 23 0 0 87	10 0 0 0	2 0 0 0 2	2 0 0 0 2	4 0 0 0 4	7 0 0 0 7	10 1 0 0	12 3 0 0 15	40 19 0 0 59	58 28 0 0 86		160 114 0 0 274	446 280 0 0 726
Tanta	38	0	0	1—10 11—27 28—47 > 48 All speeds	24 0 0 0 24	6 0 0 0 6	3 0 0 0 3	9 0 0 0 9	9 0 0 0 9	4 0 0 0 4	13 0 0 0 13	74 0 0 0 74	0 0 0	5 0 0	202 0 0 0 202	131 0 0 0 131	701 5 0 706
Cairo (A)	71	0	4	110 1127 2847 >-48 All speeds		117 31 0 0 148	35 0 0 0 35	23 0 0 0 23	12 3 0 0 15	1 0 0 0	0 0 0 0			23 0 0 0 23		109 59 0 0 168	482 187 0 0 669
Fayoum	7	0	8	110 1127 2847 ≥48 All speeds	329 1 0 0 330	263 14 0 0 277	1 0 0 0 1	0 0 0	0 0 0 0	0 0 0 0	1 0 0 1	1 0 0 0	2 0 0 0 2	13 0 0 0 13	16 0 0 0 16	88 0 0 0 88	714 15 0 0 729
Minya (A)	1	0	2	1—10 11—27 28—47 >48 All speeds	374 256 0 0 639	49 23 0 0 72	0 0 0	0 0 0	0 0 0	0 0 0 0	0 0 0	1 0 0 0	1 0 0 0	1 0 0 0 1	3 0 0 0 3	33 0 0 0 33	462 279 0 0 741

Table A 5 (contd.)—NUMBER IN HOURS OF OCCURENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

AUGUST - 1968

	rs)	ars)	lours)		2	Numb	er in					s of w			ng fr	om th	e
Station	calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots		015 044	1	075 / 101	1	1	j	19 5 224	1	1	1	315	All directions
Asyout (A)	U	()	12	110 1127 2847 ≥48 All speeds	7 8 0 0 15	1 1 0 0	1 6 0 0 1	0 0 0	0 0 0 0	0 0 0 0 0	0 0	3 0 0 0 3	10 0 0 0 10	173 9 0 0 182	203 116 0 0 319	109 91 0 0 200	507 225 0 0 732
Louzor (A)	1	3	O	1—10 11—27 28—27 ≥48 All speeds	45 1 0 0 46	20 0 0 0 0	13 0 0 0 13	21 · · · · · · · · · · · · · · · · · · ·	5 0 0 0 5	36 0 0 0 36	50 0 0 0 0 50	126 0 0 17.	53 0	133 2 0 0 .45	137 20 0 0 457	72 6 0 0 78	711 29 0 0 740
Aswan (A)	2	3	7	110 11 27 2847 >- 48 Alf speeds	165 42 0 0 207	41 3 0 0 44	8 0 0 8	4 0 0 0 4	4 0 0 0 4	8 0 0 0 8	1 0 0 3	;) () () () 15	0 0 11	1 0 0 44	101 12 0 0 113	188 83 0 0 271	585 147 0 0 732
Siwa	20	3	4	1 - 10 11 - 27 28 - 47 24 s All spends	59 19 0 0 78	134 27 0 0 161	58 0 0 0 58	20 0 0 0 20	12 0 0 0 12	17 0 0 0 17	9 0 0 0 9	15 0 0 0 15	10 0 0 0	90 5 0 0 95	97 6 0 0	114 25 0 0 139	635 82 0 0 717
Dakhla		23	6.5	110 1127 2847 	72 42 6 0 114	54 39 0 0 93	21 13 0 0 35	18 20 0 20	8 0 0 8	4 0 0 0 4	13 0 0 0 13	29 0 0 0 29	27 0 0 0 27	64 0 0	104 1 0 0 055	150 58 0 0 208	564 156 0 0 729
Kharga	8	0	15	1 10 11 57 28 47 ~18 All speeds	50 159 0 0 2 09	37 19 0 4 56	3 0 0 0 9	() () () () ()	() () () ()	0 0 0	: 0 0 0 0	0 0 0	() () () ()	9 0 0 2	0	192 198 0 0	341 382 0 0 723
Hurghada	7	0	1	110 1127 2847 48 All speeds	161 2 0	58 0 0 102	4 0 0 0 1 0 4	0 0 0 0 0	0 0 0 0	2 0 0 0	0 0 0	. 0	1 0 0 0 1	6 2 0 0 8	• 43 • 0 • 0	50 274 22 0 346	174 538 24 0 736
Quseir	5	2	1	110 1127 2847 ≥48 All speeds	79 117 0 0 196	16 1 0 0 17	6 0 0 0 6	5 0 0 0 5	3 0 0 0 3	4 0 0 0 4	5 0 0 5	6 0 0 6	7 0 0 0 7	0 0	122 3 0 0 125	157 0 0	458 278 0 0 736

UPPER AIR CLIMATOLOGICAL DATA

Table B1. MONTHLY MEANS, ABSOLUTE HIGHER & LOWER VALUES OF ALTITUDE, AIR TEMPERATURE & DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

AUGUST --- 1968

					0001						
Station	Pressure Surface	Alti	itude of Pres	ssure Surface	· (gpm)		Тетре	rature (°C)		Dew I	Point (°C)
ž	(Millibar)	N	Mean	Highert	Lowest	N	Mean	Highest	Lowest	N	Mean
Mersa Matrub 0000 U.T.	Surface 1000 859 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	25 25 25 24 24 24 24 22 19 17 11 8 3 2 2 1	1010m.b. 117 1531 3176 4442 5890 7595 9685 10950 12438 14259 16691 18797 19750 20886 22304 24080	1013m.b. 140 1575 3242 4509 5944 7614 9772 11006 12506 14344 16782 18850 19801 20943 22372	1098m.b. 98 1497 3122 1390 5841 7542 9622 10889 12371 13162 16338 18760 19699 20830 22235	25 25 25 24 24 24 24 20 19 17 11 8 3 2 2 2	23.3 24.0 19.2 10.5 2.5 	34.5 34.8 28.2 14.6 6.5	20.4 21.0 11.4 4.6 — 1.1 —11.3 —21.2 —39.0 —44.3 —54.8 —67.0 —79.4 —69.0 —62.6 —60.2 —56.7	25 25 22 18 16 14 12 5 5 5 ——————————————————————————————	18.3 17.4 6.5 — 2.6 — 9.9 —20.8 —32.1 —42.6 —51.8 —60.4
Helwan 9000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 100	31 31 31 31 30 30 29 29 29 28 25 23 21 21 18 13	994m.b. 89 1502 3153 4426 5886 7606 9713 10984 12540 14311 16732 18837 19781 20928 22342 24195 26866 31416	997m.b. 112 1534 3203 4473 5937 7677 9786 11056 12547 14379 16809 18940 19864 21025 22457 24315 27140	991m.b. 62 1453 3402 4359 5819 7537 9625 10886 12371 14195 16621 18660 19633 20848 22263 24110 26740	31 31 31 31 30 30 29 29 29 28 25 23 21 18 13	23.5 	28.5 	20.5	31 31 30 31 30 30 28 26 1 —	17.2 2.3 9.8 -15.0 -22.9 -33.2 -45.6 -61.7 -68.8
Азжап 0(00) U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	31 31 31 31 31 31 31 31 31 32 29 27 25 20 18 13 12 9	98 4m,b. 57 1495 3162 44439 5898 7627 9749 11025 12517 14337 16730 18774 19730 20857 22266 24120 26746	987m,b. 88 1522 3203 4475 5928 7682 9825 11112 12623 14460 16872 18930 19846 20955 22365 24323 26861	982m.b. 33 1464 3110 4386 5851 7581 9672 10934 12410 14213 16586 18640 19564 20688 22141 23993 26625	31 31 31 31 31 31 31 30 29 27 25 20 18 13 12 9	28.4	33.1	24.5	31 31 31 31 31 31 31 30 ————————————————	8.0 3.3 6.8 14.4 23.2 32.6 45.4 53.1 62.0

^{*} The attmospheric pressure corrected to the elevation of the radiosande station,

N = The number of cases the element has been observed during the month,

UPPER AIR CLIMATOLOGICAL DATA

Table B1 (contd).—MONTHLY MEANS, ABSOLUTE HIGHER & LOWER VALUES OF ALTITUDE, AIR TEMPERATURE & DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

AUGUST - 1968

Station	Pressure Surface	Alt	itude of Pre	ssure Surfac	ce (gpm)		Temp	Dew Point (°C			
&	(Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
, 1	Surface	23	1011m.b.	1014m.b.	1007m.b.	23	29.3	40.2	26.4	23	19.9
11	1000	23	121	1 52	91	23	28.2	40.2	25.0	22	18.6
	850	23	1545	1586	1508	23	20.5	28.8	12.2	20	6.4
1	700	22	3199	3272	3142	22	11.9	15.2	7.7	9	- 6.7
H	600	21	4470	4549	4409	21	4.0	6.4	0.7	5	13.5
Þ [500	[18	5906	6003	5870	18	E.1	2.9	- 8.3	4	19.8
2	400	17	7640	7728	7583	17	-16.5	13.5	18.5	2	27.8
~ 전	300	15	9737	9851	9672	15	30.8	-28.4	34.9	2	42.9
Morse Matrub 1200	250	14	11008	11136	10924	14	39.3	36.6	-43.0	2	51.7
₹ (200	11	12508	12647	12416	11	49.2	46.2	52.9	2	61.2
3	150	8	14319	14435	14231	8	61.3	59.0	64.7		
×	100	6	16747	16869	16654	6	-72.6	70.5	76.1	_	_
2	70	4	18905	19000	18800	4	-62.4	58.8	66.1		
£	60	3	19838	19853	19824	3	55.9	50.2	59.5		
Σ	50	2	20990	20999	20982	2	54.5	54.3	54.7		_
11	40	2	22432	22439	22425	2	-50.5	50.4	50.6	'	
- 11	30	2	24328	24338	24317	2	-46.5	46.4	-46.6		
11	20	i i	27046	_		ī	-43.8				
	10	<u> </u>									
, 1	Surface	30	994m.b.	997m.b.	991m.b	30	33.3	39.1	29.3	30	12.2
- 11	1000	30	83	110	58						
- ()	850	30	1515	1549	1479	30	20.9	26.9	13.2	30	2.5
11	700	30	3170	3211	3109	30	16.0	17.8	13.4	30	- 1.5
- 11	600	28	4449	4488	4376	28	5.4	9.6	1.9	25	-17.3
Fi	500	28	5913	5966	5846	28	- 3.6	0.1	- 7.6	28	-24.9
3 11	400	28	7640	7714	7569	28	-15.4	-13.0	20.0	28	-34.8
		1	9757	9833	9658	27	-29.4	-26.1	34.6	27	-46.7
~ 11	300	1 27								, 2,	
8	300 250	27 25	,							โดเ	
1200	300 250 200	25	11036	11119	10936	25	-38.0	-35.1	-42.1	21	53.4
n 1200 I	250	25 25	11036 12540	11119 12633	10 936 1 2444	25 25	-38.0 -48.0	-35.1 -38.6	-42.1 -53.2	21	61.3
lwan 1200 t	250 200	25 25 23	11036 12540 14370	11119 12633 14479	10936 12444 14245	25 25 23	38.0 48.0 61.4	-35.1 -38.6 -58.9	-42.1 -53.2 -64.5	21 1	61.3 69.9
Helwan 1200 I	250 200 150	25 25 23 22	11036 12540 14370 16799	11119 12633 14479 16905	10936 12444 14245 1659 6	25 25 23 22	-38.0 -48.0 -61.4 -73.2	-35.1 -38.6 -58.9 -71.4	-42.1 -53.2 -64.5 -75.4	21 1 —	61.3 69.9
Helwan 1200 U.T	250 200 150 100 70	25 25 23 22 18	11036 12540 14370 16799 18926	11119 12633 14479 16905 19020	10936 12444 14245 1659 6 18740	25 25 23 22 18	38.0 48.0 61.4 73.2 65.7	-35.1 -38.6 -58.9 -71.4 -61.0	-42.1 -53.2 -64.5 -75.4 -70.8	21 1 —	-61.3 -69.9
Helwan 1200 I	250 200 150 100	25 25 23 22 18 16	11036 12540 14370 16799 18926 19869	11119 12633 14479 16905 19020 19975	10936 12444 14245 1659 6 18740 19741	25 25 23 22 18 16	-38.0 -48.0 -61.4 -73.2 -65.7 -59.1	-35.1 -38.6 -58.9 -71.4 -61.0 -56.9	-42.1 -53.2 -64.5 -75.4 -70.8 -63.5	21 1 - -	-61.3 -69.9 -
Helwan 1200 t	250 200 150 100 70 60	25 25 23 22 18 16	11036 12540 14370 16799 18926 19869 21023	11119 12633 14479 16905 19020 19975 21129	10936 12444 14245 16596 18740 19741 20892	25 25 23 22 18 16 15	-38.0 -48.0 -61.4 -73.2 -65.7 -59.1 -55.7	-35.1 -38.6 -58.9 -71.4 -61.0 -56.9 -53.8	-42.1 -53.2 -64.5 -75.4 -70.8 -63.5 -58.9	21 1 - - -	-61.3 -69.9 - - -
Helwan 1200 U	250 200 150 100 70 60 50	25 25 23 22 18 16 15	11036 12540 14370 16799 18926 19869 21023 22463	11119 12633 14479 16905 19020 19975 21129 22569	10936 12444 14245 16596 18740 19741 20892 22317	25 25 23 22 18 16 15	-38.0 -48.0 -61.4 -73.2 -65.7 -59.1 -55.7 -51.5	-35.1 -38.6 -58.9 -71.4 -61.0 -56.9 -53.8 -49.2	-42.1 -53.2 -64.5 -75.4 -70.8 -63.5 -58.9 -53.9	21 1 - - -	-61.3 -69.9 -
Helwan 1200 U	250 200 150 100 70 60 50	25 25 23 22 18 16	11036 12540 14370 16799 18926 19869 21023	11119 12633 14479 16905 19020 19975 21129	10936 12444 14245 16596 18740 19741 20892	25 25 23 22 18 16 15	-38.0 -48.0 -61.4 -73.2 -65.7 -59.1 -55.7	-35.1 -38.6 -58.9 -71.4 -61.0 -56.9 -53.8	-42.1 -53.2 -64.5 -75.4 -70.8 -63.5 -58.9	21 1 - - -	-61.3 -69.9 - - -

^{*} The atmospheric pressure corrected to the elevation of the radiosande station.

Note: Climatological upper air data for Aswan at 1200 U.T. are missing since number of days of release of radiosonde sets at this station are less than the permissible number used for calculating or processing monthly values.

N = The number of cases the element has been observed during the month.

Table B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE. THE HIGHEST WIND SPEED IN THE UPPER AIR

AUGUST -- 1968

						Fre	ezing L	evel				Frist Tropopasue										Highest wind speed				
Station				Mean		Highest			1	Lowest			Mean		-	Highest		Lowest			(B	ا چ		Knots		
			Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Direction (000—360)	Speed in Kn		
	1		(N)	(N)	(N)							(N)	(N)	(N)												
ان	M. Matruh (A	A)	4766 (24)	57 3 (2 4)	-11.7 (12)	5320	536		4100	624	3.6	14147 (5)	1 63 (5)	62.4 (5)	16676	100	71.6	9030	328	31.9	12150	206	240	64		
0000 U.T.	Helwan		5110 (30)	550 (30)	19.1 (30)	* 5630	518	23.5	4220	561	<u>17.7</u>	16527 (24)	104 (24)	74.4 (24)	17620	85	72.3	1 496 0	134	68.0	15255	129	220	81		
	Aswan (.	A)	5064 (31)	557 (31)	-17.2 (31)	5620	519	21.5	4480	598	10.2	16815 (24)	98 (24)	—78.5 (24)	17770	84	80.8	15500	122	- 73.6	25240	26	095	80		
			(N)	(N)	(N)	1						(N)	(N)	(N)	<u> </u>			!			,					
ı.	M. Matruh ((A)	5102 (19)	554 (19)	-16.8 (6)	5600	524	_	4260	612	7.6	15855 (4)	117 (4)	-69.6 (4)	17000	96	71.5	14900	135	68.0	12400		286	87		
1200 U.T.	Helwan		5264 (28)	541 (28)	22.4 (25)	6000	498	22.2	4320	615	_16.5	16281 (17)	110	-72.1 (17)	17600	89	74.4	13760	165	-60.0	13910	162	270	57		
	Aswan	(A)	-	-	-	-		_	-	-	-	_	_	-	-	_			-	_	_	-	_	-		
						-																				

Non- The number of cases the element has been observed during the Month.

1,8-2,5-

Table B 3 (contd.)—NUNBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

"MERSA MATRUH (A) — AUGUST 1968

			·				, , , , , , , , , , , , , , , , , , ,	w	ind b	etwee	n spe	ecified	l rang	ges of	direc	tion	(000	- 36 0°)	•						Calm	r of T N)	Wind ts)
Time	Pressure Surface (Millibar)		45 / 14		015 045 		1	4 104			105 135 		1	165 / 194			95 / 24	ŀ	25 / 54		55 / 84		85 / 814	315 / 344		Number of Ca winds	Total Number of Observations (T.	lean Scalar Win Speed (Knots)
		N	(ff)	N	(ff)	N	(ff) m	N	(ff) m	N	(ff)	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	И	(ff) m	N	(ff)	Num	Total Observe	Mean
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	0 3 8 5 3 2 1 0 0 0 0 0 0 0	17 19 29 19 25 25 —	0 1 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 21 	1 0 0 0 0 0 0 0 0 0 1 1 1 1 1	2 	000000000000000000000000000000000000000		000000000000000000000000000000000000000		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		000000000000000000000000000000000000000	6	3 0 0 0 0 0 0 1 3 2 0 1 1 0 0 0 0 0 0	8 	5 1 0 2 0 1 6 3 5 6 5 3 0 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1	6 6 18 24 29 30 41 38 42 32 -7 13 	3 0 1 1 1 3 5 0 0 0 1 2 0 0 0 1 1 0 0 0 0 0	6 -20 10 12 18 - - - - - - - - - - - - -	2 4 1 4 5 4 2 3 4 3 1 1 1 0 0 0 0	8 9 14 16 19 45 37 34 36 20 26 —	9 8 4 4 4 5 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13 14 15 19 19 26 25 27 37 21 — — — — —	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25 17 16 16 16 16 14 13 12 7 5 3 2 1	8 13 18 20 17 22 29 33 36 37 26 11 8 11 21
1200 U.T.	Surface 1000 850 700 600 600 400 300 250 200 150 100 70 60 50 40 30 20	7 5 4 5 2 2 2 2 1 0 0 0 0 0 0 0	13 16 14 19 17 22 30 23 	2 0 2 0 1 0 0 0 0 0 0 0 0 0 0 0 0	6 16 20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 9 14 10	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- - - - - - -	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	27	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 2 2 2 3 1 1 1 2 0 0 0 0	37 42 45 37 36 30	0 0 2 3 1 3 4 4 2 4 3 1 0 0 0	10 9 19 21 45 44 43 40 30	0 0 5 5 7 4 2 3 4 3 3 1 1 0 0	19 24 18 16 28 31 36 43 37 21 12	3 1 5 2 4 4 4 4 5 3 1 1 1 0 0 0	14 24 18 24 20 30 24 44 40 45 26 5 10	11 17 5 7 5 5 3 1 0 0 0 0 0 0 0	17 14 18 22 17 22 41 27	0 0 0 0 0 0 0 0 0 0 0 0 0	23 23 22 20 18 17 16 14 11 8 6 4 2 2 2	14 15 17 20 18 22 29 40 43 34 18 16 3 11 18

N = The number of cases the elemnt has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

Table B 3.—NUNBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

HELWAN (A) AUGUST—1968

							- (,						····	ī	1	
Time	Pressure Surface (Millibar)	345 014 N (ff) m	015 / 044 N (ff) m	045 / 674 N m	075 / 104 N (ff) m	105 / 134 N m	135 / 164 N m	f direction 165 / 194 N (ff) m	195 / 224 (ff) N)° 225 / 254 N (ff) m	255 / 284 N (ff) m	285 / 314 N (ff) m	315 / 344 N (ff) m	Number of Calm winds	Total Number of observation (TN)	Mean Scalar wind Speed (Knots)
6000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	10 9 - 9 18 8 17 4 16 3 19 4 10 0 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0 - 24	0	0	0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 1 31 2 28 1 16 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	0	0 — 0 — 1 8 1 8 1 3 5 18 5 21 7 29 5 33 6 31 6 17 0 — 0 — 0 — 0 — 0 —	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0	1 6 -4 14 9 14 7 13 4 17 6 28 5 25 1 37 5 24 2 17 1 20 0 — 0 — 0 — 0 —	5 17 3 10 4 16 5 19 4 27 0 20 1 31 1 7 0 —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31° 31 31 30 30 29 29 28 28 17 9 6 6 4 3 1	7 16 16 16 15 17 21 28 33 34 32 19 13 18 24 35 35 43 —
iioo U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	7 2 4 1 1 0 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 10 1 6 4 2 1 1 2 4 1 1 6 1 1 6 0 - 0 - 0 0 - 0 0 - 0 0 - 0 0 - 0 0 0 0	5 1 12 3 1 0 5 0 0 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 1 12 1 4 0	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0	0	3 15 3 24 4 0	3 21 7 24 7 28 6 32 10 32 1 19 0 — 0 — 0 — 0 —	9 17 5 19 3 32 14 36 10 36 8 36 9 3 22 - 0 0 0 0 0 0 0	5 14 2 13 17 12 20 16 18 18 18 18 18 18 18	3 11 5 8 8 2 23 1 36 8 0 — 0 — 0 — 0 — 0 —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30 30 29 28 28 28 26 24 22 21 12 3 2 2 2 2	11 13 15 16 17 21 31 30 30 29 21 13 18 36 32 25 38

N = The number of cases the element has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

Table B 8 (contd.).—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

ASWAN (A) - AUGUST 1968

													nges o			·										Calm	or of (TN)	rind ts)
Time	Pressure Surface (Millibar)	}	45 / 14		15 / 14		45 74		75 0 4		05 / 3 4	ł	35 / 64	19	4		95 24	25	1		55 / 84		85 / 14		15 / 44	५ न	Num! ration	Mean Scalar wind Speed (Knots)
		N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	Number wit	Total observ	Moan Spee
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	8 1 0 4 2 0 0 0 0 0 0 0 0	7 13 13 -8 10 	2 6 2 2 2 2 3 0 0 0 0 0 0 0 0 0 0	9 15 4 6 15 16 	0 1 1 2 2 2 2 1 1 2 0 0 2 1 2 1 2 0	— 12	0 -1 3 1 3 1 1 5 4 4 4 4 14 15 11 7 8 3	4 9 6 5 14 15 17 27 25 31 33 40 44	0 1 1 2 7 5 7 9 19 4 0 1 3 0 1		0 3 1 3 0 4 6 10 11 1 0 0 0 0	12 8 16 12 10 17 22 20	0 1 1 3 2 4 3 2 4 3 0 0 0 0	5 20 11 6 8 13 4 16 15	0 1 3 5 2 4 4 4 1 0 0 0 0 0	- 5 16 17 10 8 11 16 8 - - -	0 6 8 2 7 3 4 1 0 0 0 0 0 0	14 17 10 10 10 13 15	1 -3 7 5 5 1 4 1 0 0 0 0 0 0 0	3 -7 13 8 11 13 10 -7 	8 -2 2 1 1 3 1 1 0 0 0 0 0 0	8 -6 13 10 5 13 13 	16 -4 0 0 2 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	7 12 - 8 11 - - - -		31 - 29 29 29 29 29 29 29 27 24 20 17 14 12 10 4	7

N = The number of cases the element has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR - AUGUST 1968

This month was nearly normal with respect to the mean daily air temperature. The month was characterized by two heat waves during the periods (9th - 10th) and (12th-14th). The second heat wave yielded the highest maximum air temperature for the month $(43.3^{\circ}C)$ on the 13 th.

The extreme maximum soil temperatures were higher than the corresponding values of last August at all depths between 2 and 100 cm., and the differences ranged between 3.4°C at 2cm. and 0.1°C at 20 cm. The extreme minimum soil temperatures were lower than the corresponding values of last August at 2,5 and 20 cm. with slight differeces ranging between 0.3 and 0.5°C. At 10 and 50 cm. depths the extreme soil minima were the same as last August, and at 100 cm. depth the value was slightly higher (0.3°C).

The mean daily Pan evaporation was 1.36 mm. higher than the corresponding value of August 1967. The total actual duration of bright sunshine was 11.5 hours less than the corresponding value of August 1967.

TAHRIR - AUGUST 1968

This month was slightly cooler than last August. The month was mainly characterized by a heat wave during the period (10th - 15th) yielding the highest maximum air temperature for the month (44.7C) in the 14th. The daily maximum air temperatures were below normal most of the first and fourth weeks of the month.

The extreme maximum soil temperatures were higher than the corresponding values of last August at depths between 2 and 20 cm. and the differences ranged between 3.3°C at 2 cm. and 1.1°C at 20 cm. At 50 and 100 cm, depths the extreme soil maxima were lower than last August and the differences were 0.4° and 0.6°C respectively.

The extreme minimum soil temperatures were lower than last August at all depths between 2 and 100cm., and the differences ranged between 2.5°C at 2 cm. and 0.6°C at 100 cm.

The mean daily Pan evaporation was 0.14 mm. less than the corresponding value of August 1967. The total actual duration of bright sunshine was 6.7 hours more than corresponding value of August 1967.

BAHTIM - AUGUST 1968

This month was slightly cooler than last August. The daily maximum air temperatures were below average most days of the month. The month was mainly characterized by a heat wave during the period (11th - 14th) yielding the highest maximum air temperature for the month (40.5°C) on the 14th.

The extreme maximum soil temperatures were higher than the corresponding values of last August at all depths between 2 and 100 cm., and the differences ranged between 8.0°C at 5cm. and 0.2°C at 50cm. The extreme minimum soil temperatures were higher than the corresponding values of last August at 2cm. and also at depths between 20 and 100 cm. and the differences ranged between 0.3°C at 2 cm. and 1.8°C at 100cm. At 5 and 10 cm. depths the extreme soil minima were lower than last August and the differences were 0.3°C and 0.4°C respectively.

The mean daily Pan evaporation was 0.47mm. more than the corresponding value of August 1967. The total actual duration of bright sunshine was 1.1 hour less than the coresponding value of August 1967

KHARGA — AUGUST 1968

This month was slightly warmer than normal. The month was characterized by three heat waves on the 5th and during the periods (9th-16th) and (27th-30th). The second heat wave was the most excessive and yielded the highest maximum air temperature for the month (45.7C) on the 15th. The daily maximum air temperatures were below normal during the periods (1st-4th), (6th-8th) and (23rd-26th).

The extreme maximum soil temperatures were higher than the corresponding values of last August at all depths between 2 and 100cm. except at 5 cm. where the value was slightly lower (0.6°C); the differences ranged between 0.1°C at both 2 and 100cm. and 1.6°C at 10 cm. The extreme minimum soil temperature at 2 cm. depth was the same as last August. At other depths between 5 and 100 cm. the extreme soil minima were higher than last August except at 20 cm. depth where the value was lower, the differences were slight and ranged between 0.1°C and 0.6°C.

The mean daily Pan evaporation was 2.34mm. more than the corresponding value of August 1967. The total actual duration of bright sunshine was 3.8 hours less than the corresponding value of August 1967.

Note.—During this month recording charts of the mercury in steel hygrograph were not available at Tahrir and Bahtim centres. For these centres mean of the day of air comperature; relative humidity and vapour pressure are calculated using the following equations;

mean of the day of air temperature

= (0600 + 1200 + 1800) U.T. dry bulb thermometer readings + minimum air temperature $\div 4$

mean of the day of relative humidity

- = (0600 + 1800) U.T. observation $\div 2$ mean of the day of vapour pressure
- = (0600 + 1200 + 1800) U.T. observations $\div 3$

. Table C 1.—AIR TEMPERATURE AT 1½ METRES ABOVE GROUND AUGUST — 1968

STATION		Air Te	mperati	ire (°C)				Mean I		in how		~	_	erature		
SIAIION	Mean Max.	Mean Min,	of the	Night time mean	time	—5°C	0°C	5°C	1 0 °C	15°C	20°C	25°C	30°C	35°C	40°C	45°C
El Kasr	30.2	20.7	25.6	23.2	27.4	24.0	24.0	24.0	24.0	24.0	23.2	12.8	1.3	0.3	0.1	0.0
Tahrir	34.3	19.7	26.0	-	29.3		_	-	_	_	_ {	_	_	- \	_ {	
Bahtim	33.3	17.8	25.0	-	28.7		- 1	- 1	_ }	_ {	_ {	}	_ }	_ {	- }	
Kharga	39.4	24.6	32.3	29.3	34.8			\]				}	\	\	

Table C 2.—EXTREME VALUES OF AIR TEMPERATURE AT 1½ METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUD OVER DIFFERENT FIELDS.

AUGUST -- 1968

	Max	r. Temp.	at 1½ me	etres	Min. 7	Temp. at	1½ metre	es (°C)	Min.	Temp. at	5 cms, al	0049
STATION	Hig	hest	Lo	west	Hig	hest	Lo	west	Dry	lioa	Gru	4
	value	Date	value	Date	value	Date	value	Date	Value	Date	Value	Date
El Kasr	43.3	13	28.1	23	24.9	14	17.7	26	13.9	26	_	~
Tahrir	44.7	14	31.4	22	22.7	14	16.6	22	15.2	22	_	
Bahtim	40.5	14	30.4	22	20.8	3	15,2	22	13.1	22	- 1	
Kharga	45.7	15	35.1	2	30.2	12	20.3	4	17.6	20	{ _ {	

Table C 3.—(SOLAR + SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY, & VAPOUR PRESSURE AT 1½ METRES ABOVE GROUND, EVAPORATION & RAINFALL.

AUGUST - 1968

	r Radia- cal/cm²	Durstio Sunsh	n of Br		R	elative	Humidi %	ty		Vapo	ur pr	essure	(mms)			pora- (mms)	Rai	ńfall (n	ıms)
TATION	(Solar +Sky F tion gm. cal	Total Actual monthly	Total Possible monthly	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 U.T.	Highest	Date	Lowest	Date	Piche	Pan class A	Total Amount Monthly	Max. Fall in one day	Date
El Kasr .	527.4	367.3	411.9	89	67	61	9	13	16.5	18.3	23.4	11	5.7	13	8.7	12.31	0.0	0.0	-
Tahrir	571.4	368.9	410.5	90	78	51	28	14	19.1	18.8	25.3	14	14.6	22	8.3	9.71	0.0	0.0	-
Bahtim	620.6	350.1	409.2	86	75	42	23	14	16.9	15.3	24.9	14	12.2	5	7.3	8.95	0.0	0.0	
Kharga .	552.5	37 5.0	402.7	93	27	18	7_	11	9.3	8.7	16.1	16	4.4	11	25.5	21.29	0.0	0.0	



MONTHLY WEATHER REPORT

SEPTEMBER, 1968

THE EGYPTIAN METEOROLOGICAL AUTHORITY

MAY 1 2 1972

CAIRO

ි. 🤼 . of Commerce

PUBLICATIONS OF THE METEOROLOGICAL AUTHORITY OF THE ARAB REPUBLIC OF EGYPT — CAIRU

In fulfilment of its duties, the Egyptian Meteorological Authority issues serveral reports and publications on weather, climate and agro-meteorology. The principal publications are described on this page.

Orders for publications should be addressed to:

"Chairman of the Board of Directors, Meteorological Authority, Kubri-el-Qubbeh - CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Authority since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968, this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

As from 1st January 1972, the Daily Weather Report will not be issued or distributed because it does not serve no longer any good purpose as it used to be in the past. The Meteorological Authority is ready to supply the recipients of the Report with any information used to be included in it, if they so desire.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for Egypt.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of Egypt as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff "The Meteorological Institute for Research and Training" and the Operational Divisions of the Meteorological Authority.

TECHNICAL NOTES

As from October 1970, the Meteorological Authority started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.



MONTHLY WEATHER REPORT

OLUME 11

NUMBER 9

SEPTEMBER, 1968

U.D.C. 551. 506.1 (62)

THE EGYPTIAN METEOROLOGICAL AUTHORITY
CAIRO

CONTENTS

		PAGE
	General Summary of Weather Conditions	1-2
	SURFACE DATA	
able [A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	3
,,	A2.—Maximum and Minimum Air Temperatures	4
**	A3.—Sky Cover and Rainfall	5
**	A4.—Number of Days of Occurrence of Miscellaneous Weather Phenomena	6
W	A5.—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	7.8
	UPPER AIR DATA	
lable	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surface	9,10
,,	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	11.
51	B3.—Number of Occurrences of Wind Direction Within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	12-14
	AGRO-METEOROLOGICAL DATA	
	Review of Agro-Meteorological Stations	15,16
Table	C1.—Air Temperature at 1½ Metres Above Ground	17
11	C2.—Absolute Values of Air Temperature at 1½ metres above Ground, Absolute Minimum Air Temperature at 5 oms, above Ground Over Different Fields.	17
11	C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 11 metres above Ground, Evaporation and Rainfall	17
11	C4.—Extreme Soil Temperature at Different Depths in Different Fields	18
19	C5.—Surface wind	18

Note: For explanatory notes on tables please refer to Volume 11, Number 1 (January 1968).

GENERAL SUMMARY OF WEATHER CONDITIONS

SEPTEMBER 1968

Changesble Autumn weather, characterized with four heat waves. Early merning low stratus and mist ever Delts, Canal and Cairo areas.

SENERAL DESCRIPTION OF WEATHER

The prevailing weather during this month was generally rather mild in the northern parts, rather het in the central parts and hot in the southern parts. The month was intervened with four variant heat waves round the periods: (1st - 2nd), (10th - 11th), (17th - 20th) & (25th - 26th). The second and third heat waves were generally of moderate intensity, but the first and last waves were weak.

The month was rainless apart from light rain over Sallum and Siwa on the 10th. Early morning low clouds developed frequently over Lower Egypt & Cairo. Light rising sand was reported during few days over scattered parts mainly in Upper Egypt, the Western Desert and Red sea districts.

PRESSURE DISTRIBUTION

The most outstanding features of pressure distribution over the surface maps during this month were:

- The Atlantic anticyclone and its extension through the Mediterranean.
- Deep low pressure systems through North Europe, associated sometimes with secondaries over Central Europe.
- A ridge over Central Mediterranean.
- The complex monsoon low pressure system over the Arabian Gulf, Arabia and North Sudan.

The barometric pressure over Egypt during this month experienced four falls round the periods: (5th — 7th), (9th — 11th), (14th — 18th) & (21st — 26th). These pressure falls were caused by the slight deepening and north-westward elongation of the monsoon trough over the Arabian Gulf or North Arabia towards Asia Minor.

During the rest part of the month, high pressure over Central Mediterranean extended slightly eastwards and the barometric pressure over Egypt was above normal.

The most outstanding features of pressure distribution over the upper air charts were:

- Two deep upper low pressure systems over North Atlantic and North Russia.
- Secondary upper lows or troughs traversing East Mediterranean and north of Egypt on the 5th, 15 th, 22nd and 26th.
- Upper high pressure system south of latitude 30°N.

SURFACE WIND

The prevailing surface winds during this month were generally light to moderate and blew from NW & NE directions - Surface winds became fresh to strong during several days over scattered parts of the Mediterranean, Western Desert, Upper Egypt and Red Sea districts. Calms were frequent most of night and early morning intervals in scattered places of the country.

TEMPERATURE

Maximum air temperature showed rather pronounced variability during this month. It was in general moderately above normal during the second and third heat waves, slightly above normal during the first and last heat waves - During the rest periods of the month, maximum air temperature was below normal with slight to moderate departures Maximum air temperature values ranged most days of the month between 27°C & 33°C in the northern parts, between 30°C & 36°C in the central parts, between 37°C & 43°C in the southern parts.

The absolute maximum air temperature was 45.0 °C reported at Kom Ombo on the 19th.

Minimum air temperature oscillated round the normal and its departures were slight to

er that with the tree lines were directly to

The design of the legisle to the sec-

moderate. Minimum air temperature values ranged most days of the month between 17 °C & 23 °C in the northern and central parts, between 20 °C & 26 °C in the southern perts.

The absolute minimum air temperature was 13.0°C reported at Shebin El kom on the 23 rd & 30th.

PRECIPITATION

During this month, no measurable rain was reported all over the Republic spart from 6.0 mms of rain which fell over Sellum and 0.8 mms over Siwa on the 10th.

The highest daily rainfall was 6.0 mms reported at Sallum on the 10th. which was also the highest monthly rainfall.

Chairman (M. F. TAHA)

Board of Directors

And the second of the second o

mesonang medi panaman kandagan a aasi

reland there we look out town managers.

websit disovina

Cairo, February 1972

Table A 1.—MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION SEPTEMBER 1968

water E.A.		spheric				Air I	l'emper≗tu	re °C				Rei	lative	Brig	ht Sunsh	ine	(mms.)
	1 1	re (mbe) S.L.	Maxi	mum	Mini	mum		Dry	Bulb	Wet	Bulb	Humi	idity %	Dur	ation (Ho	urs)	etion (
Station	Mean	D.F. Normal or Average	(A) Mean	D.F.Normal or Average	(B) Mean	D.F.Normal or Average	<u>A+B</u> 2	Mean	D.F.Normal or Average	Mesn	D.F.Normal or Average	Mean	D.F.Normal or Average	Total Actual	Total Possible	%	Piohe Evaporation
Bellum Moree Matruh(A). Alexandria, (A). Port Baid. (A). El Arieh. Ghassa	1014.5 1014.3 1014.0 1012.8	+0.7 +0.6 +1.4 +0.9	29.9 29.1 30.0 28.9	+0.6 +0.5 +0.5 0.3	20.5 19.2 20.9 22.4	+0.8 0.4 0.3 1.4	25.2 24. 2 25.4 25.7	24.7 24.0 25.0	-0.1 -0.2 -1.0 -	20.3 20.2 20.4	+0.2 +0.2 -0.8 -	65 69 64 —	+2 +2 -4 -	324.4 327.7	 370,8 370.8 	87 88 —	6.8 7.9 7.7 7.4
Tente	1013.4	+2.0	32.3 32.3	-0.1 0.0	18.4 19.7	+0.8	25.4 26.0	24.5 25.6	+0.1	19.9	+0.1	63 5 6	0 3	324.6	370.3	88	15.3
Minya. (A) Assout. (A) Luxor. (A) Assun. (A)	1011.8 1011.4 1009.5 1008.8	+0.8 +1.0 +1.2 +0.8	34.0 33.6 34.6 39.6 39.9	+0.3 +0.2 -0.3 +1.3 +0.7	19.4 18.3 19.8 21.6 23.2	-0.2 -0.3 -0.3 +0.2 +1.1	26.7 25.9 27.2 30.6 31.6	25.7 27.0 30.5 31.3	+0.1 -0.5 +0.5 +0.5	19.5 18.7 19.5 17.6	$ \begin{array}{c} -0.1 \\ +0.2 \\ +0.1 \\ +0.4 \end{array} $	53 41 31 19	2 +3 1 0	325.9	370.1 — — —	88	7.3 11.8 16.3 12.6 25.7
Siwa. Bahariya Farafra. Dakhla. Kharga	1018.7 1018.2 	+0.3 +1.3 - +2.3 +1.0	34.6 34.4 35.0 35.6 36.8	-0.8 +0.4 +0.6 0.0 +0.2	18.3 19.1 20.0 19.9 21.8	0.0 +0.3 +1.1 -0.4 +0.5	26.4 26.8 27.5 27.8 29.3	26.8 26.9 — 27.8 29.6	-0.1 +0.3 - +0.2 +1.0	18.7 18.6 ————————————————————————————————————	+0.2 0.0 - -0.2 -0.3	43 41 28 29	+3 -2 - 0 -3	- - 340.1	368.5		11.6 10.0 — 19.2 22.5
Tor. Hurghada. Quaein.	1009.3 1010.1	+1.3 +1.9	32.2 31.0	+1.4 -0.9	22.7 24.5	-0.4 -0.7	27.5 27.7	27.8 28.1	0.0 -0.2	20.4 21.4	- -0.6 0.0	48 52			=	_	20.7 16.8

Table A 2.—MAXIMUM AND MINIMUM AIR TEMPERATURE
SEPTEMBER 1968

1.552		٠							10.										
€.			Ma	zimum T	emperat	are °C			į	Grass Tem				Minimu	m Temper	ature °(3		
Stock Control of the	Highest	Date	Lowest	Date	No	o. of Da	ys with	Max-T	emp.	Mean	Dev. From Normal	Highest	Date	Lowest	Date	N	o, of D Min.	ays wi Temp.	th
के स्थापन के स्थापन	; ∄	A	និ	A	>25	>30	>35	>40	>45	×	Dev. Fro	Нi	А	ß	H	<10	<5	<0	<-5
Sallum Merce Matrah (A) Alexandrie (A) Fort Skill (A) El Arish	35.4 35.2 34.0 32.0	25 10 18 1	26.4 26.4 37.4 27.0	29 30 29 28:29	30 30 30 30	14 5 13 3	1 1 0 0 -	0 0 0 -	0 0 0	20.4 		23.5 23.0 24.2 25.4 —	17 21 2 18 —	19.0 16.8 16.8 20.5	11-14-30 16—24 24 30 —	0 0 0 -	0 0 0 0	0 0 0 0 -	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Parks (1 fortis) (2 fortis) (3 fortis) (4 fortis) (4 fortis) (4 fortis) (5 fortis) (6 fortis) (7 fortis) (7 fortis) (8 fortis) (9 fortis) (1 fortis) (1 fortis) (1 fortis)	35.7 39.4	11	28.7 28.6	30 29	30 30	27 25	3 5	0	0	-	_ 	20.7 24.4	12 11	15.8 16.6	25	0	0	0	0
Fayo time (A) Enyo (A) Anyout (A) Lexor (A) Apwin (A)	39.0 40.6 43.2 44.0 44.6	11 11 11 20 19	29.6 29.0 29.3 34.8 36.5	30 30 30 36	30 30 30 30 30	29 28 29 30 30	9 9 12 29 30	0 1 1 12 13	0 0 0 0	17.5 16.5 18.9 16.0		26.0 22.0 28.2 26.4 26.7	19 12 19 12 12	14.6 15.0 17.0 17.8 20.0	30 30 28 30 15	0	0 0 0 0	0 0 0	0 0 0
Siwa	40.7 30.4 40.0 40.8 43.4	1 1 1 11	30.6 29.6 30.2 30.0 31.8	30 30 30 30 30 29,30	30 30 30 30 30 30	30 28 30 29 30	13 12 13 16 22	1 0 0 3 7	0 0 0 0	17.0 17.8 19.1 ——————————————————————————————————		20.6 24.0 23.3 25.2 26.5	1 11 2 2 4	14.8 15.0 15.3 14.0 16.7	28 30 25 39 17	0 0 0 0	0 0 0 0	0 0 0	0
Toz	37.0 36.4		29.2 28.8	29 30	30 30	28 21	2 1	0 0	0	22.7	=	25.8 27.2	20	19.3 22.0	30 7	0	0	0	0

, grape of .		Меар	Sky Cov	er Oct.					Rainf	all mms.					+	
Station	00	06	12	18	Daily	Totál	D. From		r. Fall no day	1	Number	of Day	s with	Amount	of Rai	Ŋ re
grand 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ŭ.T.	Ů,T.	U.T.	U.T.	Mean	Amount	Normal	Amount	Date	<0.1	≥0.1	≥1.0	≥5.0	≥10	≥25	≥ 50
Sellum Morro Metruh (A) Alifemetria (A) Port Seid (A) El Arich Giatua	0.2 1.1 3.3 —	1.0 2.5 3.5 1.4	2.0 2.6 2.8 1.2	0.6 2.4 2.6	1.0 2.7 2.3 —	6.0 tr, 0.6 0.0 	+5.3 -0.1 -0.5 -0.1 -	6.0 tr, 0.0 0.0	10 10 	1 1 0 0 -	0 0 -	0 0 -	1 0 0 -	0 0 0 0	1 0000	
California (A)	0.1	0.3	1.7	0.1	0.7	0.0		0.0		0	0	0	0	D	0	⊕ . 2 1 1 1
Fayoum (A) Assyout (A) Luxor (A) Asswen (A)	0.0 0.0 0.0 0.2	0.4 0.0 0.0 0.2 1.0	0.3 0.0 0.0 0.2 0.9	0.2 9.0 0.0 0.2 0.5	0.0 0.0 0.1 0.5	0.0 0.0 0.0 0.0	0.0 -0.1 -tr. -0.1 0.0	0.0 0.0 0.0 0.0 0.0	_ _ _	0 0 0	0 0 0 0	0 0 0	0 0 0	0	0 0 0	0
Siwa Behariya Farafra Dakhla Kharga	0.5 0.1 - 0.0 0.0	0.1 0.3 0.0 0.0 0.2	1.8 0.3 0.1 0.1	0.7 0.1 0.0 0.0 0.0	0.7 0.1 0.0 0.1 0.1	0.8 0.0 0.0 0.0	+0.7 tr, 0.0 0.0 tr,	0.8 0.0 0.0 0.0 0.0	10	0 0 0 0	1 0 0 0	0 0 0 0	0 0 0	0	0 0 0	0 0 0
Tol		0.2 0.2	0.1 0.6	0.1 0.2	0.1 0.3	8.0 g as 0.0	Q.0 —tr,	0.0		0 0	0 0	0 0	0 0	0	- 0 0	- 0 0

Table A 4.- DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA.

SEPTEMBER 1968

•				·		·				<u> </u>						
	1		Preci	pitation.			orm	0 metres	stres	is	y Vis	drising Metres	dstorm			
	Station)	Rain	Snow	Ice. Pellets	Hail	Frest	Thunderstorm	Wist Vis > 1000	Fog. Vis < 1000 Metres	Haze Vis ≥1000 Metres	Thick Haze Vis	Dust or Sandrising Vis ≥ 1000 Metres	Dust or Sendstorm Vis <1000 Metres	Gale	Cloar	Cloudy Sky
				1		1	1	i i	1	1				}		
4.4	ANTER CONTROL	1	<u> </u>	l		 	<u> </u>	<u> </u>	<u>'</u>	<u>:</u> I	<u>'</u>	<u> </u>	<u>. </u>	(<u></u>
25	Sellum	1	. 0	0	0	.0	1	0	0	0	0] 1	0	0	26	o
W. 1914	Moree Matruh(A) Alexandria(A)	0	0	0.	0	0	0	2	0	0	0	7	0	₹ 0	14	0.
	Port Seid (A)	0	0	0	0	0	0	4	2	0	0	0	0	0	8	. 0
	El Arish		, -		,—	-	-	_	_				-	-	-	
Aug 11	Chinese.		· <u>-</u>	_						l _				_		_
	•	i		1 . 1		1	ĺ	l	1	1						,
75-1,5 ₄ .	Teata	0	0	0	0	0	0	0	0	0	0	0	ő		30	•
			4			1	1	i	1	İ			4,	٠,	: 2 5	7.9
in the second	(A)	. 0	0	0	0	0	0.	7	2	5	0	1	1	. 0	22	0.
	*** 375 * * * * * * *		. 3	:			•	((,	ì			·- \\	• •
Page 8	Fayoum	0	0	0	6	0	0	0	0	0	0	0	0	0	1	
1.4.4	May (A)	المسلم والمسلم	0	0	0	· · · · •	Ò	0	0	0	Ö	O.	0	0	3 0	0
May see s	Assyout (A)	- 0	0	0	0	0	0	0	0	0	0	0	1	0	30	0
	Aswan (A)	0	0	0	0	. 0	0	0	0	1	0	1.	0	0	30	.
Y	Arres (A)	0	0	0	0	0	0	0	0	0	0	10	0	0	28	O.
	v. 1		. `]						1 1					l		
du .	Siwe Behariya	1	0	0	0	0	0	0	0	Q	0	0	0	0	26	0
- E. San	Behariya	•	0	•	0	0	0	0	0	ď	0	0	0	0	- 30	r (0
W. 14. 1 + 1,8	Farafra Dakhia	0	0	0	0	0	0	0	0	0	0	0	0	0	- 1	0
\$1,6 \$Gar	Kharga	0	0	0	0	0	0	0	0	0	0	3	0	0	30	· 0 G
P.Ana.,		v	V .	0	0	0	0	0	0	0	0	9	0	0	30	v
	and the second section of the section of the s			a material		100			ĺ					<u>.</u>		المرازية المحاصو ويعافهما
	Tor Harghada	0	0	0	0	0	0	- 0	0	- I	0	6	0	-	30	0
and the second	Queoix	ŏ	0	ŏ	ŏ	ő	ŏ	ö	0	ő	o l	6 1	6	ŏ	19	ŏ
		-	-	-	· ·	` '		_		·	ĭ l	*	·	-		•
-		}				ı		İ	1	- 1	- 1	Į.	· • • • • • • • • • • • • • • • • • • •	- 1	- 1	

Toble A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES SEPTEMBER — 1968

•															ميينسس		
i e	ours)	lours)	(hours)			Num	ber i				rrence irecti				ing f	from t	bo
Station	Calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014		045 / 074	1	1	1	/	1	[/	1	1		
Salium	29	0	0	1—10 11—27 28—47 ≥48 All speeds	41 6 0 0 47	99 14 0 0 113	84 2 0 0	39 0 0 0 39	16 0 0 0	7 0 0 0 7	3 0 0 3	5 0 0 5	5 9 0 0 14	31 6 0 0 37	140 7 0 0 147	133 44 0 0 177	8 8
Morsa Matruk	8 7	•	۰	1—10 11—27 28—47 ≥48 All speeds	99 10 0 0	\$5 6 0 0 41	5 0 0 5	5 0 0 5	7 0 0 0 7	12 0 0 0 12	13 5 0 0 18	14 2 0 0 16	4 0 0	112 0 0 0 112	0	163 107 0 0 270	53 14 0 0 68
Mezsadria	19	0	5	1—10 11—27 28—47 ≥48 All speeds	41 0 0	109 18 0 0 127	16 9 0 0 25	10 0 0 0 10	10 0 0 0	14 0 0 0 14	14 0 0 0 14	7 0 0 0 7	6 0 0 6	2 0 0 0 2	17 0 0	165 38 0 0 203	571 121 (
Port Said	6	0	70	1-10 11-27 28-47 ≥48 All speeds	87 34 0 0 131	35 13 0 0 48	6 4 0 0	5 1 0 0 6	5 2 0 0 7	5 0 0 0 5	7 0 0 0 7	10 1 0 0	34 15 0 0 49	42 11 0 0 53	21 0 0	145 128 0 0 273	414 231 (64
Tanta	55	0	6	110 1127 2847 ≥48 All speeds	40 2 0 0 43	13 2 0 0 15	11 2 0 0 13	6 0 0 6	0 0 0	1 0 0 0 1	21 0 0 0 21	52 0 0 0 52	0	113 0 0 0 113	0	144 0 0 0 0 144	651 ((651
Cairo	103	0	1	1—10 11—27 28—47 ≥48 All speeds	60 0 0	122 40 0 0	45 6 0 0 81	17 2 0 0 19	13 8 0 0 21	1 0 0 0	1 0 0 0	1 0 0 0	7 0 0 0 7	8 0 0 8	2 0 0	111 11 0 0 133	487 126 0 0
Payoum	7	0	0	11—27 28—47 ≥48	0	225 5 0 0 236	12 0 0 0 13	3 0 0 0 3	2 0 0 0 0 2	1 0 0 0	0 0 4	2 0 0 0 2	5 0 0 8	4 0 0 0 4	5 0 9 5	44 0 0 0 14	706 0 0 0 781
Mayo	25	8	.∉ .}	11—27 28—47 >48	317 98 0 0 415	67 68 0 0 135	0 0 0	0 0 0	1 0 0 0 1	4 0 0 0 4	40004	5 0 0 0 5	0 2 6 0 7	0 1 0 0 1	8 2 0 0	16 0	690 187 6 0

Table A 5 (const.)—NUMBER IN LIQUES OF OCCURRENCES OF CONCUBRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED BANGES

SEPTEMBER - 1968

	urs)	ours)	(honrs)		1	Numl	er in	hour r	s of o	occur af d	rences	of w	vind l	blowi ed.	ng fr	om tl	70
Station	Calm (hours)	Variable (hours)	Unrecorded (honrs)	Wind speed in knots	345 / 014	015	1	075	105 / 134	1	1	195 / 224	1	258 / 284	1	1	2
Asyout(A)	1	0	33	1—10 11—27 28—47 ≥48 All speeds	33 48 0 0 81	2 0 0 0 2	2 0 0 0 2	1 0 0 0	7 0 0 0 0 7	1 0 0 0	0 0 0 0	1 0 0 0 1	0 0	126 2 0 0	189 30 0	130 113 0 0 243	493 193 0 6
Luxor (A)	5	1	0	1—10 11—27 28—47 ≥48 All speeds	61 0 0 0	12 0 0 0 12	8 0 0 0 8	15 0 0 0 15	17 0 0 0 17	0 0	164 0 0 0 164	32 0 0 0 32	28 0 0 0 28	85 0 0 0 85	156 9 0 0 165	64 4 0 0 68	701 13 0 0 714
Дажап (Д)	0	0	0	11—27 28—47 ≥48	275 156 0 0 431	37 6 0 0 43	6 0 0 0	0 0 0 0	0 0 0 0	0 0	0 0 0 0	0 0 0	1 0 0 0	2 0 0 0 2	8 0 0	136 63 0 0	487 233 0 0 720
Styra	23	0	0	1—10 11—27 28—47 ≥48 All speeds	1 0 0	103. 11 0 0	76 1 0 0 77	44 0 0 0 44	27 0 0 0 27	15 0 0 0 15	8 2 0 0 10	18 0 0 0 18	34 1 0 0 35	0 0	8 0 0	105 11 0 0 116	662 35 0 0 697
Dakhla	9	5	. 0	1—10 11—27 28—47 ≥48 All speeds	62 22 0 0 84	16 2 0 0 18	13 0 0 0 13	12 0 0 0 .0	12 0 0 0 12	17 0 0 0 17	20 0 0 0 0 0 0 0 0 0 0	18 0 0 0 18	45 0 0 0 45	3 0 0	3 0 0	203 39 0 0 242	637 69 0 0 706
Kharga	13	7	20	28—47 ≥48	98 228 0 0 326	22 7 0 0 29	1 0 0 0 1	0 1 0 0 1	0 1 0 0 1	2 0 0 0 2	3 0 0 0 3	1 0 0 1,	6 0 0 •	7 2 0 0	0 0	164 117 0 0	320 360 0 0
Harghada	5	0	. 3	11—27 28—47 ≥48	10 194 2 0	7 49 0 0 56	2 0 0 0 0 3	2 0 0 0 2	1 0 0 0 0 1	1 0 0 0 0 1	4 0 0 0 4	0 0 0 0	0 0 0 •	0 0 0 0	90	260 7 0	110 593 9 0 712
Quele	3 (g		7 3 7	1—10 11—27 28—47 ≥48 All epgeds	68 30 0 0	7 1 0 0 8	5 0 0 0	10001	0 0 0	0 0 0 0	2 0 0 0 2	2 0 0 0 0 2	0	8 0	0	0	433 276 0 0 709

UPPER AIR CLIMATOLOGICAL DATA

Table B 1 .- MONTHLY MEANS, ABSOLUTE HIGHER AND LOWER VALUES OF ALTITUDE, AIR TEMPERATURE AND DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

SEPTEMBER - 1968

				SEP	TEMBER	- 150	·O				
Station	Pressure Surface	Alt	itade of Pro	essure Surfa	ce (gpm)		Temp	erature (°C)		Dew	Point (°C)
ž	(Millibar)	N	Mean	Highest	Lowest	N	Меап	Highest	Lowest	N	Mean
Mersa Matrub 0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	28 28 28 26 26 26 26 27 24 22 21 18 13 11 9	1011mb 120 1518 3144 4398 5838 7530 9594 10811 12316 14126 16569 18734 19695 20825 22223 24026 26653	1014mb, 149 1538 3173 4427 5868 7567 9649 10906 12381 14196 16623 18800 19753 20875 22290 24138 26778	* 1008mb. 97 1496 3115 4369 5808 7477 9528 10761 12222 13991 16432 18550 19501 20642 22043 23873 26505	28 28 28 26 26 26 26 27 24 22 21 18 13 11 9	21.2 21.9 15.2 7.7 1.0 -8.1 -20.5 -35.6 -43.4 -52.9 -63.3 -69.0 -63.5 -60.6 -58.9 -56.7 -53.2 -50.7	23.7 24.4 18.8 10.4 3.0 -5.3 -18.3 -32.3 -39.9 -50.8 -60.8 -66.4 -60.5 -58.5 -55.5 -52.1 -49.0	19.0 19.9 9.3 3.5 -2.4 -10.5 -25.0 -38.1 -48.5 -60.0 -66.5 -72.0 -66.8 -62.9 -61.3 -58.8 -54.6 -52.0	28 28 27 16 12 9 8 4 2 1 —————————————————————————————————	17,1 17.7 5.7 -3.0 -9.5 -18.1 -30.2 -45.1 -52.3 -59.8
Helwan 0000 U.T.	Surface 1000 860 700 600 500 400 300 250 200 150 100 70 60 – 50 40 30 20	30 30 30 30 30 30 30 30 30 29 28 26 22 18 16 15 13	997mb, 112 1513 3151 4416 5866 7568 9647 10904 12380 14191 16629 18778 19725 20863 22284 24128 26782	1000mb. 140 1536 3173 4450 5916 7638 9740 11000 12465 14268 16705 18890 19838 20989 22413 24276 26940	994mh. 84 1495 3128 4389 5825 7505 9570 10826 12296 14087 16497 18650 19584 20726 22157 23983 26637	30 30 30 30 30 30 30 30 30 29 28 26 22 18 16 15 13	22.1 20.6 16.9 10.4 2.7 -6.7 -19.3 -33.6 -42.6 -52.5 -63.9 -71.2 -65.2 -61.5 -58.6 -55.8 -53.3 -49.9	26.8 22.2 22.6 12.8 5.0 -3.0 -16.1 -30.3 -39.7 -50.9 -61.6 -68.5 -61.6 -58.8 -56.0 -54.0 -50.5 -49.0	18.3 18.9 10.4 7.7 -1.0 -10.0 -22.5 -38.0 -46.9 -55.7 -66.9 -74.4 -69.5 -64.4 -64.7 -58.2 -55.0 -51.0	30 30 30 30 30 30 30 30 29 28 —————————————————————————————————	15.9 15.8 3.4 -8.6 -16.1 -24.0 -34.9 -46.8 -54.5 -63.4
Aswan 0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	30 30 30 30 29 27 27 27 27 27 27 27 27 27 27 27 27 27	987mb, 74 1509 3171 4447 5887 7600 9198 10956 12438 14243 16631 18730 19662 20793 22175 24004 26638	989mb. 96 1523 3193 4462 5922 7640 9774 11016 12507 14363 16737 18860 19804 20942 22274 24087 26712	985mb. 57 1485 3125 4411 5849 7546 9622 10905 12347 14146 16541 18629 19567 20691 22078 23888 26534	30 30 30 29 27 27 27 27 27 27 27 27 27 27 27 27 27	27.0 24.2 12.1 2.1 -5.9 -17.2 -32.1 -41.4 -52.7 -66.0 -76.3 -68.7 -64.0 -60.8 -58.4 -54.4 -51.1	31.2 27.3 15.6 11.5 -3.4 -13.5 -30.0 -39.1 -50.8 -63.8 -72.5 -64.2 -61.0 -56.7 -55.3 -52.8 -45.8	24.0 20.1 9.1 -2.0 -11.1 -20.4 -34.3 -44.5 -55.6 -67.5 -79.8 -70.4 -64.2 -61.3 -57.3 -56.6	30 30 30 28 27 27 27 27 27 27 ——————————————————	7.5 0.9 -8.5 -13.1 -25.6 -34.9 -47.6 -56.4 -54.5

N = The number of cases the element has been observed during the month.

The atmospheric pressure corrected to the elevation of the radiosonde station.

The state of the Lagrange and the forest forest and the section of

UPPER AIR CLIMATOLOGICAL DATA

Table B 1 (contd.)—MONTHLY MEANS, ABSOLUTE HIGHER AND LOWER VALUES OF ALTITUDE, AIR TEMPERATURE AND DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

SEPTEMBER - 1968

				744 144							
Station	Pressure Surface	A 1	ititude of P	ressure Surfa	ace (gpm)		Тетр	erature (°C)		Dow	Point (*
~	(Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
Merse Matruk 1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30	30 30 30 30 29 24 23 21 22 21 20 20 16 14 13 11	1011mb. 124 1531 3162 4422 5868 7567 9634 10892 12369 14185 16651 18822 19788 20951 22405	* 1014mb. 150 1565 3200 4454 5902 7620 9713 10969 12456 14257 16718 18900 19859 21012 22555 24338	1008mb. 99 1500 3125 4385 5824 7516 9537 10809 12290 14114 16576 18750 19702 20879 22317 24184	30 30 30 30 30 29 24 23 21 22 21 20 20 16 14 13	27.2 26.1 16.2 8.8 2.2 -7.2 -19.5 -34.9 -42.5 -51.8 -61.4 -68.1 -62.0 -57.8 -55.7 -52.5 -49.4	31.4 30.8 20.6 11.7 4.7 -4.6 -15.9 -31.6 -40.1 -47.0 -58.0 -64.0 -58.8 -55.4 -52.9 -50.8 -47.7	25.4 24.2 10.1 4.0 —1.9 —9.6 —23.6 —37.3 —45.4 —56.4 —65.0 —73.2 —69.8 —60.0 —58.3 —54.0 —51.7	30 30 30 30 17 7 4 4 ——————————————————————————————	19 18 6 -3 -12 -33 -31
	20 10	7	26958	27018 —	26892	7	44 .2	-42.0 -	-46.7		
Helwan 1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	30 30 30 30 30 29 28 27 27 27 27 27 21 19 17 15	996mb. 101 1524 3165 4432 5924 7579 9688 10950 12431 14251 16699 18841 19795 20938 22353 24192 26904	999mb, 124 1543 3185 4457 5970 7663 9769 11045 12543 14378 16790 19000 19943 21076 22495 24350 27020	993mb. 18 1504 3134 4384 5814 7502 9558 10802 12274 14074 16483 18630 19591 20736 22158 24020 26660	30 30 30 29 28 27 27 27 27 27 21 19 17 15	30.7 17.8 10.8 2.9 -5.9 -18.5 -32.4 -41.5 -52.0 -62.6 -71.7 -64.1 -60.5 -56.9 -53.4 -50.3 -46.1	37.1 24.2 13.2 6.2 —1.7 —15.0 —28.5 —38.2 —49.7 —60.8 —67.5 —62.3 —55.9 —50.0 —51.9 —47.7 —44.7	25.9	30 30 30 29 28 27 27 27 ———————————————————————————	13. 412192637485562.
Aswan 1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	29 29 29 28 26 24 24 23 23 23 21 17 14	986mb. 66 1518 3185 4456 5905 7622 9726 10996 12486 14300 16703 18799 19745 20879 22292 24152 26802	988mb. 85 1537 3212 4487 5938 7664 9774 11054 12557 14387 16797 18920 19852 21007 22406 24268 26997	984mb. 35 1497 3152 4425 5875 7582 9674 10943 12417 14213 16617 18690 19610 20738 2136 24003 26650	29 	37.8	42.4 	33.8	29 29 27 25 26 24 24 24 23 	7.0 -0.1 -11.1 -21.0 -27.1 -36.7 -66.0

N - The number of cases the element has been observed during the month.

^{*} The atmospheric pressure corrected to the elevation of the radiosonde station.

- --

Table B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE, THE HIGHEST WIND SPEED IN THE UPPER AIR

SEPTEMBER - 1968

	•				Fr	oosing l	Level							Fi	ret Tro	Lobense				High	nest v	vind s	peed
			Moan			Highos	t		Lowest			Mean			Highe	nt		Lowest		Î	3		3
	Station	Altitude (gpm)	Preseure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Direction (000-360)	Speed in Knote
		(N)	(N)	(N)							(N)	(N)	(N)										
H.	M. Matruh (A	4528 (26)	589 (26)	-10.1 (12)	4860	56 8		3550	665	 7 .9	15085 (16)	129 (16)	67.4 (16)	16 62 3	100	-67.4	12590	188	62.7	11620	220	230	118
0000 C.T.	Holwan	. 483 (30)	566 (30)	-18.3 (30)	52 80	54 2	_11.9	42 6 0	610	14.2	15784 (20)	121 (20)	-6 9 .6 (20)	17070	92	73.0	14760	13 6	68.4	1 3 050	182	230	110
	Aswan . (A) 471 (28)	581 (28)	-13.8 (25)	55 2 0	52 6	2 6.0	420 0	614	10.3	16 422 (25)	105 (25)	76.6 (25)	17 6 0 0	85	80.2	1 520 0	128	72 .6	23 73 0	34	110	50
		(N)	(N)	(N)							(N)	(N)	(N)						•				
	M. Matruh (A	(26)	5 676 (26)	-12.9 (7)	5220	54 6	18.3	413 0	623		1 5486 (20)	1 22 (20)	67.3 (20)	16699	100	73.2	13770	158	-60.1	12950	180	240	110
1300 U.T.	Helwan	. 496 (29)	561 (29)	-21.6 (29)	5670	51 5	20. 2	4060	615	13.5	15 944 (23)	11 3 (2 3)	-70.2 (23)	16849	100	-69.7	14600	140	68.0	11760	2 2 2	235	108
**	Aswan (A	483 (25)	573 (35)	-17.8 (25)	5300	54 0	21.4	4890	804	15 .5	17 42 1 (23)	100 (23)	76.0 (21)	17920	82	78.0	15800	117	71 . 2	22810	3 8	085	52

N - The Number of cases the element has been observed during the month.

Table B 3.—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

MERSA MATRUH (A)—SEPTEMBER 1969

- 94 - 1 - 1 - 1		1		-				V	Vind	betwe	en s	ecifie	d ran	iges (of dire	etion	(000	360)°)							calm	r of (TN)	wind ts)
Station	Prussure Surface (Millibar)	34	/	01	14	04 / 07		07 /	.		05 / 34	١,	35 / 64		65 / 94		95 / 24	22 / 25	İ	25 / 28	İ		85 / 14		15 44	्हु , हु	. ¥	lean scalar win speed (knots)
ž	(22	N	(ff) m	N	(ff)	N	(ff) m	N	(ff)	N	(ff)	N	(ff)	N	(ff) m	N	(ff)	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	Number win	Total numb	Мевп
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	1 3 5 2 2 2 1 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0	11 9 18 25 16 13 10 —————————————————————————————————	0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	24	0 0 1 2 0 0 0 0 0 0 0 0 0 0 1 2 3 1 1 2 3 1		0 0 2 1 1 1 1 0 0 0 0 0 0 1 1 1 0 0 0 0	111 5 10 14 — — — — — — — — — — — — — — — — — —	0 2 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0	8 - 11 6 6 -	1 1 0 0 0 0 1 0 0 0 0 0 1 1 1 0 0 0 0 0	9 10 	3 2 1 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	7 6 9 - 28 - - - - - - -	0 1 0 0 0 0 0 0 0 2 2 2 2 2 2 0 0 0 0	7 ————————————————————————————————————	6 0 2 1 0 4 5 14 10 12 13 8 2 1 1 1	7 15 9 22 21 37 46 51 52 31 14 22 2 2 2 2 10	9 3 1 8 12 8 12 5 9 5 4 5 0 1 0 0	6 11 14 23 24 29 40 45 49 42 29 60 -	3 6 10 8 8 9 3 3 4 2 2 1 1 1 0 0 0 0	11 11 19 21 22 21 30 47 38 50 71 60 67 —	4 10 5 4 2 1 3 1 0 0 0 0 0 0 0 0 0 0 0 0	10 15 14 16 26 30 26 ———————————————————————————————————	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	28 28 28 26 26 26 25 21 21 10 9 7 2 1	8 11 16 20 21 22 27 37 44 51 53 31 14 19 9 26 14 6
1200 U.T.	Surface 100G 850 790 600 500 400 300 250 200 150 100 70 60 50 40 30 20	9 0 2 1 0 0 0 0 0 0 0 0 0 0 0	12 13 24 21	2 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10	0 0 2 0 1 1 0 0 0 0 0 0 0 0 0 0 0 1		0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1	111 — 12 17 17 18 12 32 32 .	0 0 0 1 1 0 0 0 0 0 0 0 0 0 2 3 3 2 1 1 1	16 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 6 - 32 - 17	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15	0 0 0 0 0 0 2 2 1 0 0 0 0 0 0 0 0 0 0 0	20 228 10 	0 0 2 8 8 7 5 7 11 7 8 12 3 1	16 16 19 29 37 553 46 50 55 34 17 17	1 1 8 4 7 8 10 8 10 10 9 2 0 0 0 0	16 14 13 16 25 28 34 36 49 51 39 15	3 0 10 6 8 5 5 5 1 1 0 0 0 1 0 0	16 26 24 25 26 24 25 26 27 53 ———————————————————————————————————	17 20 7 5 1 2 1 0 0 0 0 0 0 0	13 17 15 15 7 14 13 	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30 30 30 28 27 24 23 21 22 19 10 16 13 11 10 9 8	13 16 15 19 20 \$8 \$1 39 46 52 47 32 10 14 16 17

N = The number of cases the element has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month,

HELWAN — SEPTEMBER 1968

74	· 等高數數學 (1) · 1 · 2 · 1 · 1 · 1 · 1 · 1	velt 3				×.	HB	LWI	VN -	– SE	PTI		ER	1968	3 				.							
1		1				W	7ind 1	betwe	en sp	ecified	rang	ges o	f dire	ction	(000	 36 0	°)							celm	for of	in d
Station	Prussure Surface (Milliber)	345 014	0	15	045 / 074	07	14	10 / 13	5	13. / 16.	4	16 / 19	4	19 / 22	4	22 / 25	4	25 / 28	4	28 / 31	4		15 / 44	ig of	numb	scalar wi
		N (f	N	(ff)	N (fi	N	(ff) m	N	(ff) m	N	(ff) m	Ŋ	(ff) m	N	(ff) m	N	(ff) m	N	m (£f)	N	(ff)	И	ff)	Number wit	Total	Moan soal
.T. D. 0000	Surface 1000 880 700 600 500 400 390 250 200 150 100 70 60 50 40 30 20	4 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7	9 111	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3	0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	77	0 0 0 2 1 1 0 0 0 0 0 0 0 2 0		0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13	0 0 0 0 2 3 2 2 3 0 2 4 0	18 20 18 36 60 -62 23 	0 0 2 5 5 12 16 19 19 20 14 1 0 0	2 12 16 21 28 46 48 56 53 21	0 0 2 6 14 11 12 7 7 6 6 6 2 0	14 19 18 22 25 37 42 44 41 18	0 0 6 10 4 1 0 1 0 0 0 0	18 16 16 12 23 - 36	1 0 0 11 6 3 2 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 11 14 17 12 — — — — — — — — —		30 30 30 30 30 30 30 29 29 27 23 8 3 1	7 9 13 15 16 20 26 41 46 52 49 20 18 4 —
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 4 - 0 4 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 - 2 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	6 2 0 0 0 0 0 0 0 0 0 0 0 0 1 1 2 0 0 0 7 0 0	- - - - - - - - -	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 	0 1 1 0 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 1 1	9 9 9 300 200	0 1 1 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 -1 3 3 3 0 0 2 3 2 1 0 0 0 0 0 0		0 1 9 13 12 18 18 16 16 16 0 0 0	4 17 17 26 27 42 47 47 42 20	0 -1 7 8 7 6 8 8 7 4 1 0 0 0	16 10 17 18 24 26 37 36 30 23	6 -2 5 3 2 3 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 	9	10 - 9 12 - 10		30 30 30 29 29 27 27 27 26 22 8 5 3 3 3	10 9 14 16 20 25 37 43 47 41 18 16 27 21 26 —

N == The number of cases the wind has been observed for the range of direction during the month.

TN - The total number of cases the wind has been observed for all directions during the month.

Table B 3 (contd.)-- NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

ASWAN (A) — SEPTEMBER 1968

<u>-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>					Wind	between sp	pecified ran	ges of dire	ection (000)—360)°				calm	(TN)
Station	Prusaure Surface (Millibar)	345 / 014	015	045 / 074	075 104	105 / 135	135 / 164	165 / 194	195 	225 / 254	255 / 284	285 / 314	315 / 344	of ds	12 1.4
ž	(-2)	N (ff	N	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	Number win	Total numb observations Mean speed speed (one
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	16 16 16 12 13 13 14 16 16 16 16 16 16 16	2 14 0 - 1 18 1 8 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	1 25 6 13 1 18 0 — 0 — 1 2 0 — 0 — 1 14 1 16 0 — 4 16 4 23 2 27 1 24 1 28	0	0 — 2 13 0 — 5 9 2 8 0 — 0 — 2 10 3 12 13 18 3 20 1 14 1 15 2 33 0 — —	0 - 3 8 0 - 6 6 2 3 0 - 7 3 12 5 18 9 19 2 16 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	0	0	0	0	4 12	8 9 3 12 3 7 2 11 2 4 1 5 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30	21 10	0 -	0 — 1 12 3 9 0 — 3 12 3 6 1 2 0 — 1 3 0 — 1 3 0 — 1 2 2 22 0 — 1 22 0 — 0 — 0 —	0 — 2 4 0 — 2 6 1 4 2 4 2 4 0 — 0 3 15 11 22 14 22 10 29 8 24 8 24 3 30 — —	0 -	0	0	0	0 4 6 12 15 8 15 3 7 7 15 6 13 3 14 6 14 3 17 0 0	0	2 8 -7 11 14 2 12 12 0 0 1 12 0 0 0 0 0 0 0	2 10 5 16 1 20 3 10 2 6 0 — 0 —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 10

N = The number of cases the wind has been observed for the range of direction during the month.

TN - The total number of cases the wind hasbeen observed for all directions during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL-KASR - SEPTEMBER 1968

This month was slightly warmer and drier than normal. The maximum air temperatures of the month were all about normal except on the 10th, 24th and 25th when the maxima were above normal. The highest maximum for the month occurred on the 10th (35.7°C).

The extreme maximum soil temperatures were lower than the corresponding values of last September for all depths between 2 and 50 cm, while for 100 cm depth it was the same as for September 1967. The differences ranged between 0.2 °C at 50 cm depth and 2.4 °C at 2 cm depth.

The extreme minimum soil temperatures were lower than the corresponding values of last September for all depths between 2 and 50cm, while for 100cm depth it was the same as for September 1967. The differences ranged between 0.2°C at 50 cm depth and 0.9°C at 5 cm depth.

The total actual duration of bright sunshine was 8.4 hours lower than the corresponding value of last September.

TAHRIR - SEPTEMBER 1968

This month was cooler and slightly more humid than normal. The month was characterized by four heat waves on the 1st and in the periods (10th - 11th), (17th -20th) and on 26th. The 1st heat wave was the most excessive and yielded the highest maximum air temperature of the month 36.8°C. The month was also characterized by three cold waves in the periods (12th - 13th), (22nd - 24th) and (27th - 30th)

The extreme maximum soil temperatures at depths 2,50 and 100 cm were 1.2°C, 0.6°C, 0.7°C respectively lower than the corresponding values of last September; while at 5,10 and 20 cm depth the values were 0.2°C, 0.1°C and 0.3°C repsectively higher than the corresponding values of September 1967.

The extreme minimum soil temperatures at all depths between 2 and 100cm were lower than the corresponding values of last September. The differences ranged between 0.7°C at both 50 and 100 cm depths and 2.0°C at 2 cm depth.

The mean daily Pan evaporation was 0.19 mm higher than the corresponding value of September 1967. Total actual duration of bright sunshine was 8.1 hours higher than the corresponding value of last September.

BAHTIM - SEPTEMBER 1968

This month was cooler and drier than last September. The maximum air temperatures were below average all days of month expect for the 1st, 26th and for the periods (10th-11th), (17th-20th) when heat waves prevailed.

The highest maximum air temperature occurred on the 11th (37.3°C).

The extreme maximum soil temperatures at depths 5,10,20 and 100 cm were higher than the corresponding values of last September. The differences ranged between

0.5°C at 100 cm depth and 5.7°C at 5cm depth. The extreme maximum soil temperature at 2cm depth was 2.3°C lower than the corresponding value of September 1967, while at 50 cmdepth the value was the same as for last september. The extreme minimum soil temperatures at 2.5 and 10 cm were 1.4°C 0.4°C and 1.3°C respectively lower than the corresponding values of last September, while at depths 20,50 and 100 cm the values were 0.1°C 0.6°C and 0.7°C respectively higher than corresponding values of September 1967.

The mean daily Pan evaporation was 0.36 mm higher than the corresponding value of last September. Total actual duration of bright sunshine was 2.8 hours lower than the corresponding value of September 1967.

KHARGA - SEPTEMBER 1968

This month was warmer and drier than normal. The month was characterized by four heat waves during the periods (1st-3rd), 11th, (17th-21st) and (26th-27th). The second heat wave was the most excessive and yielded the highest maximum air temperature of the month (43.4°C). The month was also characterized by four cold waves during the periods (5th-9th), (12th-15th), 23rd and (28th-30th).

The extreme maximum soil temperatures at depths between 2cm and 20 cm were lower than corresponding values of last September, the differences ranged between 0.2°C at 20 cm depth and 2.8°C at 5cm depth. At 50 and 100 cm depth the extreme maxima were 0.1°C and 0.3°C respectively higher than the corresponding values of last September

The extreme minimum soil temperatures were higher than the corresponding values of last September at all depths. The differences ranged between 0.4°C at both 20,50 cm depth and 1.9°C at 2 cm depth.

The mean daily Pan evaporation was 0.26mm lower than corresponding value of last September. Total actual duration of bright sunshine was 1.9 hours lower than corresponding value of September 1967.

Note. — During this month recording charts of the mercury in steel hygrograph were not available at Tahric and Bahtim & Kharga centres. For these Centres mean of the day of air temperature, relarive humidity and vapour pressure are calculated using the follosing equations:—

Mean of the day of Air temperature

^{= [} (0600 + 1200 + 1800) U.T. dry bulb thermometer readings + minimum ai temperature | \div 4.

Mean of the day of Vapour pressure

^{= (0600 + 1200 + 1800)} U.T. observation $\div 3$.

Mean of the day of Relative Humidity

^{= (0600 + 1800)} U.T. observation $\div 2$.

Table C 1.—AIR TEMPERATURE AT 1½ METRES ABOVE GROUND SEPTEMBER — 1968

	,	Air Ten	peratur	, (°C)				Mean		on in h		-		erature		
STATION	Mean Max.	Mean Min,	of the	Night time mean	time	5°('	0°C	5°C	16°C	15°C	20°C	25°C	30°C	35°C	40°C	45°C
Elkasr	28.7	19.0	24.1	21.6	26.5	24.0	24.0	24.0	24.0	24.0	20.2	10.0	0.3	0.1	0.0	0.0
Tehrir	32.6	17.6	24.1	-	28.2	-	-	-) -	-	-	-		-	_	-
Bahtim	32.2	16.1	23.4	-	28.0	_		-) —	-				-	-] —
Kharga	36.8	21.8	29.7	26.6	32.8									-	_	_

Table C 2. EXTREME VALUES OF AIR TEMPERATURE AT 12 METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS.

SEPTEMBER - 1968

	Max.	remp, at	11'2 metre	s (°C)	Min.	Temp, at	13 metres	(°C)	Min. I	emp. at 5	cms, abo	ve (°C)
Station	Hight	t est	Lov	vest	High	it est	Low	rest	Dry	soil	Gre	:88
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Value
Elkasr	35.7	10	26.4	30	23.5	21	16.1	16	12.8	16	-	_
Tahrir	3 6.8	1	28.7	29	21.0	11	14.2	29	12.8	24,29	-	_
Bahtim	37.3	11	29.3	29, 3 0	20.0	17	12.4	30	10.2	30	-	-
Kharga	43.4	11	31.8	29,30	26.5	4	16.7	17	14.5	17	-	

Table C 3.—(SOLAR + SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY, VAPOUR PRESSURE AT 13 METRES ABOVE GROUND, EVAPORATION & RAINFALL.

SEPTEMBER - 1968

	liation		on of Bi	•	Rel	ative	Hum	idity		Vapo	our pr	essure	(mm	s)		oration ms)	F	(mms)	
Station	(Solar + Sky) Radial gm. cal/cm²	Total Actual monthly	Total Possibly monthle	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 U.T.	Highest	Dete	Lowest	Date	Piche	Pan class A	Total Amount Monthly	Max. Fall in one day	Date
Elkasr	458.2	324.6	370.7	88	68	60	22	25	15.4	16.8	21.1	1	9.2	25	7.4	11.59	Tr.	Tr.	10
Tahirr	510.7	311.1	370.2	84	74	44	22	20	16.0	15.0	22.4	18	8.9	20	7.5	8.33	0.0	0.0	-
Bahtim	}	}	}		73	40	22	20	14.9	13.5	19.6	1	9.7	20	7.3	8.13	0.0	0.0	_
Kharga	}	1	1)]	31	20	10	21	9.2	8.8	15.2	12	5.0	21	22.5	18.60	0.0	0.0	
_	}	ļ	t į				{}		· ·										

Table C 4.—EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS (cms)
IN DIFFERENT FIELDS

SEPTEMBER — 1968

STANION	Highest (H) Lowest (L)		Extren		-	iture (°C lepths (C) in di (cms.)	ry field		Ex			-		•	C) in g (cms.)	TABE
	Higl Lov	2	5	10	20	50	100	200	300	2	5	10	20	50	100	200	30
Elkası	H L	40.3 22.3	37.2 21.0	33.4 22.4	29.1 25.1	28.4 26.3	27.0 26.2	23.4 23.1		_	_	-			_		
Tahrir	H L	51.2 22.5	46.2 21.8	40.1 22.7	35.4 26.5	31.8 28.3	31.2 28.9	29.5 28.9	28.6 28.5	_		_	_	-	_	_	-
Bahtim	H L	52.5 24.7	46.7 23.6	$\frac{38.8}{25.1}$	34 2 29.1	31.7 29.9	30.3 29.6	$27.7 \\ 27.3$	26.1 25.6	_		=	-	_			-
Kharga	H L	52.0 20.5	46.9 23.1	40.5 26.8	36.6 30.2	34.7 32.0	33.6 32.4	31.6 31.3	30.0 29.7	_			-	_		_	-

Table C 5. SURFACE WIND

SEPTEMBER --- 1968

		$egin{array}{ccc} ext{Speed} & ext{i} & ext{in} \end{array}$	n/ses		Dàys	with surfac	ce wind sp	peod at 10	metres		Max. Gust	
STATION	Mean of the day		day time mean	>10 knots	≥15 knots	≥20 knots	≥25 knot s	≥30 knots	≥35 knots	≥40 knots	valuo	Date
				1								
Elkasr	2.4	1.9	3.0								_	j -
Cahrir	2.2	1.2	3.1	27	5	0	0	0	0	0	26	11
Bahtim	1.9	1.0	2.7	25	3	1	0	0	0	0	30	11
Kharga	1 4 3	3.3	5.4	28	28	15	3	0	0	0	37	ĺ

PRINTED IN ARAB REPUBLIC OF EGYPT BY THE GENERAL ORGANIZATION FOR GOVT. PRINTING OFFICES. CAIRO

First Under-Secretary of State

ALY SULTAN ALY

Chairman of the Board of Directors




MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 10

OCTOBER, 1968



U.D.C. 551, 506.1 (62)

THE EGYPTIAN METEOROLOGICAL AUTHORITY
CAIRO

PUBLICATIONS OF THE METEOROLOGICAL AUTHORITY OF THE ARAB REPUBLIC OF EGYPT — CAIRO

In fulfilment of its duties, the Egyptian Meteorological Authority issues serveral reports and publications on weather, climate and agro-meteorology. The principal publications are described on this page.

Orders for publications should be addressed to :

"Chairman of the Board of Directors, Meteorological Authority, Kubri-el-Qubbeh - CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Authority since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968, this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

As from 1st January 1972, the Daily Weather Report will not be issued or distributed because it does not serve no longer any good purpose as it used to be in the past. The Meteorological Authority is ready to supply the recipients of the Report with any information used to be included in it, if they so desire.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for Egypt.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of Egypt as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff "The Meteorological Institute for Research and Training" and the Operational Divisions of the Meteorological Authority.

TECHNICAL NOTES

As from October 1970, the Meteorological Authority started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.



MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 10

OCTOBER, 1968

U.D.C. 551, 506.1 (62)

CONTENTS

	P¥0E3
General Summary of Weather Conditions	1-2
SURFACE DATA	
Table A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	
" A2.—Maximum and Minimum Air Temperatures	4
" A3.—Sky Cover and Rainfall	5
" A4.—Number of Days of Occurrence of Miscellaneous Weather Phenomena	6
, A5.—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	7,8
UPPER AIR DATA	
Table B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surfaces	9.10
B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	11
" B3.—Number of Occurrences of Wind Direction Within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	12–14
AGRO-METEOROLOGICAL DATA	
Reviews of Agro-meteorological stations	15,16 17
" C2.—Absolute Values, of Air Temperature at 1½ Metres Above Ground, Absolute Minim um Air Temperature at 5 Cms Above Ground Over Different Fields	i 7
"C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ Metres Above Ground, Evaporation and Rainfall	17
, C4.—Extreme Soil Temperature at Different Depths in Different Fields	18
" C5.—Surface wind	18

Note For explanatory notes on tables please refer to Volume 11, Number 1 (January 1969).

GENERAL SUMMARY OF WEATHER CONDITIONS

OCTOBER 1968

Normal autumn weather, intervened with three transitory Mediterranean disturbances. Local heavy rain, occasionally thundery on the 6th, 14th, 23rd and 30th over the Mediterranean coast.

GENERAL DESCRIPTION OF WEATHER

The prevailing weather during this month was humid and mild in the northern and mildle parts, and rather hot, very dry in the southern parts.

Light rain fell over the northern coast during several days and extended to few localities inland round the 14th and 30th. Rain was heavy and associated with thunderstorms over few places in the Mediterranean district on the 6th. 14th, 23rd, and 30th. Light rising sand occurred during several days over scattered places mainly in the Mediterranean and Red Sea districts.

PRESSURE DISTRIBUTION

The most outstanding features of pressure distribution over the surface maps during this month were:

- --- The Siberian anticyclone & Atlantic anticyclone.
- Travelling deep low pressure systems through North Europe.
- Three secondary depressions through the Mediterranean.
- Complex thermal trough over Arabia and North Sudan.

The barometric pressure over Egypt during this month showed seven falls round the periods: (1st - 2nd), (4th - 6th), (9th - 11th), (13th - 14th), (17th - 20th), (22nd - 24th) and (27th - 29th).

Three of these pressure falls (the first, sixth and seventh) were caused by the transit of three secondary depressions which developed over Central Mediterranean and passed through East Mediterranean on the 2nd, 24th and 29th respectively.

The other four pressure falls were due to the slight deepening and extension of the complex thermal trough over Arabia and North Sudan towards East Mediteranean.

During the rest periods of the month, the barometric pressure over Egypt was above normal and high pressure established over the Mediterranean and North Africa.

The most important features of pressure distribution over the synoptic upper air charts during this month were:

- Deep upper low pressure systems over North Atlantic and North Russia.
- Secondary upper lows or troughs over the Mediterranean and its vicinities, passing through East Mediterranean and north of Egypt on the 8th, 16th, 25th and 30th.
- --- Upper high pressure belt over the subtropical latitudes.

SURFACE WIND

The prevailing surface winds during this month were generally light to moderate Nly, but they changed to W/SW in advance and by the passage of Mediterranean troughs through north Egypt Surface winds became fresh to strong during several days over scattered localities in the Mediterranean, Western Desert, Upper Egypt and Red Sea districts.

TEMPERATURE

During this month maximum air temperature oscillated slightly round normal in the northern parts and below normal in the central and southern parts. Maximum air temperature values ranged most days of the month between 24° & 30°C in the northern parts, between 27° & 31°C in the central parts, between 32° & 36°C in the southern parts.

The absolute maximum air temperature was 38.7°C reported at Aswan on the 19th.

Cairo, February 1972

Minimum air temperature oscillated round normal in the northern parts and below normal in the central and southern parts.

Minimum air temperature values ranged most days of the month between 13° & 20°C in the northern and central parts, between 16° & 22°C in the southern parts.

The absolute minimum air temperature was 10.0 °C reported at Siwa and Dakhla on the 28th & 21st respectively.

PRECIPITATION

Light rain fell during several days over the Mediterranean district where its monthly amounts were above normal. It extended southwards to local places inland round the 14th and 30th. Rain was heavy over scattered places in the Mediterranean district on the 6th, 14th, Mrd and 30th, and was associated with lightining & thunder.

The highest daily rainfall amount was 55.0 mms reported at El Kasr on the 23rd, which is a record for October.

The highest monthly rainfall amount was 93.9 mms reported at Dabaa.

Chairman (M. F. TAHA)

Board of Directors

Table A 1.—MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION

OCTOBER - 1968

	Atmos	pheric				Air '	Temperati	re °C				Rel	ative	Bri	ght Sunsh	ine	m me.
	Pressure M.S		Maxi	mum	Mini	mum		Dry	Bulb	Wet	Bulb	Humi	dity %	Dur	ation (Ho	ars)	poration
STATION	Mean	D.F. Normal or Average	(A) Mean	D.F. Normal or Average	(B) Mean	D.F. Normal or Average	A+B 2	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Total Actual	Total Possible	%	Piche Evaporation
sllum	1016.0 1016.0 1015.9 1015.0	-0.2 -0.4 +0.1 -0.1 -	26.4 25.7 27.6 26.7 —	-1.0 -1.3 -0.2 -0.6	16.8 15.9 16.1 20.4	-1.1 -0.9 -1.6 -1.4	21.6 20.8 21.8 23.5	21.2 20.5 21.8	-1.4 -1.2 -0.9 -	16.7 16.9 17.8	-1.5 -0.9 -1.0 -	54 68 68 — —	-10 +2 -2 -	325.7 807.6	354.2 354.2 354.2	92 87	8. 6. 8.
anta (A)	1015.5	+1.1	29.0 28.4	-1.1 -1.5	15,6 16.8	+0.1	22.3	21.5	-0.6	17.4	-0.6 -1.2	6 5	-3	291.6	354.5 —	8 2	12.
'ayoum (A) Iin ya (A) Lasyout (A) Luxor (A) Luxor (A)	1014.8 1014.2 1012.7 1012.0	+0.6 +0.6 +0.9 +0.8	29.7 29.8 30.1 34.8 34.2	$ \begin{array}{c c} -1.7 \\ -1.6 \\ -1.0 \\ -0.3 \\ -2.7 \end{array} $	15.5 14.0 15.9 16.8 18.8	-1.8 -1.6 -2.1 -0.8 -0.6	21.9 23.0 25.8 26.5	21.9 22.8 25.5 26.0	$ \begin{array}{c} -1.3 \\ -1.6 \\ +0.6 \\ -2.2 \end{array} $	16.0 15.5 16.8 15.2	-1.5 -1.8 -1.1 -0.6	51 42 38 26	4 4 1 +6	322.7 	356.8 — — —	90	6.1 10.4 14.5 9.5 21.5
iiwa	1016.1 1015.7 1015.4 1014.1	+0.1 +1.2 - +2.5 +1.2	28.2 29.1 29.4 29.8 31.4	-3.4 -2.0 +0.9 -2.4 -2.7	13.7 14.2 14.2 14.0 17.1	$ \begin{array}{c c} -1.2 \\ -1.8 \\ +1.2 \\ -3.1 \\ -1.4 \end{array} $	20.9 21.6 21.8 21.9 24.2	21.2 21.7 22.3 24.6	-1.9 -2.1 - -2.4 -1.1	15.9 15.2 ————————————————————————————————————	-0.1 -1.4 -1.4 -1.2	55 46 	+1i 3 +1 +1	333.9	- - - 358,6	- - - 93	8.1 7.4 15.6 14.6
For	1012.3 1013.1	+0.2 +0.9	29.0 28.6	+0.2 -1.5	19.4 21.9	-0.4 -0.9	24.2 25.2	24.6 25.3	-0.3 -0.6	18.2 19.3	 1.0 0.3	 50 55	6 +2	=	-	1 1 1	16.3 15.2

Table A 2.—MAXIMUM AND MINIMUM AIR TEMPERATURE

OCTOBER — 1968

Station	Maximum Temperature °C									Grass Tem		Minimum Temperature							
	Highest	Date	Lowest	Date	No. of Days with Max-Temp.				Mean	D. From Normal	Highest	Date	Lowest	Date	No. of Days with Min, Temp.				
					> 25	> 30	> 35	>40	> 45	*	D. Froz	Æ	A	P P		<10	< 5	<0	<-5
Ballum		22 5 15 15 —	22.5 22.2 24.8 23.0	31 14 30 31	23 18 29 29	1 1 0 -	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 -	0 0 0	16.6 14.6 19.7		19.8 17.6 20.5 22.5	6 3,7 11 6 —	14.2 13.6 13.7 17.6	31 16 29 24	0 0 0 0 -	0 0 0 0 -	0 0 0 -	0 0 0 -
Canta	31.6	15	24.2	31	30	5	0	0	0	_		18.0	2.3	13.6	17	0	0	0	0
Fayoum	32.7 32.4 32.0 37.4	7 7 7 8,15,18* 9 19	25.2 26.4 26.8 26.0 29.5 29.0	31 31 31 25 31	31 31 31 31 31	11 10 18 30 27	0 0 0 16 14	0 0 0 0	0 0 0 0 0	13.4 12.0 13.8 10.9		18.8 16.6 17.5 20.0 22.5	8 9 6,7,8 17,18 16	13.2 11.6 13.3 12.7 14.4	24 15 28 27 28	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0 0
iwa	32.3 31.9 32.4 34.6 35.9	23 6 1.6 23 23	20.0 25.5 25.6 26.4 27.7	14 31 31 25 31	29 31 31 31 31	7 12 12 15 25	0 0 0 0 1	0 0 0	0 0 0 0 0	12.2 12.8 14.1 —	- - - -	16.7 17.2 17.6 16.8 21.0	23 8 12 19,20 4,9	10.0 11.7 10.4 10.0 11.8	28 26,27 26 21 15	0 0 0 0 0	0 0 0 0	0 0 0 0	
for	31.6 30.6	16 16	26.7 26.6	31 26	31 31	- 5 2	0 0	0 0	0	20.4	=	23.2 24.2	17 17	15.3 18.9	30 31	0 0	0 0	0 0	

^{*} More than three days.

Table A 3.—SKY COVER AND RAINFALL OCTOBER — 1968

STATION		Maen	Sky Cov	er Oct.		Rainfall mms.											
	00	06	12	18	Daily Mean	Total Amount	D. From Normal	Max. Fall in one day		Number of Days with Amount of Rain							
	U.T.	U.T.	U.T.	U.T.				Amouut	Date	<0.1	≥0.1	≥1.0	≥5.0	≥10	≥25	≥50	
Sallum	2.8	2.5 3.6 3.2 1.4	4.2 4.3 4.2 1.7	1.8 2.4 2.9	2.0 3.1 3.1	23.2 37.3 3.3	+ 6.1 +21.1 -5.9	8.6 17.2 1.6 4.9	15 14 30 31	0 2 1 2	9 8 4 3	5 4 1 3	2 2 0 0	0 2 0 0	0 0 0	0 0	
El Arish Ghaza	- -	=	-			8.8	+1.8	4.9	 		=	-	-	-		=	
Tenta	0.1	0.7	3.1	0.2	1.1	6.1	+1.7	3.5	31	0	3	2	0	0	0	0	
Cairo (A)	0.2	1.0	2.9	0.9	1.3	0.0	-0.8	0.0		0	0	0	0	0	0	0	
Fayoum	0.1 0.1 0.5	0.4 0.2 0.2 1.1 1.5	2.1 1.2 0.5 1.3 1.7	0.8 0.1 0.0 1.2 0.8	0.4 0.2 1.0 1.2	0.0 0.0 0.0 0.0 0.0	-0.9 -0.6 - Tr. -0.1	0.0 0.0 0.0 0.0 0.0		0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0	
Siws	0.1	0.8 0.4 0.3 0.6 0.6	3.2 1.8 1.2 1.2 0.7	0.5 0.3 0.0 0.5 0.2	1.3 0.6 - 0.6 0.5	7.0 - 0.0 0.0 0.0 0.0	+6.7 0.3 1.0 Tr.	3.7 0.0 0.0 0.0 0.0	14 	0 0 0	1 0 0 0	1 0 0 0	0 0 0	0 0 0 0	0 0 0	0 0 0 0	
Tor	0.6	0.9	1.6 1.3	1.3 0.7	1.1	0.0	-0.1 -0.5	0.0 0.0	_ _ _	- 0 0	0	0 0	0 0	- 0 0	- 0 0	-	

Table A 4.—DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA

OCTOBER - 1968

		Precip	itation			orm	0 metres	s tres	is	. Vis	Irising Metres	Sandstorm			
Station	Rain	Snow	Ice Pellets	Hail	Frost	Thunderstorm	Mist Vis ≥ 1000	Fog Vis <1000 Metres	Haze Vis	Thick Haze Vis	Dust or Sandrising Vis ≥1000 Metres	Dust or Sandstorm Vis <1000 Motres	Gale	Clear Sky	Cloudy Sky
Sallulm	9 8 4 3 —	0 0 0 0	0 0 0 0	0 0 0	0 0 0 0	4 2 0 0	0 0 6 0	0 0 1 0 -	0 1 1 -	0 0 0 0	0 8 1 0 -	1 2 0 0 -	0 0 0 0	17 10 4 -	0 1 0 —
Tanta	3	0	0	0	0	0	3	0	0	0	0	0	0	24	0
Cairo (A)	o	0	0	0	0	0	2	0	8	0	1	0	0	22_{ullet}	0
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Aswan (A)	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 1 0 0	0 0 0 0	0 1 0 0	0 0 0 0	0 0 0 1 3	0 0 0 0	0 0 0 0	25 30 22 23	0 0 0 0
Siwa	1 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 1 1	0 0 0 0	0 0 0 0	25 29 	0 - 0 0						
Tor	- o	- 0 0	- 0 0	- 0 0	0 0	- 0 0	0 0	- 0 0	- 0 0	- 0 0	- 3 0	- 0 0	0 0	25	i 0

Table A 5.—NUMBER IN HOURS OF OCCURENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

OCTOBER — 1968

															4		
	rs)	urs)	nours)]	Numb	er in			occurr of d					g fro	m th	9
Station	calm (bours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	015 / 044	045 / 074	075 / 104	105 / 134	135 / 164	165 / 194	195 224	225 / 254	255 / 284	285 / 314	1	All direction
lum	4	0	8	1—10 11—27 28—47 ≥48 All speeds	22 14 0 0 36	62 9 0 0	31 0 0 0 31	16 2 0 0 18	8 4 0 0 12	12 7 0 0 19	5 3 0 0 8	5 8 0 0 13	16 35 0 0 51	29 0 0	131 90 0 0 231	127 49 0 0 176	482 250 0 0 7 32
rsa Matruh . (A)	4	2	15	1—10 1—27 28—47 ≥48 All speeds	81 21 0 0 102	18 7 0 0 25	16 9 0 0 25	9 3 0 0 12	16 0 0 0 16	13 1 0 0 14	22 28 0 0 59	31 17 0 0 48	28 0 0	107 29 0 0 136	36 16 0 0 52	68 70 0 0 138	494 229 0 0 723
exandria (A)	25	2	182	1—10 11—27 28—47 ≥48 All speeds	64 5 0 0 69	34 9 0 0 43	28 1 0 0 29	18 0 0 0 18	27 0 0 0 27	20 0 0 0 20	15 0 0 0 15	34 1 0 0 35	24 0 0 0 24	11 10 0 0 21	9 0 0	128 19 0 0 147	481 54 0 0 535
rt Said (A)	1	0	13	1—10 11—27 28—47 ≥48 All speeds	151 11 0 0 163	75 7 0 0 82	26 9 0 0 35	6 0 0 0 6	8 1 0 0 9	8 0 0 0 6	15 0 0 0 15	35 7 0 0 42	74 37 0 0 111	35 6 0 0 41	42 0 0	112 10 0 0 122	600 130 0 0 730
nt a	125	o	0	1—10 11—27 28—47 ≥48 All speeds	55 0 0 0 55	33 0 0 0 33	18 0 0 0 18	14 0 0 0 14	6 0 0 0 6	5 0 0 0 5	66 0 0 0 66	87 0 0 0 87	64 0 0 0 64	69 3 0 0 72	89 0 0 0 8 9	110 0 0 0 110	616 3 0 0 619
iro (A)	53	2	6	1-10 11-27 28-47 >48 All speeds	52 11 0 0 63	105 45 0 0	81 16 0 0 97	75 6 0 0 81	23 5 0 0 28	19 0 0 0 19	14 0 0 0 14	23 0 0 0 23	24 0 0 0 24	37 12 0 0 49	62 8 0 0 70	61 4 0 0 65	576 107 0 0 683
yo am	31	1	2	1—10 11—27 28—47 ≥48 All apeeds	0 0	159 4 0 0 163	19 0 0 0	6 0 0 6	9 0 0 9	5 0 0 0 5	6 0 0 0 6	15 0 0 0 15	36 4 0 0 40	32 0 0 0 32	65 0 0 0 65	81 0 0 0 81	702 8 0 0 710
in ya (A)	6 9	12	0	1—10 11—27 28—47 ≥48 All speeds	262 80 0 0 343	26 1 .0 0	2 0 0 0 8	2 0 0 0	2 0 0 0	0 0 0 0	2 0 0 0 2	3 0 0 0 3	7 0 0 0 7	15 2 0 0 17	0	191 52 0 0 243	538 135 0 0 673
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>			l		<u> </u>		!					

Table A 5 (contil.)—NUMBER IN HOURS OF OCCURENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

OCTOBER 1968

													<u>.</u>				
	178)	ours)	hours)		N	Vumbe	er in	hours ra	of oc						g fro	m the	,
Station	calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	11	045 / 074	1	105 / 134	1 :	1:	195 [†] / † 224	1	255 / 284	285 / 314	1 .	All directions
Asyout (A)	2	U	37	1 10 11 - 27 28 - 47 ≥ 48 All speeds	27 42 0 0	9 0 0 0 9	5 0 0 5	1 0 0 0 1	9 0 0 0 9	1 0 0 0	1 0 0 0	2 0 0 0 2	0 0 0	1 · · 0 0	22 ¹ 0 0	103 126 0 0	514 191 0 0 705
Luxor (A)	U	0	U	1 ~10 1127 2827 ≥48 All speeds	24 0 0 0 24	23 0 0 0 23	2 0 0 0 2	20 0 0 0 20	21 0 0 0 21	0 0 0	195 0 0 0 1 95	47 0 0 0 47	27 0 0 0 31	09 0 0 6 10 10	150 5 0 0 155	48 2 0 0 50	737 7 0 0 244
As wan (A)	0	0	0	1 - 10 11 - 27 28 - 47 248 All speeds	462 81 0 0 543	46 3 0 0 49	. 1 0 0 0 1	0 0 0 0	0 0 0	0 0 0	3 0 0 0	1 0 0 0	2 0 0 0 2	2 0 0 0 2	6 0 0 6	122 15 0 0 137	645 99 6 0 744
Sawa	. 17	10	7	1 10 11 27 28 17 ≥ 18 Al: speeds	29 0 0 0 29	58 1 0 0 59	33 1 0 0 34	29 1 0 0 30	20 1 0 0 21	14 2 0 0 16	15 4 0 0 19	16 2 0 0 18	67 1 0 0 68	147 2 0 0 149	152 13 0 0 165	89 13 0 0 102	669 41 0 0 710
Palhia	13	23	Ð	1 10 11 27 28 47 ~48 All speeds	37 14 0 0 51	. 14 . 3 . 0 . 0	! 0 0 0	0 0 0	5 0 0 0 3	4 0 0 0 4	17 0 0 0	28 0 0 0 28	73 0 0 0 73	138 - 2 - 0 - 0 146	159 9 0 0 468	15% 48 -0 -0 201	- 632 76 0 0 708
Kharga	. 17	4	27	1 10 11 ⋅ 27 28 ⋅ 47 ≥ 18 All speeds	136 201 0 0 337	6 0 , 0	4 0 0 0 9	1 0 0 0		0 0 0	1 0 0 0 1	0 0 0 0	2 0 0 2	8 0 0 8	20 1 0 0	197 89 0 0 286	399 297 0 0 696
Hurghada	. 3	0	0	1 10 11 27 28 47 248 All speeds	8 168 0 0 176	45 0 0	0	0	4 0 0 0 4	3 0 0 0 3	1 0 0 0	1 0 0 0 0 1 1 1	0 0 0 0 0	0 0 0	136 () ()	0	
Quaeir	. 3	1	1	1.—10 11 27 28 47 ≥48 All speeds	68 141 0 0 209	4 0 0	0 0	0 0	2 0 0 0 2	1 0 0 0 1	2 0 0 0 2	2 0 0 0 2	0	0 0 0	0	103	475 267 (731

UPPER AIR CLIMATOLOGICAL DATA

Table B1. MONTHLY MEANS, ABSOLUTE HIGHER & LOWER VALUES OF ALTITUDE, AIR TEMPERATURE & DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

OCTOBER 1968

Station	Pressure Surface	Alti	tude of Pres	sure Surface	(gpm)		Тетре	rature (°C)		Dew P	oint (°C)
7,	(Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
	Surface	29	1012	* 1016m.b.	* 1009n;.b.	29	17.6	21.4	15.2	29 ,	14. J
1	1000	29	133	10.1011.0.	105	29	18.9	22.4	16.7	29	14.1
1	850	29	1511	1542	1473	29	9.8	14.0	6.4	29	4.0
.]	700	29	3100	3137	3 050]	29	1.4	5.5	- 3.3	26	-9.3
Mersa Matruh (1800 U.T.	600	29	4328	4374	4261	29	_ 5 3	0.2	9.9	23	-17.2
ن <u> </u>	500	29	5736	5805	5 (53	29	14.5	-10.0	-18.9	16	-28.1
2	400	29	7385	7474	7291	29	-27.2	-22.4 -36.1	-32.1 -46.7	16 11	$-39.1 \\ -53.3$
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	300	29	9396	9531	92 7 0	29 29	-41.7 -48.6	-30.1 -43.6	-40.7 -54.4	7	61.2
ا چـ	250 200	29 28	10616 12061	$10760 \\ 12219$	10484 11921	29	-54.6	- 5 0.3	~-E0.3	4	66.6
Ē \	150	26	13847	14062	13735	26	-60.0	- 55.1	-64.7	1	-70.8
ا چُ	100	21	16382	16515	16225	24	-63.9	57.9	~69.1		
3	70	21	18552	18/90	18410	21	-62.3	52.6	-65.9	1 - 1	
2, T	60	20	19512	19653	193. 3	20	=-62.1	59.0	- 6. 9		
×	50	20	20651	- 20850	20484	20	59.1	-47.7	~ 62.8		~~
(40	[]4	22062	22 !83	21953	14	57.2	- 55.4	- 59.3		*
1	30	11	23898	24022	23665	11	=54.7	= 52.1 50.9	-56.3 -52.0	-	
1	20	.5	2/482	26918	20372	5	_51.5		~ 0=.0		
~	10		·	· · · · · · · · · · · · · · · · · · ·		!			`		
1	Surface	31	999m.b.	10 4m.b.	995m.b.	31	19.2	21.4	16.1	31	13.5
- 1	1000	31	130	157	100	10	18.6	= 20.2	16.0	10	13.7
}	850	31	1535	1542	1491	31	12,5	16.0	8.2	31	3.1
1	700	31	3123	3163	3091	[31	5.3	9.2	- 1.7	31	-13.3
	600	31	4368	4416	4310	31	2.1	1,9	- 8.8	30	-20.6
= (500	31	5787	5848	5 7 00	31	12.1	= -8.2 $= -20.0$	17.9 29.9	30	$-29.1 \\ -39.2$
ا نــ	400	31	7458	7624	7319	31	-24.4 -38.9	-34.3	20.9 43.0	30 29	- 52.0
Helwan (ann U.T	300	31	9491	9661	9324	31	=47.0	43.0	- 52.1	29	- 59.0
Ē {	250	30	10718	10826	10540 12007	28	- 55.3	51,1	- 58.9	26	= 6 5.9
= \	200 150	$\begin{array}{ c c }\hline 28 \\ 25 \\ \end{array}$	12179 13986	12306 14129	13827	26	61.8	- 57.8	-65.5	2	- 67.1
\$ }	100	20	16451	16585	16325	20	66.9	- 61.3	$^{-1}$ = 71.0		-
₹	70	20	18614	18740	18500	20	64.5	57.3	- 69.8		-
_	60	18	19581	19712	19449	18	- 62.7	- 58.7	- 66.8)	
1	50	18	20714	20865	20581	18	60,0	- 55.3	-65.5	-	
Į.	40	16	22116	22291	21968	16	= 57.3	-52.3	$\frac{1}{-60.5}$ = 57.9	-	_
(30	{ 11	23959	24141	23778	14	51.1	-49.2 -49.5	= 53.0	_	_
1	20	7	26520	26/38	26380	7	50.9	- 4.7.77	- 00.0		
	10					<u> </u>	<u>. </u>	:		i	
1	Surface	29	980m.b.	993m.b.	* 986m.b.	29	22.0	25.2	16.5	29	6.0
1	1000	29	97	133	72				\ 	\ -	
	850	29	1512	1538	1483	29	20.9	24.0	14.8	29	1.1
į	700	29	3161	3202	3130	29	9.5	14.4	6.0	29	-7.8 -16.2
l	600	29	4418	4475	4370	29	0.4	6.4	-5.4 -12.0	29 29	-25.3
ال	500	50	5860	5935	5803	29	7.9 19.8	3.8	- 24.2	29	34.5
	400	29	7558	7638	7496	29	35.0	31.2	- 39.8	1 28	-47.7
Aswan 0000 U.T.	300	29	9631	9724 10977	9558 10781	29	-44.0	-40.4	-48.0	29	54.4
<u> </u>	250	29	10878 12342	10977	12211	29	- 54.9	- 52.2	-58.1	28	64.9
٠ }	200 150	29 29	12342	14244	13999	29	65.6	= 59.4	- 72.8	1	70.5
를 }	100	27	16528	16669	16349	27	-74.9	-68.8	-80.7	1 -	· —
ž 1	70	22	18660	18810	18540	22	- 68.5	- 64.4	-73.9		
~ 1	60	20	19594	19753	19455	20	-64.6	62.0	-68.8 -66.7		
İ	50	20	20719	20896	20571	20	- 60.7	-55.3 -52.5	-69.8		
\	40	14	21114	22302	21969	14	58.8 56.2	-52.3	-68.4		_
1	30	14	23931	24122	23746	14	- 50.2 53.0	-51.0	59.0	_	•
١	20	8	26531	26719	26230	8		-	-	\	-
	10	<u> </u>		<u> </u>	1		lu otnija				

^{*} The attm spheric pressure corrected to the elevation of the radiosande station.

 $N \approx$ The number of cases the element has been observed during the month.

UPPER AIR CLIMATOLOGICAL DATA

Table B1 (contd).—MONTHLY MEANS, ABSOLUTE HIGHER & LOWER VALUES OF ALTITUDE, AIR TEMPERATURE & DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

OCTOBER — 1968

Station	Pressure Surface	Alt	itude of Pre	essure Surfac	re (gpm)		Tempe	rature (°(')		Dew .	Point (°C)
S.	(Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
.	Surface 1000 850 700	31 31 31 30	1012m.b. 134 1522 3118	1017m.b. 166 1546 3160	*1009m.b. 106 1484 3 951	31 31 31 30	24.3 23.1 11.2 2.3	$29.5 \\ 28.6 \\ 14.3 \\ 8.1$	18.8 17.9 7.7 — 1.9	31 31 31 25	16.0 14.8 3.6 — 7.5
h 1200 U.T	600 500 400 300 250	29 28 28 27 27	4351 5770 7431 9417 10676	4409 5851 7537 9594 10827	4286 5677 7308 9282 10492	29 28 28 27 27	3.6 13.1 25.5 40.2 47.3	2.3 8.1 21.5 35.6 41.0	- 9.1 -18.4 -30.7 -48.2 -51.8	18 15 16 11 10	-14.8 25.2 35.5 51.0 57.0 61.5
Morsa Matruh 1200 U	200 150 10 0 70 60 50	27 26 22 21 16	12135 13967 16496 18699 19667	12290 14130 16357 18880 19805 20963	11972 13829 16362 18580 19533 20681	27 26 22 21 16 16	53.2 58.9 63.0 60.1 59.4 57.3	-47.0 -55.3 -58.5 -55.1 -57.2 -53.6	58.4 62.9 68.7 62.5 60.7 62.0	8 2 — — —	-67.6 -67.6
	40 30 20 10	16 15 10 9 2	22223 24004 28720 31434	20303 22390 24233 26940 31500	22093 22093 23941 26597 31367	15 10 9 2	-54.7 51.6 47.1 32.6	-51.9 -48.8 -44.2 -30.1	-56.8 -53.6 -50.2 -35.2		
Helwan 1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40	31 31 31 29 29 29 29 29 28 25 24 18 17	998m.b. 122 1524 3136 4382 5809 7483 9523 10757 12217 14046 16522 18708 19655 20803	1002m.b. 158 1555 3181 4431 5871 7566 9638 10901 12396 14236 16709 18970 19826 20961	994m.b 89 1491 3091 4319 5720 7370 9366 10583 12034 13855 16359 18560 19494 20625 22029	31 7 31 31 29 29 29 29 28 25 24 18 17	27.2 26.7 13.5 .5.8 — 1.2 —11.1 —23.6 —37.8 —41.5 —53.7 —60.9 —67.7 —64.2 —61.5 —58.9 —55.5	29.7 28.8 17.2 10.0 3.0 —5.9 —20.5 —33.3 —40.1 —49.4 —55.3 —60.9 —57.0 —55.5 —55.7	23.2 23.8 10.1 - 0.3 - 5.7 -15.1 -27.6 -42.6 -54.4 -58.3 -64.3 -74.2 -66.9 -65.1 -62.3 -58.7	31 7 31 31 29 29 29 29 29 27 6 —	10.8 11.0 3.3 14.3 21.8 30.2 40.3 52.6 59.9 66.7 70.1
	30 20 10	13 9 2	22191 24056 26736 31102	22387 24251 26913 31130	23857 26473 31073	13 9 2	-51.3 -47.0 -44.0	-44.1 -42.5 -42.2	-57.0 -52.3 -45.7		
Авwan (A) 1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 110	29 29 29 28 26 24 21 20 19 18 18 13 12 12 11 8 7	989mb.* 90 1520 3168 4430 5873 7590 9667 10925 12393 14190 16601 18721 19662 20787 22213 24063 27013	992 mb.* 123 1551 3216 4183 5940 7650 9736 11008 12514 14385 16915 19060 20027 21172 22612 24528 27644	986mb.* (*6 1494 3132 4374 5796 7517 9451 10673 12110 14406 16226 18320 19244 20349 21725 23530 26551	29 29 28 26 24 21 20 19 17 18 13 12 12 11 8 7 6	32.7	37.6	27.0	29 29 27 24 24 21 19 19 17 1	6.4 - 2.4 - 9.7 -17.0 -26.4 -34.8 -48.4 -57.2 -65.2 -69.3

^{*} The atmospheric pressure corrected to the elevation of the radiosande station.

N - The number of cases the element has been observed during the hanm.

| || |-

Table B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE. THE HIGHEST WIND SPEED IN THE UPPER AIR

OCTOBER - 1968

					Fre	ezing L	evel							Fris	t Tropo	pasue				Hig	chest v	vind st	œd
			Mean		3	Highest			Lowest			Mean			Highes		; ;	Lowes		m,	l).)	- 3	nots
	Station	Altifude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitudo (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Direction (000—360)	Speed in Knots
·	M. Matruh (A)		(N) 673	(N) -9.9	4430	597		2570	745	3.7		150		17050	090	-69.0	11060	239	: 50.8	11600	211	260	124
0000 U.T.	Helwan	(29) 4017 (31)	(29) 628 (31)	(24) 18.3 (30)	4780	572	_2 6.0	2740	731	- 1.8	(25) 14368 (20)	(25) 144 (20)	(1) 64.5 (3)	1651 5	100	-68.7	10960	235	5 3 .7	10950	242	238	168
	Aswan (A)	4492 (29)	599 (29)	-16.8 (29)	5280	54 3	-25.1	3750	648	4.8	16149 (24)	107 (24)	-75.8 (24)	17480	086	-78.2	15100	128	- 72.1	12120	204	230	96
	1	(N)	(N)	(N)							(N)	(N)	(N)									-	
ī.	M. Matruh (A)	36 56 (29)	656 (29)	8.8	4660	577		2780	729	_	I 4036 (25)	154 (25)	-60.5 (25)	17400	089	62.7	10850	241	9.1ئــــ	16720	098	255	165
1200 U.T.	Helwan	4130 (29)	622 (29)	—18.8 (29)	5020	555	-20.8	3070	708	- 9.1	14421 (22)	146 (22)	64.9 (2 2)	16629	100	—70.4	10730	246	51.6	13600	163	245	158
	Aswan (A)	4611 (23)	587 (23)		5290	540	-21.4	3820	643	15.1	16349 (13)	106 (13)	-73.9 (13)	17900	085	—67. 6	145.0	143	—73.3	12270	201	270	130
	Aswan (A)				0290	3.10	21.4	3620	043	13.1		(13)		17900	085	-67.6	1450	143	_/3.3	12270	201		

N = The number of cases the element has been observed during the Month.

Table B 3. -NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

MERSA MATRUH (A) -- OCTOBER 1968

 -					Wind be	otween specified rang	ges of direct	tion (900—	- 36 0°)				Calm	r of T N)	Wind
Time	Pressure Surface (Millibar)	345 / 014 N (ff) m	015 044 N (ff) m	045 074 N (ff) m	075 / 104 	105 135	165 / 194 N (ff) m	195 / 224 N (ff) m	225 / 254 N (ff) m	255 / 284 N (ff) m	285 / 314 N (ff) m	315 /344 N (ff) m	Number of Ca winds	Total Number Observations (T	Mean Scalar Wi Speed (Knots)
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	2 12 1 10 5 13 1 19 1 17 1 22 0 — 0	0	1 12 14 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 18 1 47 1 10 1 10 1	0	1 11 2 10 0 - 1 22 0 - 2 18 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0	0	7 8 1 4 1 12 2 26 1 30 3 26 2 34 3 41 4 56 4 68 1 37 1 61 1 22 0 — 1 11 — —	10 9 1 3 2 8 2 28 6 25 5 32 9 33 12 52 8 60 9 66 11 65 7 48 4 29 5 27 2 25 0 —	3	1 3 8 11 6 14 7 15 1 13 2 18 0 3 2 38 2 54 0 1 54 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 16 3 13 6 14 2 19 1 28 1 57 1 37 0 0 0 1 14 0 0 0 1 14	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	28 26 26 26 26 26 26 27 21 17 12 10	9 12 14 18 24 29 34 50 62 66 71 46 23 23 20 11
1200 U.T.	Surface 1000 850 700 800 500 400 300 250 200 150 100 70 60 50 40 30 20 10	4 11 3 12 2 10 1 28 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	1 13 1 13 0	0	0	0	0	0	6 12 6 16 4 11 6 15 5 27 13 28 15 36 11 55 18 63 16 65 17 12 57 7 34 5 39 0 — 2 17 3 22 1 36	1 10 1 20 10 13 11 18 15 24 9 37 6 53 12 59 5 71 8 70 7 64 5 31 3 26 3 28 4 20 1 37 1 22 1 7	5 16 6 17 7 17 5 11 1 14 1 20 2 34 0	13 13 15 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31 31 31 29 28 27 27 26 25 22 13 13 12 9 8	13 15 14 17 27 31 38 56 64 67 60 46 29 24 11 10 12 18

N = The number of cases the elemnt has been observed during the month.

TN = The total number of cases the wind has been observed fer all directions during the month.

Table B 3.(contd.)—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

HELWAN (A) OCTOBER -1968

		Wind between ranges of direction (000-360)°	Calm	er of (TN) wind	-
Tim•	Pressure Surface (Milliber)	345 015 045 075 105 135 105 195 225 255 285 315 024 044 074 104 134 164 104 224 254 284 314 344 N (ff) (ff) N (ff) N (ff) N (ff) (ff) N (ff) (ff) N (ff) (ff) N (ff)	Number of Ca	Total Number of observation (TN Mean Scalar win	Speed (Knot
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 260 150 100 70 60 50 40 30 20	6 6 10 10 10 1 6 0	3 1 0 0 0 0 0 0 0 0 0 	31 10 10 10 11 12 12 12 1	2 0 8 8 8 2 0 5 5 6 7 7
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	7 9 6 7 1 6 0	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7	9 9 2 5 4 1 5 8

N = The number of cases the element has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

Table B 3 (contd.).—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

ASWAN (A) — OCTOER 1968

					w	ind betwee	n ranges (of direc	ction (000 —-3 CC))°					Celm	r of	vind (=1
Time	Pressure Surface (Millibar)	345 / 014 N (ff) m	015 / 044 N (ff) m	045 074 074 (ff) m	075 / 104 N (ff) m	105 / 134 N (ff) m	135 / 164 N (ff) m	16 / 19 N	5 4 (ff)	195	225 254 N (ff) m	N	ļ	85 / 814 (ff) m	315 344 N (ff) m	Number of C.	Total Number of observation (TN)	Mean Scalar wind Speed (Knots)
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	19 8 3 8 0 -7 1 7 0 -0 0 -0 0 -0 1 7 0 -0 0 -0 0 -0 0 -0 1 7 0 -0 0 -0 0 -0 0 -0 0 -0 0 -0 0 -0 0	2 4 1 5 1 4 0 - 0 0 - 0 0 - 0 0 - 0 0 - 1 15 2 0 0 - 1 18 0 0 - 1 18	0	0 — 4 12 0 — 1 4 1 1 2 0 — 0 — 0 — 2 6 3 12 4 10 5 13 5 17 — —	0	0 - 2 8 0 - 1 5 1 11 0 - 6 - 0 - 0 - 4 13 0 - 2 6 1 5 0	0	14 18 13 	0	0	4 2 3 6 7 7 10 9 7 2 0 1	8 1 14 3 26 1 28 0 30 0 50 0 662 0 550 0 34 0 		8 6 1 13 1 2 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 29 29 29 29 29 29 29 29 29 29 15 14 9	-8 -8 -17 -20 -24 -31 -41 -48 -62 -44 -29 -14 -11 -17
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	19	2 6 3 17 0	0 - 1 10 0 - 1 4 0 - 0 - 0 - 0 - 0 - 0 - 1 5 2 19 0 - 2 13 1 18 0	0	0	0	1 3 4 3 3 1 0 0 0 0 0 1 0 0 1 0 0	2 7 20 14 15 28	0	8 19 6 28 9 32 9 34 11 35 10 44 7 42 10 51 4 28 1 14 0 0 0	5 4 6 7 6 9 5 3	- 1 11 3 16 1 21 0 43 2 25 2 2 58 0 58 0 58 0 58 0 19 0 - 0 - 0 - 0	7 3	6 9 4 9 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 29 27 23 24 21 20 18 18 17 13 12 10 8 7 6 3	8

N = The number of cases the element has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR - OCTOBER 1968

This month was cooler and remarkably rainy than normal. The maximum and minimum air temperatures were below normal most days of the month. Five heat waves prevailed on the days 2nd, 5th and 25th and in the periods (21st-22nd) and (27th - 28th). The 2nd heat wave was the most excessive and yielded the highest maximum air temperature of the month (31.7°C).

The extreme maximum soil temperatures were lower than the corresponding values of last October at all depths except at 50 cm, where the value was the same as the corresponding value of October 1967. The differences ranged between 0.4°C at 100 cm depth and 2.0°C at 5 cm depth. The extreme minimum soil temperatures were lower than the corresponding values of October 1967 at all depths. The differences ranged between 0.3°C at 2 cm depth and 2.7°C at 50 cm depth.

The mean daily Pan evaporation was 1.61 mm lower than the corresponding value of October 1967. Total actual duration of bright sunshine was 12.1 hours lower than the corresponding value of last October.

TAHRIR — OCTOBER 1968

This month was cooler and more humid than normal. The maximum air temperatures were below normal most days of the month. On the 15th the highest maximum air temperature of the month occurred (32.4°C) with about 2°C above normal.

The extreme maximum soil temperature at 2 cm. depth was the same as last October. At 5,10cm, depths the values were 1.3°C and 0.2°C higher than the corresponding values of October 1967 while at depths 20,50, 100 they were 0.6°C, 1.0°C and 0.4°C lower than the corresponding values of last October.

The extreme minimum soil temperatures were lower than the corresponding values of October 1967 at all depths. The differences ranged between 1.7°C at 2 cm depth and 0.1°C at 100 cm depth.

The mean daily Pan evaporation was 0.27 mm higher than the corresponding value of last October. Total actual duration of bright sunshine was 33.1 hours higher than corresponding value of October 1967.

BAHTIM - OCTOBER 1968

This month was cooler and more humid than normal. The maximum air temperatures were below normal all days of the month except on 7th, 15th, 24th & 29th. On the 15th the highest maximum air temperature of the month (31.4°C) occurred.

The extreme maximum soil temperatures were higher than the corresponding values of last October at all depths except at 2cm and 50cm depths, where the values were 0.9°C and 0.1°C respectively lower than the corresponding values of October 1967. The differences for other depths ranged between 3.9°C at 5 cm depth and 0.2°C at both 10, and 20 cm depth. The extreme minimum soil temperatures at depths 2 and 5 cm were

0.1°C and 0.3°C lower than the corresponding values of October 1967, while at depths between 10 & 100 cm the extreme minima were higher than the corresponding values of last October. The differences ranged between 1.1°C at 100 cm depth and 0.1°C at 10cm depth.

Mean daily Pan evaporation was 0.33 mm higher than the corresponding value of last October. Total actual duration of bright sunshine was 26.4 hours higher than October 1967.

KHARGA - OCTOBER 1968

This month was cooler and slightly more humid than normal. The maximum air temperatures were below normal all days of the month, except on 23rd when the highest maximum air temperature of the month occurred (35.9°C).

The extreme maximum soil temperatures were lower than the corresponding values of last October at depths between 2&20cm. The differences ranged between 3.0°C at 2 cm depth and 0.8°C at 20 cm depth. At 50,100 cm depths the extreme maxima were 0.3°C higher than corresponding values of October 1967. The extreme minimum soil temperatures were lower than the corresponding values of last October at all depths except at 100,cm the value at which was 0.2°C higher than the corresponding value of October 1967. The differences ranged between 1.1°Cat 20 cm depth and 0.1°C at 2cm depth.

Mean daily Pan evaporation was 0.25 mms higher than the corresponding value of last October. Total actual duration of bright sunshine was 8.4 hours higher than corresponding value of October 1967.

Mean of the day of Air Temperature

Mean of the day of Vapour Pressure

= (0600 + 1200 + 1800) U.T. observations $\div 3$.

Mean of the day of Relative Humidity

= (0600 + 1800) U.T. observations $\div 2$.

Note. — During this month recording charts of the mercury in steel hygrograph were not available at Tahrir. Bahtim & Kharga centres. For these centres mean of the day of air temperature, relative humidity and vapour poressure are calculated using the following equations:—

⁼ [(0600 + 1200 + 1800)] U.T. dry bulb thermometer readings + minimum air temperature) $] \div 4$.

Table C 1.—AIR TEMPERATURE AT 1½ MÉTRES ABOVE GROUND OCTOBER — 1968

STATION		Air Te	mperatu	re (°C)				Mean I		in hou				rature		
SIATION	Mean Max,	Mean Min	Mean of the day		time	-5°C	0°C	5°C	10°C	15°C	1	25°C	30°C	35°C	40°C	45°0
El Kasz	25.8	15.9	20.7	18.5	23.0	24.0	24.0	24.0	24.0	23.2	13.0	2.3	0 2	0.0	0.0	0.0
Tahrir	Į	1		} .	24.7	_				~~					0.0	. 0.0
Bahtim	28.8	13.1	20.6		24.9	_	_)	_			- !			_) _
Kharga	31.4	17.1	24.6	21.5	27.7	-	-	-	-		; -	-	_ }	- \	_ }	-

Table C 2.—EXTREME VALUES OF AIR TEMPERATURE AT 12 METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUD OVER DIFFERENT FIELDS.

OCTOBER - 1968

	Max	r. Temp.	at 1½ me	tres	Min.	Temp. at	1½ metre	s (°C)	Min.	Temp, at	5 cms, al	0000
STATION	Hig	hest	Lor	west	Hig	hest	Lov	vest	Dry	soil	Gras	
	value	Date	value	Date	value	Date	value	Date	Value	Date	Value	Date
El Kasr	31.7	5	22.0	24	20.2	7	13.7	16	12.0	23		_
Tahrir	32 . 4	15	26.4	31	16.7	3	11.8	17	10.0	17	-	} _
Bahtim	31.4	7,15	25.6	31	15.6	25	11.3	23	9.7	17	-	_
Kharga	35.9	23	27.7	31	21.0	4,9	11.8	15	9.6	15,28	-	_

Table C 3.—(SOLAR + SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY, & VAPOUR PRESSURE AT 13 METRES ABOVE GROUND, EVAPORATION & RAINFALL.

OCTOBER — 1968

	Redis-	Duratio Sunsh	ine (ho	right urs)	F	lelative	Humid %	ity		Vapo	our pr	essure	(mms)			pora- (mms)		nfall (n	nms)
STATION	(Solar+Sky I tion gm. cal	Total Actual monthly	Total Possible monthly	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 U.T.	Highest	Date	Lowest	Date	Piche	Psn class A	Total Amount Monthly	Max. Fall in one day	Date
El Kasr .	341.9	273.6	353.2	77	68	57	23	22	12.3	12,6	16.8	6	6.8	22,28	6.6	6.37	73.2	55.0	23
Tehrir	425.0	313.5	354.6	88	72	40	21	24	12.4	10.9	15.2	3,7	6.2	24	6.0	6.18	0.7	0.6	30
Bahtim	427.5	305.9	3 54 · 6	86	69	39	24	24	12.1	10.8	15.4	4	7.5	24	7.0	6.55	0.0	0.0	\ - .
Kharga .	427.5	333.9	358.6	93	36	25	13	23	8.1	8,1	12.1	9	4.9	23,24	17.6	12.96	0.0	0.0	-

Table C 4. -EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS (cms)

IN DIFFERENT FIELDS

OCTOBER -- 1968

STATION	nest (H)		Extre		tempera lifferent			y field		Ext			mperat erent d				eld
:	Highest Lowest	2	5	10	20	50	100	200	3 00	2	5	10	20	50	100	200	300
El Kasr	H L	36.0 15.9	32.6 15.5	29.8 16.4	26.0 18.1	26.6 19.8	25.8 22.3	23.4 23.1			_		_	<u> </u>			-
Tahrir	H L	44.3 18.3	41.0 18.0	34.4 19.5	30.7 22.6	28.5 24.6	29.1 26.0	28.8 26.9	28.4 27.4		_ _		_ _	_	-	_	 -
Bahtim	H	45.6 19.7	39.9 19.6	33.6 22.6	30.2 25.6	29.7 26.7	29.6 27.6	27.7 27.3	26.3 26.2		_		_	_	 	1 -	_
Kharga	H	43.1 14.9	38.4 18.7	33.9 22.3	31.2 25.7	32.0 28.2	32.3 29.7	31 5 30.5	30.3 30.0	_	_	_	_		_	=	_

Table C 5.—SURFACE WIND OCTOBER — 1968

		d Speed t 1 ¹ / ₂ met	•		Days	with surfa	ce wind s	peed at 10	metres		ſ	ust (knots me ters)
STATION	Mean of the day	Night time mean	Day time mean	≥10 knots	≥15 knots	≥20 knote	≥25 knots	30 knots	≥35 knots	≥40 knots	value (knots)	I)ate
El Kaer	2.4	2.1	2.8	_					27 Apr. 16	_		
Tahrir	1.9	1.1	2.7	22	5	1	0	0	0	0	29	25
Behtim	2.0	1.3	2.8	26	5	1	0	0	0	0	23	31
Kharga	3.7	2.5	4.8	30	27	8	0	0	0	0	30	17

PRINTED IN ARAB REPUBLIC OF EGYPT
BY THE GENERAL ORGANIZATION
FOR GOVT. PRINTING OFFICES. CAIRO
First Under-Secretary of State
ALY SULTAN ALY

Chairman of the Board of Directors

900-1971-150




MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 11

NOVEMBER, 1968



U.D.C. 551, 506,1 (62)

PUBLICATIONS OF THE METEOROLOGICAL AUTHORITY OF THE ARAB REPUBLIC OF EGYPT—CAIRO

In fulfilment of its duties, the Egyptian Meteorological Authority issues serveral reports and publications on weather, climate and agro-meteorology. The principal publications are described on this page.

Orders for publications should be addressed to:

"Chairman of the Board of Directors, Meteorological Authority, Kubri-el-Qubbeh - CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Authority since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968 this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

As from 1st January 1972, the Daily Weather Report will not be issued or distributed because it does not serve no longer any good purpose as it used to be in the past. The Meteorological Authority is ready to supply the recipients of the Report with any information used to be included in it, if they so desire.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for Egypt.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of Egypt as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff of "The Meteorological Institute for Research and Training" and the Operational Divisions of the Meteorological Authority.

TECHNICAL NOTES

As from October 1970, the Meteorological Authority started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.



MONTHLY WEATHER REPORT

VOLUME 11

NUMBER 11

NOVEMBER, 1968

U.D.C. 551. 596.1 (62)

CONTENTS

		- 40
	General Summary of Weather Conditions	1,5
	SURFACE DATA	
Tabl	• A1 Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine, Duration and Piche Evaporation	8
"	A2 Maximum and Minimum Air Temperatures	4
,,	A3.—Sky Cover and Rainfall	5
11	A4.—Number of Days of Occurrence of Miscellaneous Weather Phenomena	6
**	A5.—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	7,8
	UPPER AIR DATA	
Table	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, Air Temperature & Dew point at Standard and Selected Pressure Surface	9 ·10
**	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	11
••	B3Number of Occurrences of Wind Direction within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	2-14
	AGRO-METEOROLOGICAL DATA	
	Reviews of Agro-meteorological Stations	5,16
Table	C1.—Air Temperature at 1½ metres above Gorund	17
••	C2.—Absolute Values of Air Temperature at 1½ metres above Ground, Absolute Minimum Air Temperature at 5 cms above Ground over Different Fields	17
••	C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ metres above Ground, Evaporation and Rainfall	17
•	C4.—Extreme Soil Temperature at Different Depths in Different Fields	18
**	C5.—Surface wind	18

Hete: For explanatory notes on the tables please refer to Volume 11, Number 1 (January 1968).

GENERAL SUMMARY OF WEATHER CONDITIONS

NOVEMBER 1968

Rather normal autumn weather characterized with four transitory disturbances. Deficient monthly rainfall in general.

GENERAL DESCRIPTION OF WEATHER

The prevailing weather during this month was humid & generally mild in the northern and central parts, warm & very dry in the southern parts day-time and rather cool night-time. The month was characterized in particular by a cold wave during the fourth week which was associated with light rainfall mainly over the Mediterranean district. Over Alexandria as an exception, rain was heavy and associated with thunderstorms locally on the 25th.

Early morning fog and mist developed during few days over scattered parts in Lower Egypt and Cairo areas.

PRESSURE DISTRIBUTION

The most outstanding features of pressure distribution over the surface maps during this month were:

- The Siperian anticyclone and its southwest extension over East Mediterranean.
- Deep low pressure systems coming from the Atlantic and passing through North Europe.
- Secondary depressions passing through the Mediterranean.

During this month, four secondary depressions developed over West Mediterranean on the 4th, 8th, 16th & 30th respectively.

The first Mediterranean depression was associated with a secondary depression over west of the Libyan coast. These two secondaries moved eastwards; the coastal

secondary traversed north of Egypt on the 6th and filled up over East Mediterranean on the 7th, while the Mediterranean depression reached Turkey on the 8th and filled up over the Black Sea on the 9th. The second Mediterranean depression moved slowly eastwards and traversed East Mediterranean while filling on the 14th. The third Mediterranean depression also moved slowly eastwards reaching East Mediterranean on the 23rd and remained there quasistationary till the 28th.

The transit of the above mentioned secondary depressions through East Mediterranean caused corresponding falls in the barometric pressure in Egypt which reached minima round the 6th, 14th & 24th.

After the passage of these secondary depressions through East Mediterranean, the Atlantic anticyclone SE ridge extended over East Mediterranean. Accordingly the barometric pressure in Egypt experienced rises reaching consecutive maxima round the 1st, 9th, 16th & 30th.

The most outstanding features of pressure distribution over the upper air charts were:

- Two deep upper low pressure systems, over North Russia and over North Atlantic.
- Secondary upper lows or troughs over middle latitudes passing through East Mediterranean and north of Egypt on the 8th, 12th, 15th, 23rd and 28th.
- Upper high pressure belt south of latitude 30°N

SURFACE WIND

The prevailing surface winds during this month were generally light to moderate and blew form directions between N & NE. They changed to Savay in advance of the travelling depressions through East Mediterranean and to W/NW in their rears. Winds became fresh to strong during several days over scattered places in the Mediterranean and Red Sea districts. Calms were frequent most of night and early morning intervals in scattered places.

Gales were reported at Sallum on the 26th, and at Morsa Matruh and Balteam on the 26th, and 27th.

TEMPERATURE

Maximum air temperature was moderately above normal in general apart from the cold wave during which it was slightly below normal. Maximum air temperature values ranged most days of the month between 20° & 27°C in the northern and central parts and between 23° & 33°C in the southern parts.

Cairo, February 1972

The absolute maximum air temperature was 35.2°C reported at Kom Ombo on the 20th.

Minimum air temperature was generally subnormal and showed slight to moderate departures most days of the month. Minimum air temperature values ranged generally between 11°& 18°C in the northern parts, between 8° & 18°C in the central and southern parts.

The absolute minimum air temperature was 3.2°C reported at Dakhla on the 27th.

PRECIPITATION

Light rain fell over the Mediterranean district round the 14th, 22nd and during the period (25th — 29th). It extended to few localities in land round the 25th. Rain was locally heavy over Alexandria on the 25th and associated with thunderstorms. The monthly rainfall amounts were below normal in general.

The highest daily rainfall amount was 27.3 mms reported at Dekheila on the 25th.

The highest monthly rainfall amount was 32.5 mms reported at Rosetta.

Chairman (M. F. TAHA)

Board of Directors

SURFACE DATA

Table A 1. — MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION.

NOVEMBER -- 1968

	Atmospher	is Pressure				Air T	emperatu	re C			,	Rela	tive	Br	ight Sunsi	nine	
	(m.bs)	M.S.L	Maxim	um.	Minin	num		Dry	Bulb	Wet	Bulb	Humid	dity %	Du	ration (Ho	urs)	Piche
STATION	Mean	D.F. Normal or Average	(A) Mean	D.F. Normal or Average	(B) Mean	D.F. Normal	A+B 2	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Mean	D.F. Normal or Average	Total Actual	Total Possible	%	Evap- (mms) Mean
allum	1 -	-1.6 -1.2 -0.4 -0.4	23.6 23.3 14.5 23.9	-1.0 0.2 0.0 0.1	13.5 12.5 13.2 17.2	-1.4 -0.9 -1.5 -1.3 -	18.9	18.5 17.2 18.5 —	-1.3 -1.0 -0.8 -	14.4 14.0 15.0	-0.9 -0.7 -1.1 -	61 68 67 —	+ 1 + 1 - 2 	252.3 265.4 —	318.0 318.0 —	79 83	7.3 6.1 4.7 5.9
Canta	1016.8	-0.7	25.1	- 0.7	12 4	0.0	18.8	18.1	-0.3	14.6	-0.6	66	- 4	261.5	318.8	82	3.8
Cairo (A)	1016.5	-0.6	24.9	_v 3	13.2	-0.6	19. J	18.8	-0 5	14.1	-0.9	57	4	_	-	-	10.2
Fayoum (A Minya (A Assycut (A Luxor (A Aswan (A	1016.4 1015.8 1015.0	-0.2 -0.6 +0.4 -0.1	26.1 25.9 26.7 29.9 29.6	-0.4 -0.9 +0.1 +0.2 -0.9	9.8	-2.3 -1.7 -1.0 -1.1 -1.1	17.9 19.3 20.5	17.4 18.7 20.0 21.3	$ \begin{vmatrix} -1.0 \\ -0.7 \\ +0.3 \\ -1.1 \end{vmatrix} $	13.0 13.1 13.5 12.7	-1.5 -0.5 -1.3 -0.8	57 49 43 31	-3 +1 1 +1	290.6	323.8 — — —	90	4.2 6.2 10.0 6.2 15.6
Biwa	1016.8	-1.8 -0.9 -1.5 -0.3	24.8 25.6 25.8 27.0 28.0	$ \begin{vmatrix} -1.5 \\ -0.6 \\ -0.4 \\ -0.7 \\ -0.7 \end{vmatrix} $	$9.7 \\ 8.9 \\ 8.2$	$\begin{vmatrix} -1.1 \\ -1.6 \\ -1.9 \\ -3.3 \\ -0.8 \end{vmatrix}$	17.7 17.4 17.6	16.8 17.4 17.7 20.1	-1.2 -0.8 -1.4 -0.5	12.8 12.1 11.2 12.6	+0.2 -1.4 - -0.8 -0.8	61 50 40 41	+11 -1 -2 +2 -1	306.8			6.2 5.9 9.6 12.6
Cor	1014.7	-0.1 +0.8	25 8 26.0	-0.1 -1.3	14.2 17.9	-1.3 -1.6	1	20.2 22.1	-0.7 -1.0	14.9 16.5	-0.8 -0.8	54 54	- 0 + 1	1.1.1	_	_	14.2 12.1

. ເນ

Table A 2 - MAXIMUM AND MINIMUM AIR TEMPERATURE

NOVEMBER - 1968

			Max	imu m T	emperat	ure °C				Grass M Temp				Minimun	а Тетреі	rature °(3		
Station	lest	2	ost	60	No.	of Day	s with l	Max-Ter	np.	ur	From Normal	est	2	est	te	No	of Da	ays with	
	Highest	Date	Lowest	Date	>25	>30	>35	>40	>45	Mean	Dev. Fron	Highest	Date	Lowest	Date	<10	<5	<0	<-5
Sallum	28.5 27.0	10 10	17.4 18.0	27 27	10 8	0	0	0	0	13.5	_	17.2 16.0	10,11	8.8 9.0	27 27	3 2	0	0	0
Alexandria . (A) Port Said . (A) El Arish	28.9 26.4 —	6 8 —	18.0 19.4	27 27	15	0 0 -	0 0 -	0 0	0 0 -	11.5 16.5	_ _ _	18.4 21.4	1 5 —	10.2 11.3	26 29 —	0 0 -	0 -	0 -	0
Ghazza	28.2	5,6	19.0	27	17	0	0	0	0	- i	_	16.2	7	9.3	25	3	0	0	0
Cairo (A)	28.8	19	20 .0	29	17	0	0	0	0		-	16.9	6	8.4	30	1	0	0	0
Fayoum (A) Minya (A) Assyout (A) Luxor (A) Aswan (A)	32.0 34.4	20 19 6 20 21	21.4 21.0 20.5 23.6 22.5	27 28 29 26 29	23 20 23 26 25	0 1 3 18 16	0 0 0 0	0 0 0 0	0 0 0 0	9.9 7.1 9.7 11.1	 - - -	15.1 12.7 14.0 15.4 18.8	22 10 7 23,25 22	4.8 3.5 6.7 5.4 9.0	29 29 30 29 28	11 11 5 8 4	1 2 0 0 0	0 0 0 0	0 0 0
Siwa	29.2 30.6 31.4 32.4 33.4	5 20 20 6,21 20	19.6 20.0 19.2 21.0 22.2	27 25 25 26 29	18 20 19 21 24	0 2 1 5 8	0 0 0 0 0	0 0 0	0 0 0 0	6.6 8.3 8.8 — 9.8		11.8 13.9 12.6 11.8 21.0	10 10 7 22 21	4.7 4.0 3.8 3.2 5.0	29 30 30 27 27	21 16 19 21 8	1 2 3 3 0	0 0 0 0	0 0 0
Tor	28.6 28.4	21 20	22.0 22.2	26 29	24 24	0 0	0	0 0	- 0 0	16.3	- -	17.4 20.4	1,24	10.2 12.4	27 26	0 0	0 0	0 0	•

Table A 3.-SKY COVER AND RAINFALL.

NOVEMBER — 1968

		Mean	Sky Cov	er Oct.					Rainfall n	nms.						
Station	00	06	12	18	Daily	Total	D. From		. Fall e day		Number	of Day	s with	Amount	of Rair	1
	U.T.	U.T.	U.T.	U.T.	Mean	Amount	Normal	Amount	Date	<0.1	≥0.1	≥1.0	≥5.0	≥10	≥25	≥5
allum	1.4	2.3	2.5	1.0	1.7	2.6	-25.9	2.5	25	0	2	1	0	0	0	
lersa Matruh (A)	1.3	3.2	3.7	2.0	2.6	4.0	-19.6	2.8	2 5	0	4	l	ŏ	ŏ	ő	
lexandria (A)	3.5	3.9	4.4	3.3	3.7	19.4	- 9.4	17.0	25	1	4	2	1	1	O	1
Port Said (A)	_	2.7	2.4		~~-	0.0	- 9.7	0.0		0	0	0	0	0	0	0
Cl Arish	_	_	-	_		_	_	1 - 1	_	-		-	-			
hazza	_	-					_			-			_	_		-
Canta	0.4	1.6	3.0	1.0	1.4	0.0	- 4.2	0.0		0	0	0	0	0	0	•
Cairo (A)	0.4	2.3	3.2	1.2	1.7	0.0	_ 2.7	0.0	_	0	0	o	0	0	0	G
Fayoum	l _	1.0	1.8	1.3		Tr.	- 0.5	Tr.	25	1	0	0	0	0	0	0
Minya	0.0	0.5	0.9	0.5	0.5	0.0	- 0.2	0.0		0	0	0	Ŏ	ŏ	ŏ	0
Assyout (A)	0.1	0.7	0.6	0.4	0.4	0.0	— Tr.	0.0		0	0	0	0	0	ŏ	0
Luxor (A)	0.1	1.2	0.9	0.5	0.6	0.0	- 0.1	0.0		0	0	0	0	0	0	ō
Aswan (A)	0.7	1.1	1.6	1.0	1.1	0.1	+ 0.1	0.1	21	0	1	0	0	0	0	O
Biws	0.1	0.9	2.6	0.8	1.0	Tr.	- 0.6	Tr.	26	1	0	0	0	0	0	0
Bahariya	1	0.6	1.5	0.6	0.7	0.0	- 0.6	0.0		0	Ŏ	ŏ	ŏ	ŏ	ŏ	0
Farafra		0.2	1.5	0.4	<u> </u>	0.0	<u> </u>	0.0		0	0	Ö	Ŏ	ŏ	ŏ	0
Dakhla	0.1	0.3	0.8	0 1	0.4	0.0	— Tr.	0.0	-	0	0	0	0	0	Ö	
Kharga	0.2	1.1	0.8	0.5	0.6	0.0	- 0.1	0.0		0	0	0	0	0	0	0
Tcr		_	_		_	_	_	1 _ 1		_		_		_		_
Hurghada	0.5	1.1	1.1	1.0	0.9 1.1	3.0	+2.8	3.0	25	0	1	1	0	0	0	
Queen	0.2	1.5	1.1	0.8	1.1	7.0	+ 5.1	7.0	25	1	1	1	1	0	Û	i

Table A 4. — DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA.

NOVEMBER - 1968

		Precip	oitation	<i>i</i>		г т,	metres	Vis Metres	s tres	Vie tres	Sanderising 900 Metres	letorm fetres			
Station	Rain	Smow	Ice. Pellets	Hail	Frost	Thunderstorm,	Mist Vie > 1000	Fog Vis	Haze Vis ≥ 1000 Metres	Thick Haze Vis <1000 Metres	Dust or Sanderising Vis ≥ 1000 Metres	Dust or Sandetorm Via <1000 Metres	Gale	Clear Sky	Cloudy Sky
Ballum (A) Mersa Matruh (A) Alexandria (A) Port Said (A) El Arish (A) Ghazza (A)	2 4 4 0	0 0 0 0	0 0 0 0 0 0 0	0 0 0	0 0 0 0	0 0 2 0	0 0 5 0	0 0 5 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	1 5 2 1	2 2 0 0	1 2 0 0	17 12 4 —	0 0 2 - -
Tanta	0	0	0	0	0	0	1	1	0	0	0	o	0	22	0
Cairo (A) Favoum (A) Minya (A) Assyout (A) Luxor (A) Aswan A)	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0 0	4 0 7 1 0 0	0 0 0 0	8 0 3 0 0	0 0 0 0 0	5 0 1 0 0 2	0 0 0 0 0	0 0 0 0 0 0	19 	
Riwa Bahariya Falafra Dakhla Kharga	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 1 0	0 0 0 0 0	25 27 30 28	0 0 0
Tor		0 0	0	0	0 0	 2 1		- 0 0	- 0 0	0 0	1 0	0	0	$\frac{-}{26}$	0 0

TABLE A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

NOVEMBER - 1968

	Î Î	178)	lours)			Num	ıber i			foceu s of d					ing fr	oma tl	>
Station	Calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	1	045 / 074	1	105 / 134	1	1	1	1		1	1	All directions
Sallum	27	0	0	1-10 11-27 28-47 >48 All speeds	8 3 0 0 11	11 0 0 0 11	36 0 0 0 36	58 2 0 0 60	31 0 0 0 31	13 1 0 0	31 2 0 0 33	20 13 0 0 33	17 19 0 0 36	72 111 0 0 183	79 84 0 0	67 15 0 0 82	443 250 0 0 693
Mersa Natruh (A)	25	1	0	1—10 11—27 28—47 ≥48 All speeds	20 4 0 0 24	15 3 0 0 18	14 6 0 0 20	45 7 0 0 52	23 8 0 0 31	34 6 0 0 40	71 14 0 0 85	36 37 0 0 73	51 108 8 0	43 48 12 0 103	16 13 0 0 29	26 26 0 0 52	394 280 20 0 694
Alexandria (A)	11	0	2	1 —10 11—27 28 —47 ≥ 48 All speeds	5 0 0	122 11 0 0 133	44 3 0 0 47	16 0 0 0 16	18 0 0 0 18	12 0 0 0 12	54 2 0 0 56	72 3 1 0 76	74 58 3 0 135	32 13 0 0 45	44 0 0 0 44	63 1 0 0 64	607 96 4 0
Port Saird	6	0	10	1—10 11 - 27 28—47 - 48 All speeds	67 30 0 0 97	77 26 0 0 103	20 4 0 0 24	6 0 0 0 6	2 0 0 0 2	5 0 0 0 5	38 30 0 0 68	61 50 0 0	88 29 0 0 117	42 6 0 0 48	40 6 0 0 46	60 11 0 0 71	506 198 0 0 704
Tanta	121	0	0	1—10 11—27 28—47 ≥48 All speeds	76 0 0 0 76	26 2 0 0 28	8 0 0 0 8	11 0 0 0 11	7 0 0 0 7	0 0 0	121 7 0 0 128	73 14 0 0 87	38 0 0 0 38	43 0 0 0 43	0 0 0	102 0 0 0 102	576 23 0 0 599
Caiso(A)	78	1	6	1—10 11-27 28—47 ≥ 48 All speeds	41 1 0 0 42	77 20 0 0 97	18 20 0 0 68	55 0 0 0 55	34 4 0 0 38	25 2 0 0 27	37 22 0 0 59	24 13 0 0 37	40 46 0 0 86	27 8 0 0 35	47 1 0 0 48	43 0 0 0 43	498 137 0 0 635
Fayoum	50	1	16	1.—10 11.—27 28.—47 ≥48 All speeds	0 0 0	156 6 0 0 162	19 0 0 0 19	12 0 0 0 12	4 0 0 0 4	3 0 0 0 3	34 0 0 0 34	71 8 0 0 79	74 3 0 0 77	31 0 0 0 31	23 0 0 0 23	47 0 0 0 47	636 17 0 0 653
Minya	97	1	0	1—10 11 −27 28—47 ≥48 All speeds	283 18 0 0 301	15 0 0 0 15	0 0 0 0	0 0 0 0 0	0 0 0 0	14 0 0 0 14	45 1 0 0 46	11 1 0 0 12	25 3 0 0 28	22 2 0 0 24	19 12 0 0 31	151 0 0 0 151	585 37 0 0
Asyout	5	0	58	1—10 11—27 28—47 ≥48 All speeds	18 7 0 0 25	8 0 0 0 8	5 0 0 0 5	6 0 0 0 6	10 0 0 0 10	7 0 0 0 7	5 0 0 0 5	9 1 0 0 10	34 9 0 0 43	263 9 0 272	136 21 0 0 157	82 27 0 0	583 74 0 0 657

Table A 5 (contd.)—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

NOVEMBER -- 1968

	<u> </u>	178)	(hours)			Num	ber iz				rrence direct				ing f	rom t	μ•
Station	calm (hours)	Variable (hours)	Unrecorded (h	Wind speed in knots	345 / 014	015 044	045 / 074	075 / 104	105 / 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	1	315 / 344	All directions
Lexor (A)	3	4	0	1-10 11-27 28-47 ≥48 All speeds	83 0 0 0 83	55 0 0 0 55	30 0 0 0 30	51 0 0 0 51	31 0 0 0 31	47 0 0 0 47	139 0 0 0 139	24 0 0 0 24	38 0 0 0 38	65 1 0 0 66	70 1 0 0 71	78 0 0 0 78	711 2 0 0 713
Aswan (A)	0	1	0	1-10 11-27 28-47 ≥48 All speeds	393 103 0 0 496	55 9 0 0 64	12 2 0 0 14	9 0 0 9	4 0 0 0 4	1 0 0 0	0 0 0	0 0 0	0 0 0	1 0 0 0 1	13 11 0 0 24	78 28 0 0 106	566 153 0 0 719
Siwa	3 9	6	0	1-10 11-27 28-47 ≥48 All speeds	6 0 0 0	9 0 0 0 9	22 0 0 0 22	56 1 0 0 57	82 1 0 0 83	41 4 0 0 45	34 4 0 0 38	28 1 0 0 29	5 0 0	161 31 3 0 195	69 0 13 0 82	21 0 0 0 21	612 47 16 0 675
Dakhla	42	18	0	1-10 11-27 28-47 ≥48 All speeds	27 1 0 0 28	30 10 0 0	12 2 0 0 14	8 0 0 0 8	5 0 0 0 5	3 0 0 0 3	45 0 0 0 45	62 0 0 0 62	79 0 0 0 79	122 4 0 0 126	128 2 0 0 130	120 0 0 0 120	641 19 0 0 660
Kharga	23	4	42	1-10 11-27 28-47 > 48 All speeds	197 105 0 0 302	74 12 0 0 86	11 0 0 0 11	2 0 0 0	2 0 0 0 2	1 0 0 0	6 0 0 6	4 0 0 0 4	1 0 0 0 1	15 3 0 0 18	28 1 0 0 29	166 23 0 0 189	507 144 0 0 651
Hurghada	9	0	2	1-10 11-27 28-47 ≥48 All speeds	25 73 0 0 98	33 33 0 0 66	13 0 0 0 13	5 0 0 0 5	8 0 0 0 8	2 0 0 0 2	5 0 0 0 5	6 0 0 0	5 0 0 0 5	13 3 0 0	129 199 0 0 328	47 110 0 0 157	291 418 0 0 709
Quasir	5	0	2	1~10 11~27 28~47 ≥48 All speeds	52 80 0 0 132	52 2 0 0 54	7 0 0 0 7	9 0 0 0 9	3 0 0 0 3	1 0 0 0	6 0 0 0 6	12 0 0 0	18 0 0 0 18	172 8 0 0 180	147 33 0 0 180	35 76 0 0	514 199 0 0 713

UPPER AIR CLIMATOLOGICAL DATA

Table B1 -MONTHLY MEANS AND MONTHLY ABSOLUTE HIGHER & LOWER VALUES OF ALTITUDE, AIR TEMPERATURE & DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

NOVEMBER-1968

Station	Pressure Surface	Al	titude of Pr	essure Surfs	oce (gpm)		Temp	erature (°C)		Dow P	oint (°C)
•	(Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
Mores Mat uh (A) 0000 U.T.	Surface	29 29 29 29 29 29 29 25 24 21 19 15 10 8 7 7	1013m.b. 138 1507 3092 4315 5715 7356 9340 10542 11987 13791 16257 18442 19356 20472 21854 23668 26471	* 1019m.b. 186 1564 3188 4405 5870 7540 9506 10787 12213 13994 16390 18570 19512 20640 22032 23851	1007m.b. 87 1431 2974 4166 5540 7158 9113 10279 11761 13565 16072 18220 19212 20319 21700 23526	29 29 29 29 29 29 29 25 24 21 19 15 10 8 7 7 3	13.7 16.2 9.2 	17.0 19.0 15.7 7.3 — 1.4 —11.0 —23.8 —39.0 —49.5 —56.9 —62.2 —62.2 —62.7 —61.3 —59.0 —54.5	11.0 11.1 3.3 6.7 13.4 22.9 35.3 51.5 56.7 60.4 68.7 79.5 70.4 67.3 65.1 63.1 59.5 	29 29 29 29 29 28 24 21 16 1 —	10.5 12.4 0.4 -12.5 -20.4 -29.0 -39.8 -53.8 -61.1 -65.1 -68.0
Helwan 0000 U.T.	Surface	29 29 29 29 29 29 29 29 28 27 22 21 20 19 17 16	1000m.b. 136 1514 3111 4345 5757 7409 9412 10620 11978 13844 16309 18469 19415 20532 21927 23749 26360 31082	1004m.b. 174 1563 3198 4454 5888 7566 9598 10822 12264 14642 16475 18660 19583 20711 22112 23939 26529	996m.b. 105 1463 3016 4212 5580 7180 9148 10366 11815 13624 16120 18230 19198 20323 21708 23515 26197	29 14 29 29 29 29 29 29 29 29 29 28 28 27 22 21 20 19 17 16 9	15.9 16.3 10.7 3.6 -3.9 -14.2 -27.2 -42.6 -51.1 -57.1 -62.7 -67.0 -65.2 -64.3 -62.2 -59.5 -56.7 -52.9 -37.7	19.0 19.6 18.0 9.4 0.4 -10.1 -23.1 -39.2 -45.2 -51.6 -57.5 -61.7 -62.4 -61.0 -58.7 -57.5 -55.1 -47.1	9.4 9.7 3.5 -5.1 -11.6 -22.3 -34.3 -47.8 -56.0 -61.7 -67.3 -71.4 -70.9 -70.5 -65.7 -61.8 -60.3 -57.9	29 14 29 27 27 28 \$8 27 25 3 ——————————————————————————————————	9.6 9.3 -2.8 -15.5 -22.2 -30.5 -41.6 -53.8 -60.7 -66.0 -67.0
Aswan (A) 0000 U.T.	Surface	30 30 30 30 30 30 30 30 29 29 27 23 17 13 13	991m,b, 116 1510 3134 4388 5826 7507 9557 10792 12246 14048 16491 18588 19553 20662 22036 23828 26428	995m.b. 151 1536 3169 4473 5902 7574 9650 10904 12389 14177 16625 18770 19693 20816 22256 24036 24036	988m.b. 89 1492 3090 4328 5756 7432 9482 10700 12154 13952 16368 16200 19366 20426 21753 23558 26374	30 30 30 30 30 30 30 29 27 23 17 13 11 10 7	17.6	25.0 20.7 9.9 2.4 6.9 —19.8 —34.0 —42.3 —51.8 —66.2 —64.7 —61.8 —60.5 —56.4 —55.2 —50.0	10.8	30 30 30 30 30 30 30 29 29 1 ———————————————————————————————	3.8 -1.2 -14.8 -22.1 -29.9 -38.3 -51.1 -57.8 -66.0 -67.1

The number of cases the element has been observed during the month.

The aumospheric pressure corrected to the elevation of the radioscule station.

UPPER AIR CLIMATOLOGICAL DATA

Table B1 (contd).—MONTHLY MEANS AND MONTHLY ABSOLUTE HIGHER & LOWER VALUES OF ALTITUDE, AIR TEMPERATURE & DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

NOVEMBER - 1968

Station	Pressure Surface	Alt	itude of Pre	e ssur e Surfa	ce (gp m)		Tempe	erature (°C)		Dew	Point (°C)
St.	Millibar	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
Meres Matruh 1200 UT.	Surface	27 27 27 27 25 25 24 21 17 14 13 13	1012m,b. 136 1517 3114 4346 5757 7412 9436 10647 12085 13895 16404 18552 19513 20643 22049 23880 26503	* 1019m.b. 192 1567 3176 44:7 5859 7540 9588 10812 12260 14015 16544 18750 19706 20816 20262 24098 26639	1008m.b. 97 1400 3013 4251 5761 7146 9072 10260 11703 13542 16018 18390 19378 20512 21890 23731 20305	27 27 27 27 27 27 25 25 24 21 17 14 13 13 11	23.0 21.8 11.1 3.1 -1.4 -13.9 -16.7 -42.3 -56.4 -61.2 -65.8 -61.8 -61.0 -58.6 -54.1 -49.6	28.0 26.8 16.2 8.0 0.8 	17.4 15.5 4.0 -6.4 -14.6 -24.5 -37.2 -49.6 -61.7 -68.2 -72.3 -70.6 -67.8 -61.3 -61.5 -59.2 -53.0	27 27 27 26 27 27 27 24 22 22 2 2	12.9 11.6 0.0 -14.3 -21.3 -29.0 -40.1 -53.8 -66.8 -66.0 -67.0
Helwan 1200 U.T.	Surface	29 29 28 27 27 26 25 25 22 20 19 13 12	999m.b. 132 1520 3124 4361 5776 7432 9445 16660 12092 13388 16361 18534 19237 20614 22009 23836 2 468 31390	1003m.b. 165 156! 3194 4455 5897 7583 9625 10255 12299 14079 16764 18770 19711 20370 22266 24116 26797 31450	996m.b. 101 1478 3028 4233 56+3 7222 9162 10359 11809 13653 16140 18300 19257 10383 21777 23587 26088 31329	29 12 29 28 27 27 26 25 25 23 22 20 19 13 12 10	24.1 24.1 11.4 4.3 -3.3 -13.3 -26.3 -42.3 -51.0 -57.3 -61.6 -66.7 -63.6 -62.2 -59.9 -78.3 -51.7 -19.2 -39.0	27.5 27.3 17.7 10.6 1.7 	17.6 20.1 3.43.09.720.035.151.862.661.369.270.567.267.267.869.071.042.2	29 12 20 28 27 27 27 26 25 25 25 25	8.9 8.6 -1.9 -16.0 -23.1 -31.6 -42.2 -55.2 -62.5 -67.6 -69.3 -
Aswan 1200 U.T.	Surface	29 29 28 27 27 27 26 26 25 22 18 14 14 12	990m.b. 107 1517 3143 4393 5826 7506 9556 10300 12265 14366 16515 18621 19583 20733 22119 24012 26643	994m.b. 141 1516 3184 4451 5898 7601 9658 10893 12366 14173 16 73 18800 19728 20860 22275 24135	987m.b. 77 1491 3083 4313 5714 73-3 9375 1612 12072 13931 10369 18110 19344 20581 21870 23802 26330	29 29 28 27 27 27 26 26 25 22 18 14 11 12	16.8 7.6 0.3 9.9 22.4 28.3 45.7 54.7 63.3 69.3 68.3 61.6 60.3 76.6 51.2 46.1	34.0 21.4 10.5 3.0 - 6.7 - 19.7 - 34.8 - 41.3 - 50.4 - 57.5 - 63.5 - 63.5 - 59.4 - 54.9 - 48.6 - 40.7	20.8 8.7 2.1 -5.8 -16.5 -27.2 -40.6 -52.1 -58.7 -66.7 -74.6 -82.8 -72.0 -69.6 -61.1 -55.0 -50.3	29	6.3 -5.0 -14.5 -22.5 -30.2 -39.0 -51.8 -59.1 -66.4 -70.0

N - The number of cases the element has been observed during the month.

^{• =} The atmospheric pressure corrected to the elevation of the radiosonde station.

Table B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE. THE HIGHEST WIND SPEED IN THE UPPER AIR

NOVEMBER — 1968

					Fre	eezing 1	evel							First	Tropo	pause				liigh	est w	ind sp	eed
			Mean		I	Highest			Lowest			Mean			Highes	t	1	Lowes	t	â	· •		Knots
	Station	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gp.m)	Pressure (mb.)	Direction (000 - 360).	Speed in Kn
		(N)	_ N)	(N)							(N)	(N)	(N)										
	Mersa Matrub (A)	3187 (29)	696 (2 9)	-10.8 (27)	4100	628	15.0	1860	807	- 8.2	11899 (16)	201 (16)	-59.5 (16)	12870	177	—64 .0	10130	257	-52.2	9855	268	260	150
9000 U.T.	Helwan	3608 (29)	660 (2 9)	—1 6 .8	4500	596	28.0	2 07 0	789	- 1.4	14449 (24)	161 (24)	-63.7 (24)	16324	100	—70. 5	10350	25 6	-55.9	134 00	163	272	128
	Aswan (A)	4223 (30)	605 (30)	-21.5 (30)	4790	574	-2 .1	3720	649	-24.3	15759 (20)	114 (20)	7 0.5 (20)	17300	87	_73.7	14120	146	69.8	13100	173	250	148
		(N)	(N)	(N)							(N)	(N)	(N)										
٠.	Mersa Matruh (A)	359 3 (27)	660 (27)	1	4520	594	-22.7	2060	788	10.2	12486 (21)	193 (±2)	= C0.0 (22)	15700	113	-69.3	8700	312	-50.0	14400	142	290	146
1200 U.T.	Helwan	3702 (28)	653 (28)	17.8 (28)	4690	583	2 2.7	1980	802	-5.2	13922 (23)	157 (23)	C3.8 (23)	16880	92	-70.6	10 530	247	-55.3	126 35	184	265	129
	Aswan (A)	4365 (27)	605 (27)	-21.6 (27)	4890	568	21.4	33 40	680	11.3	15836 (19)	112 (19)	_69.0 (19)	17330	88	-69.3	13740	158	66.9	11680	2 16	247	144

N - The Number of cases the element has been observed during the month.

TABLE B 8.—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

MERSA MATRUH (A)— NOVEMBER 1968

				Wind between spe	cified ranges o	f direction (000	-360)°		cslm	Cf [N]
Time	Pressure Surface Millibar	345 015 / 014 044	1	075 105 104 134 134 1 1 1 1 1 1 1 1 1	7	65 195 194 224 (ff) N m	225	285 315 344 344 N (ff) m N m	Number of ce winds	Total number cobservations (T) Mean soalar win speed (knota)
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	0 - 0 - 8 0 - 1 17 2 8 1 8 1 15 1 27 0 - 1 1 36 1 8 1 15 1 0 - 1 1 38 0 - 1 1 38 0 - 1 0 - 0 0 - 0 0 - 0 0 - 0 0 - 0 - 0	0		2 8 3 1 8 0 0 1 0 0 0 br>0 0 0 0	4 6 10 2 10 22 1 22 1 24 1 23 1 43 39 3	11 10 1 10 3 13 9 18 2 12 7 18 2 16 14 23 4 24 11 31 3 54 15 40 3 54 15 47 4 54 14 57 3 74 13 64 3 83 11 62 1 48 2 63 0 1 24 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <	1 7 0 — 2 14 2 9 7 20 6 13 3 21 2 12 6 27 1 16 3 26 2 15 2 28 1 26 2 64 2 24 3 36 1 44 3 41 1 53 3 45 1 31 0 — 0 — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — — —	3 2 1 2 0 0 0 0 0 0 0 0 0	29 8 27 13 15 15 27 18 27 26 26 35 24 43 21 60 19 60 13 54 4 50 1 24
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 100	2 5 3 9 2 8 2 8 0	2 10	3 8 0 4 7 0 7 0 0 1 7 0 0	0 - 1 0 - 1 1 11 2 0 - 1 0 - 0	6 1 14 10 2 8 8 0 — 11 1 10 8 1 32 — 1 15 — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 — — 0 —	2 22 5 17 0 — 5 20 6 12 5 20 5 19 8 24 6 20 8 36 9 37 6 36 7 44 7 49 8 47 8 67 5 52 11 67 3 53 11 66 1 61 11 65 2 48 8 53 0 — 5 44 2 28 1 38 2 28 1 12 0 — 1 10 0 — 1 34 — — —	2 14 5 9 3 13 4 12 2 18 2 8 4 24 2 18 2 30 5 26 6 33 0 — 7 41 2 30 5 51 2 36 3 56 3 43 4 72 3 51 5 63 0 — 2 26 0 — 1 30 0 — 0 — 1 38 1 10 0 — — — 0 — — — — — — — — —	1 0 1 1 0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0	27

N = The number of cases the element has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

Table B 3. (contd.)—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

HELWAN — NOVEMBER 1968

		<u> </u>					V	Vind	betw	een s	peoifi	ed ra	nges (of dir	ectio	n (0 0	0—36	30)°							Cslm	r of (TN)	vind
Time	Pressure Surface (Millibar)	345 / 014	1	15 / 44	044 / 074		07. / 10		- 1	05 / 34		35 / 64	16		19	95 ' 24	- 1	25 54	25 / 28			85 / 14	31	'	of nds	Total Number Observations (Mean Scalar wind Speed (Knots)
		N (ff)	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff)	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	N	(ff) m	Number wi	Total Obser	Mean
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 110	0 -	5 3 1 2 2 1 0 1 0 4 0 2 0 0 0		10 6 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 10 9 — — — — — — — — — — — — — — — — — —	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7	1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6	1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5	2 1 1 1 0 0 0 0 0 0 0 0 0	6 5 4 33 6	0 0 4 4 3 3 1 1 2 1 1 0 0 0 0		0 0 7 4 6 4 8 4 5 4 0 0 0 0	15 29 21 42 36 55 59 80	0 0 4 10 13 13 12 14 13 11 7 1 2 1 1 1		1 1 5 3 3 4 3 5 2 2 2 2 1 0 1 1	3 13 13 16 26 33 35 43 60 60 64 40 ———————————————————————————	1 0 2 3 1 1 5 2 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 14 21 14 18 26 19 57 35 28 —	3 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 14 29 29 29 29 27 27 24 19 11 2 2 1 —————	7 11 13 21 24 29 37 51 62 69 70 30 35 31 31 43 —
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20	2 0 1 0 0 0	4	7 11 15 42 147 152 147 1 152 147 1 152 1 1 152 1 1 152 1 1 1 1 1 1 1 1 1	0 2 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 2 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0	77	000000000000000000000000000000000000000				1 0 0 0 0 0 0 0 0 1	18	1 1 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	24 22 20 49 	2 0 0 6 6 7 7 7 4 4 7 7 6 3 3 3 1 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0	16 20 25 24 33 39 65 63 73	10 12 11 11 7 4 3 2 2		0 0	6 9 29 16 27 32 46 52 54 50 48 — 9	3 1 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 12 — 15 — 23 — —	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 12 29 27 27 26 25 24 23 20 13 7 4 4 3 2	7 9 11 19 21 28 35 49 60 63 62 48 23 22 29 34 22 8

N = The number of cases the element has been observed direction during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

Table B 3 (contd.).—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES

ASWAN (A) NOVEMBER - 1968

					Wind 1	between sp	ecified ran	ges of dire	ection (000	3 00)°				a	er of (TN)	
Time	Pressure Surface Millibar	345 / 014	015	045 . [. 074	075 / 104	105 / 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	315 / 344	er of calm	Total number of observations (TN) Mean scalar wind	d (knots)
_	- - 	N (ff)	N (ff)	N m	N (if) m	N (ff)	N (ff)	X (iff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff) m	Number o	Total numboobservations Mean soalar	Spee
0000 U.T.	Surfage 1000 850 700 600 500 400 300 250 150 100 70 60 50 40	10 9 5 9 0 2 23 1 10 1 3 0 -	7 9 2 4 1 10 0 2 12 12 1 19 -1 17 0 - 0 - 0 - 1 6 3 10 0 2 14	1 10 3 12 1 10 3 12 0 1 25 0	5 10 4 11 0	3 4 1 7 1 2 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	3 7 1 6 1 5 1 19 0 0 0 1 5 0 1 5 0	0	0 1 4 4 1 32 2 9 1 6 6 1 42 0 6 6 1 10 0 1 10 0 1 10 0 1 10 0 1 10 0 1 10 0 1 10 0 1 10 0 1 10 0 1 10 0 1 10 0 1 10 0 1 10 0 1 10 10	0 — 0 8 14 8 28 11 30 5 48 9 75 8 88 4 86 5 57 1 17 3 14 3 11 2 8 2 19 0 — —	0	1 10 4 7 1 11 3 20 2 29 3 17 2 21 5 36 4 84 4 57 5 40 3 18 1 2 0 — 1 11 0 — 0 —	2 12 6 1 4 0		30 8 30 13 30 26 30 33 30 53 30 53 29 63 29 63 20 43 14 17	8 3 9 6 6 7 2 3 0 0 7 5 7 1 9 1 2 2 4 4
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	13 11	4 7	0 - -	2 8	0	0	0	0 - 4 6 1 11 1 52 1 15 0 0 - 0 30 0 - 0 - 0 - 1 30 0 - 0 - 0 - 1 30 0 - 0 3 8 17 7 22 33 7 51 7 73 5 98 5 97 4 85 3 41 2 24 3 25 22 20 1 25 0	0	1 10 2 8 4 6 1 19 2 22 3 35 3 35 6 45 7 58 3 79 5 43 6 — 1 10 0 — 1 8 0 —	8 7 2 4 0 — 0 — 1 13 0 — 1 37 0 — 0<	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- -	0 3 5 1 6 8 6 6 1 3 7 4 4 7	

N = The number of casees the wind has been observed from the range of directions during the month.

TN - The total number of cases the wind has been observed for all directions during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR - NOVEMBER 1968

This month was cooler and less rainy than normal. The month was characterized by two cold waves during the periods (1st-4th) and (23nd-29th). The second cold wave was the more intense and yielded the lowest maximum air temperature for the month (18.2°C) on the 27th. Two warm spells were experienced during the period from the 9th to the 13th and on 22 nd. The second warm spell yielded the highest maximum air temperature for the month (26.6°C) on the 11th.

The extreme maximum soil temperatures were lower than the corresponding values of last November at all depths between 2 & 100cm. The differences ranged between 0.3°C at 2 cm. depth and 2.1°C at 50cm. depth. The extreme minimum soil temperatures were also lower than corresponding values of last November at all depths between 2 and 100cm. The differences ranged between 0.3°C at 20cm depth and 1.4°C at 50 cm. depth.

The total actual duration of bright sunshine was 41.1 hours more than the corresponding value of last November.

TAHRIR -- NOVEMBER 1968

This month was slightly cooler than last November and rainless. The month was characterized by two cold waves during the periods (1st-3rd) and (24th-end of month). The second cold wave was the most intense and yielded the lowest maximum air temperature for the month (19.4°C) on the 27th. Three warm spells were experienced on the 6th, 12th and during the period (19th-22nd). The 1st warm spell yielded the highest maximum air temperature for the month (30.2°C) on the 6th.

The extreme maximum soil temperatures for depths 2 and 5cm were 0.1°C and 1.1°C respectively higher than the corresponding values of last November, while the extreme maxima were lower for other depths between 10 & 100 cm. The differences ranged between 0.4°C at 100 cm depth and 1.4°C at 20 cm depth. The extreme minimum soil temperatures for depths 2 & 5 cm. were 0.6 and 0.2°C respectively lower than the corresponding values of last November, while the extreme minima were lower for other depths between 10 & 100cm. The differences ranged between 0.4°C at 10cm depth and 1.4°C at 50 cm depth.

The mean daily Pan evaporation was 0.33mms higher than the corresponding value of November 1967. Total actual duration of bright sunshine was 27.0 hours higher than the corresponding value of last November.

BAHTIM - NOVEMBER 1968

This month was slightly cooler and less rainy than last November. The maximum air temperatures were below average all days of the month except on 6th, 8th, 13th & 19th when the maxima were above average. The highest maximum air temperature of the month (28.8°C) occurred on the 19th. The lowest maximum air temperature (19.8°C) occurred on the 27th.

The extreme maximum soil temperatures for depths 2,10 & 20 cm were 3.2°C, 0.9°C and 0.6°C respectively lower than the corresponding values of last November while for depths 5,50 and 100 cm the extreme maxima were 1.6°C, 0.1 and 0.6°C respectively higher than the corresponding values of November 1967. The extreme minimum soil temperatures were higher than the corresponding values of last November for all depths between 2 & 100 cm. The differences ranged between 0.3°C at 10 cm depth and 1.3°C at 100 cm depth.

The mean daily Pan evaporation was 0.03mm lower than the corresponding value of last November. The total actual duration of bright sunshine was 26.6 hours more than the corresponding value of November 1967.

KHARGA -- NOVEMBER 1968

This month was mild and rainless. The month was characterized by five cold waves during the period (1st-4th) and on 7,11th and during the periods (15th-16th) and (24th-end of month). The last cold wave was the most intense and yielded the lowest maximum air temperature of the month (22.2°C) on th 29th. A warm spell was experienced on 9th and a heat wave prevailed during the period (18th-22nd). The highest maximum air temperature of the month (33.4°C) occurred on the 20th.

The extreme maximum soil temperatures were lower than the corresponding values of last November for all depths between 2 & 100 cm, The differences ranged between 0.3°C at 100cm depth and 4.8°C at 2cm depth. The extreme minimum soil temperatures were higher than the corresponding values of last November for all depths between 2 & 100 cm. The differences ranged between 0.4°C at 5 cm depth and 1.2°C at 2 cm depth.

The mean daily Pan evaporation was 0.12 mm higher than the corresponding value of last November. The total actual duration of bright sunshine was 8.9 hours more than the corresponding value of November 1967.

Note. - During this month records of the mercury in steel hygrograph were not available at TAHER, BAHTIM and KHARRA centres. The mean of the day Air Temperature, Relative Humidity and Vapour Pressure are calculated according to the following equations:

Mean of day of Air temperature= =[(0600+1200+1800) U.T. dry bulb observations + minimum ari temperature] \div 4

Mean of day of Relative Humidity = (0600 + 1800) U.T. observations $\div 2$

Mean of day of Vapour Pressure= (0600 + 1200 + 1800) U.T. observations \div 3

Table C 1.—AIR TEMPERATURE AT 11 METRES ABOVE GROUND NOVEMBER — 1968

	Air Temperature (°C)						Mean Duration in hours of daily air temperature above the following values											
STATION	Mean Mean of the day		Night time mean	Day time mean	-5°C	0°C	5°C	10°C	15°C	20°C	25°C	30°C	35°C	40°C	45°C			
El Kasr	23.0	12.3	17.1	14.3	20.0	24.0	24.0	24.0	23.7	13.8	6. 4	0.6	0.0	0.0	0.0	0.0		
Tahrir	25.7	11.6	17.1	_	20.8	_		_			-	_	_	_	_	_		
Bahtim	24.9	10.1	16.6	- 1	20.6	- ,	_	_				_	_	_	_	_		
Kharga	28.0	12.1	20.2	16.9	23.7		_			-	-	_			_	_		
		}																

Table C 2.—EXTREME VALUES OF AIR TEMPERATURE AT 12 METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS NOVEMBER — 1968

	Max	. Temp.	at 1½ me	tres	Min	. Temp.	at 1½ me	tres	Min. Temp. at 5 cms. above					
STATION	Highest		Lowest		Highest		Lowest		Dry Soil		Grass			
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date		
El Kaar	26.6	11	18.2	27	14.9	1	9.1	30	7.8	18,25,30				
Tahrir	30.2	6	19.4	27	15.5	7	8.5	30	6.6	30		_		
Bahtim	28.8	19	19.8	27	13.4	2 2	5.5	30	2.5	30	_	-		
Kharga	33.4	20	2 2.2	29	21.0	21	5.0	27	3.0	27		-		
							(ľ		1	İ		

'able C 3.—(SOLAR + SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY & VAPOUR PRESSURE AT 1½ METRES ABOVE GROUND, EVAPORATION & RAINFALL

NOVEMBER -- 1968

Solar+Sky Radiation gm. cal/cm* Evapora-Duration of Bright Rainfall (mms) Vapour Pressure (mms) Relative Humidity % tion(mms) Sunshine (hours) Total Possible monthly Total Amount class (A) Actual of day fall monthly STATION U.T. Lowest Piche Lowest 1200 **3**0 Date Date Date Date UT Max. one Mean Total **3**0 5.4 4.58 4.1 2.9 25 El Kasr 23 10.1 11.0 15.0 20 5.4 270.7 245.7 317.1 83 70 55 0.0 10.4 9.8 15.4 27 5.0 4.47 0.0 19 5.4 Tahris 342.4 263.2 318.8 83 43 28 0.4 0.4 25 6.0 5.3 4.38 22 19 10.2 9.6 14.4 21 27 319.7 82 76 43 262.2 Bahtim 333.7 9.31 7.6 11.2 4,9 30 12.8 0.0 0.0 1,8 7.2 352.4 306.8 328.0 94 43 28 17 9 Kharga.

Table C 4.—EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS IN DIFFERENT FIELDS

NOVEMBER --- 1968

STATION	Highest Lowest]	Extrem		empera eront d			ry fiel	Extreme soil temperature (°C) in grass field at different depths (cms.)								
		2	5	10	20	50	100	200	300	2	5	10	20	50	100	200	300
El Kasr	H L		26.3 10.5		21.3 14.3		22.2 19.7		_	_	_		_	_		_	_
Tahrir	H L	37.8 9.6	34.4 10.3		25.8 16.1		25.8 21.8				_	=	_	_	_	-	=
Bahtim	H L	38.8 11.2	33.4 12.1	28.1 15.2	26.0 19.3	26.8 22.2				-	_	_	_	_	_	<u>-</u>	_
Kharga	H L	38.2 8.5	3 3 .3	29.3 16.1	27.0 20.2	28.2 24.2	29.7 27.4	30.6 29.2	30.1 29.4	_ _	_		_	_	_	_	_
			1				! !										

Table C 5 .- SURFACE WIND

NOVEMBER - 1968

		d Speed n t 11 metr			Days with surface wind speed at (10 metres)									
STATION	Mean Night Day of the time day mean mean		≥10 knots	≥15 knots	≥20 knots	≥25 knots	≥30 knots	≥35 knots	≥40 knots	value	Date			
El Kasr	2.5	2.4	2.7	_	_	_	-	_	_	_		_		
Tahrir	1.9	1.3	2 .5	16	6	3	1	0	0	0	42	27		
Bahtim	2.1	1.4	2.8	17	8	2	1	0	0	0	31	27		
Kharga	3 .0	2.1	3.8	24	19	4	0	o	0	• 0	27	25		
							ļ				İ			

PRINTED IN ARAB REPUBLIC OF EGYPT
BY THE GENERAL ORGANIZATION
FOR GOVT. PRINTING OFFICES. CAIRO
First Under-Secretary of State
ALY SULTAN ALY
Chairman of the Board of Directors

991-1971-150



MONTHLY WEATHER REPORT

VOLUME 11 NUMBER 12

DECEMBER, 1968

U.D.C. 551. 506.1 (62)

PUBLICATIONS OF THE METEOROLOGICAL AUTHORITY OF THE ARAB REPUBLIC OF EGYPT—CAIRO

In fulfilment of its duties, the Egyptian Meteorological Authority issues serveral reports and publications on weather, climate and agro-meteorology. The principal publications are described on this page.

Orders for publications should be addressed to :

"Chairman of the Board of Directors, Meteorological Authority, Kubri-el-Oubbeh - CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Authority since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968 this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

As from 1st January 1972, the Daily Weather Report will not be issued or distributed because it does not serve no longer any good purpose as it used to be in the past. The Meteorological Authority is ready to supply the recipients of the Report with any information used to be included in it, if they so desire.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for Egypt.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of Egypt as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff of "The Meteorological Institute for Research and Training" and the Operational Divisions of the Meteorological Authority.

TECHNICAL NOTES

As from October 1970, the Meteorological Authority started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields.



MONTHLY WEATHER REPORT

/OLUME 11

NUMBER 12

DECEMBER, 1968

D.C. 551. 506.1 (62)

CONTENTS

		PAG
	General Summary of Weather Conditions	1,3
	SURFACE DATA	
Table	A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	4
,,	A2Maximum and Minimum Air Temperatures	5
,,	A3.—Sky Cover and Rainfall	6
1,	A4 Number of Days of Occurrence of Miscellaneous Weather Phenomens	7
,,	A5Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded within Specified Ranges	8,9
	UPPER AIR DATA	
Table	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surface	10,11
,,	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	12
**	B3. Number of Occurrences of Wind Direction within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	13–15
	AGRO-METEOROLOGICAL DATA	
	Reviews of Agro-Meteorological Stations	16.17
Table	C1.— Air Temperature at 1½ Metres above Ground	18
,,	G2.— Absolute Values of Air Temperature at 1½ Metres Above Groud, Absolute Minimur. Air Temperature at 5 cms Above Ground Over Different Fields	18
,,	C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 1½ metres above Ground, Evaporation and Rainfall	18
,,	C4.—Extreme Soil Temperature at Different Depths in Different Fields	19
**	C5.—Surface wind	19

GENERAL SUMMARY OF WEATHER CONDITIONS

DECEMBER 1968

Normal winter characterized with three cold waves. Subnormal monthly rainfall in general, abnormal heavy rain at Alexandria.

GENERAL DESCRIPTION OF WEATHER

The prevailing weather during this month was generally humid & cold in the northern and middle parts, and dry and mild in the southern parts. Three cold waves of variant intensity prevailed allover the Republic round the periods: (3-10), (13-18) & (21-28); the third wave was the most intense.

Light to moderate rain in general fell over the Mediterranean district during the three cold waves, and extended southwards till Cairo area during the first and third cold waves. Rain was locally heavy over the Mediterranean district during few days.

Rising sand was reported during few days mainly by frontal passages over scattered places, mostly in the Mediterranean and Red Sea districts. Early morning mist and fog developed during several days over Delta, Canal and Cairo areas.

PRESSURE DISTRIBUTION

The most outstanding pressure systems over the surface maps during this month were:

- The Siberian anticyclone
- A quasistationary local anticyclone north of the Balkans during the first ten days of the month.
- Deep low pressure systems through North Urasia.

- Secondary depressions through the Mediterranean area and its vicinities.
- The subtropical high pressure belt over the Atlantic and North Africa.

During this month, six Mediterranean depressions were distinguished, four of which passed through East Mediterranean. The first Mediterranean depression appeared over Central Mediterranean on the 1st, then it moved eastwards and passed through East Mediterranean on the 3rd.

A deep secondary depression developed over West Mediterranean on the 8th and moved slowly to the east on the 9th. The cyclogenetic area enlarged on the 10th and a complex low pressure system covered Central and West Mediterranean areas. The secondary depression over Central Mediteranean proceeded eastwards while filling and traversed East Mediterranean on The secondary depression 11th. over West Mediterranean moved slowly eastwards with no material change intensity; it reached East Mediterranean on the 14th and filled up there the next day.

The fourth depression developed over Italy on the 19th, moved slowly eastwards reaching Turkey on the 22nd, and then it moved southwards to East Mediterranean on the 23rd. The cyclogenetic area enlarged on the 24th, and a low pressure system covered East Mediterranean, Turkey and

the Balkans which proceeded eastwards while amalgamating and its southern trough passed through East Mediterranean on the 26th.

A fifth depression appeared over Italy on the 26th; it proceeded slowly eastwards reaching Greece on the 28th, then it took its course northeastwards while filling.

The sixth and last Mediterranean depression developed over North Algiers on the 29th, and proceeded northeastwards reaching Central Mediterranean on the last day of the month.

As a result of the transit of the above mentioned depressions through East Mediterranean, the barometric pressure in Egypt remained below normal most days of the month, and showed pronounced minima round the 3rd, 11th, 14th, 21st & 26th.

The barometric pressure was promouncedly above normal otherwise and high pressure established over NE Africa and East Mediterrane...

The most outstanding pressure systems over the upper air charts were:

- Deep upper low pressure systems over North Atlantic and North Russia.
- Secondary upper lows or troughs over the middle latitudes, traversing East Mediterranean and north of Egypt on the 5th, 14th, 17th, 24th and 26th.
- Upper high pressure be's over the subtropical latitudes.

SURFACE WIND

In the northern parts of the Republic, the prevailing winds were light to moderate SWly in advance of the Mediterranean troughs transits through Egypt and veered to NWly in their rears. Light to moderate N, NE winds were experienced during few days when high pressure established over NE Africa and East Mediterranean.

In Upper Egypt and Western Desert districts, light to moderate N,NW winds prevailed most days of the month, and SWly winds blew during few days.

The Red Sea district was characterized by the prevalence of light to moderate N, NE winds most days of the month.

Winds became fresh to strong during several days over scattered parts, particularly over the Mediterranean and Red Sea districts - Calms were frequent most of night and early morning intervals in scattered parts of the country.

Gales were reported at Me sa Matruh on the 24th, 25th & 26th, and at Cairo on the 25th.

TEMPERATURE

Maximum air temperature was below normal during the three cold waves which prevailed most days of this mouth. The departures from normal were in general slight to moderate in the northern and central parts, and rather large in the southern parts. Maximum air temperature values ranged generally between 18°C & 24°C in the northern and central parts, and between 22°C & 29°C in the southern parts.

The absolute maximum air temperature was 33.0°C reported at Aswan on the 14th.

Minimum air temperature fluctuations were more or less similar to maximum air temperature fluctuations. They were below normal most days of the month, with slight to moderate departures in the northern and central parts, and rather large departures in the southern parts - Minimum air temperature values ranged generally between 7°C & 14°C in the northern and southern parts and between 3°C & 11°C in the central parts.

The absolute minimum air temperature was 0.2 °C reported at Siwa and Farafra on the 19th & 9th respectively.

PRECIPITATION

Rain fell over Mediterranean district during three periods (3rd - 8th), (13th - 17th), (22nd - 26th). It extended southwards to lower Egypt and Cairo areas during the first and third periods.

The daily rainfall was light to moderate in general, though it was heavy over local places in the Mediterranean district on the 23rd, 25th & 26th. The monthly rainfall was below normal in most parts of the Republic.

The highest daily rainfall was 50.4 mms reported at Ras El Teen on the 23rd.

The highest monthly rainfall was 86.4 mms reported at Ras El Teen.

Cairo, March 1972

Chairman (M. F. TAHA)

Board of Directors

Table A 1.— MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION

DECEMBER - 1968

	Atmos					Air T	emperatu	re °C				Rel	ative	Brig	ht Sunshir	ıe	mms.
	Presure M.S	,	Maxi	num	Minir	num	i	Dry	Bulb	Wet	Bulb	Humid	lity %	Dura	tion (Hou	re)	
STATION	Mean :	D.F. Normal or Average	(A) Mean	D.F. Normal or Average	(B) Mean	D.F. No:mal	A B 2	Mean	0.F. Normal or Average	Mean	D.F. Normal or Average	Mean	D.F. Normal or Averago	Total Actual	Total Possible	%	Piche Evaporation Mean
Sallum	1014.2 1015.1 1015.8 1005.2	$ \begin{array}{c} -2.8 \\ -2.6 \\ -1.7 \\ -2.1 \end{array} $	20 4 19.7 20.4 19.7	-0.1 -0.1 -0.1 -0.1	10.6 9.5 10.4 12.1	-0.4 -1.1 -0.7 -1.5 -	15.5 14.6 15.4 15.9	15.1 14.0 14.9 —	-0.7 -0.5 -0.4 -	11.4 10.7 12.0	-0.3 -0.7 -0.7 -	61 64 69 —	+2 -4 -3 -	208.0 231.2 —	315.6 315.6 —	 66 73 	6.2 7.2 4.5 4.1
Tanta	1015.9	-1.3	20.8	-0.5	9.1	+0.9	14.9	14.1	-0.6	11.2	-0.5	68	+1	222.9	316.8	70	3.7
Cairo (A)	1016.1	-1.9	21.0	+0.3	10.5	+0.1	15.7	15.5	+0.1	11.0	_0.5	5 4	_8		_	_	10.5
Fayoum	1016.7 1016.7 1016.7 1010.1 1019	-1.6 -1.3 -0.8 -0.8	21.8 22.1 22.3 25.6 25.2	$ \begin{array}{c} -0.1 \\ +0.1 \\ 0.0 \\ -0.8 \\ -0.7 \end{array} $	7.3 7.2 7.9 6.3 9.6	-1.1 -1.7 -0.9 -1.3 -0.5	14.5 13.6 15.1 15.9 17.4	13.2 14.7 15.3 16.9	$ \begin{array}{c c} -0.5 \\ -0.5 \\ +0.3 \\ -0.9 \end{array} $	9.5 9.9 10.4 9.6	$ \begin{array}{c c} -0.6 \\ -0.3 \\ -0.7 \\ -1.3 \end{array} $	59 51 50 32	-3 +2 -3 -4	261.3 — — —	323.0	81 —	3.4 4.7 8.0 5.0 11.4
Siwa	1015.6 1016.6 	$ \begin{array}{r} -2.8 \\ -1.7 \\ -40.9 \\ -1.1 \end{array} $	\$1.2 21.9 22.3 22.8 23.8	$ \begin{array}{r} -0.3 \\ +0.3 \\ +0.3 \\ -0.5 \\ -0.2 \end{array} $	5.4 6.0 5.0 3.7 5.7	$ \begin{vmatrix} -0.7 \\ -0.7 \\ -1.0 \\ -2.4 \\ -2.3 \end{vmatrix} $	13.3 13.9 13.6 13.2 14.7	13.9 13.8 — 13.1 14.8	$ \begin{vmatrix} -0.5 \\ -1.1 \\ -\\ -1.2 \\ -0.4 \end{vmatrix} $	9.4 8.7 7.7 8.7	+0.2 -2.3 - -1.1 -0.9	58 46 41 43	+3 -4 - -3 -3	- - - 304.6	- - - 329.2	93	5.7 6.0 — 8.0 8.6
Tor	1015.2 1016 0	-1.2 -0.3	$\begin{array}{c c} -23.3\\ 23.6 \end{array}$	+0.8 -0.5	11.1 15.1	-0.6 -0.7	17.2 19.3	17.4 19.5	+0.2 -0.4	12.3 13.8	-0.3 -1.2	51 49		- -			10.3 11.5

Table A2 .- MAXIMUM AND MINIMUM AIR TEMPERATURES

DECEMBER - 1968

			Ma	ximum T	ember a	ture °C				Grass Tem				Minim	um Temp	erature	•C		
Station	ıe s t	3	est	ę. •	No.	of Day	s with	Max-T-	mp.	Mean	Normal	Highest	64	rest	to	N	o. of D Min. T	•	P
	Highest	Date	pa.worI	Date	>25	>30	>35	>40	>45	Me	D. From	Hig	Date	Lowest	Date	<10	<5	<0	<-5
Sallum	23.0	6, 10 29 20 2 —	13.6 13.4 15.8 15.0	24 24 25 26	0 0 0	0 0 0	0 0 0 -	0 0 0 0	0 0 0 0	10.6 9.0 11.5 —	_ _ _ _	13.8 12.2 14.4 15.4	10·28 13 4 19 —	7.8 5.1 7.1 10.2	24 30 28,30,31 18,27	12 15 13 0	0 0 0 -	0 0 0 -	0 0 0
Tanta	24.8	2	16.0	25	0	0	o	0	0			12.2	11	4.7	18	21	1	0	0
Cairo (A)	24.7	13	17.8	27	0	0	0	0	o		_	14.6	14	4.8	20	12	1	0	0
Fayoum	$\begin{bmatrix} 30.5 \\ 29.6 \end{bmatrix}$	2 2 13 13 14	17.6 18.5 18.3 20.2 20.5	23 24 24 24 24	$\begin{bmatrix} 2 \\ 2 \\ 3 \\ 21 \\ 14 \end{bmatrix}$	0 0 1 0 2	0 0 0 0 0	0 0 0 0 0	0 0 0 0	5.6 2.9 5.8 2.9		12.9 9.8 12.0 11.2 14.8	14 13 4 14	3.5 2.2 5.5 4.0 6.2	17 21 19 28 25	27 31 27 29 21	2 15 0 5 0	0 0 0 0	0 0 0
Siwa	29.8 30.3	29 1 13 13 13	16.4 17.1 18.0 18.0 19.8	23 24 23,24 24 8	1 4 3 7 8	0 0 0 1 0	0 0 0	0 0 0 0	0 0 0	3.4 4.8 4.2 — 3.4	=	12.3 13.7 13.0 8.8 13.8	25 13 26 4 4	0.2 2.0 0.2 0.8 1.8	19 9 9 20 20	30 27 30 31 30	13 12 18 23 13	0 0 0 0	0 0 0
Tor	28.6 26.4	14 14	20.7 21.2		4 5	0 0	0 0	0 0	0 0	 13.5	=	15.0 17.4	26 20,21	6.6 10.2	$\frac{-}{25}$ $\frac{2}{20}$	5 0	0 0	0 0	0 0

Table A 3. SKY COVER AND RAINFALL

DECEMBER — 1968

		Mean :	Sky Cove	r Oct.					Rair	itall mr	ns.						
Station	00	06	12	18	Daily	Total	D. From	Max. in one	-	N	lumhe r	of Days	with A	mount	of Rain	n	
	U.T.	U.T.	U.T.	U.T	Mean	Amount	Normal	Amount	Date	<0.1	≥0.1	≥ 1.0	≥5.0	≥:0	≥25	≥ 50	
Sallum (A) Mersa Matruh (A) Alexandria (A) Port Said (A) Fl Arish (A) Ghazza (B)	4.4 2.2 4.5 —	2.5 3.4 4.6 2.5	4.2 3.7 5.2 3.1	2.7 2.2 4.0	3.4 2.9 4.3 —	4.7 16.3 63.9 8.0	-15.4 -17.6 +7.8 -10.9	2.5 4.8 11.5 4.8	23 23,25 23,26 25 —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 8 14 6 —	2 5 9 3 —	0 0 6 0 -	0 0 2 0 -	0 0 -	0 0 0 0 -	1
Tanta	1.7	2.3	3.2	1.0	2.1	10.9	+0.9	4.3	25	0	6	4	0	0	0	0	6
Cairo (A)	2.2	3 2	3.3	1.5	2.5	3.5	_4.5	2.5	25	1	5	1	0	0	0	0	
Fayoum	1.0 0.6 0.9 0 6	1.9 1.8 1.3 1.1	3.2 2.0 1.5 2.1 1.7	2.1 1.0 0.7 1.2 1.5	1.5 0.9 1.2 1.2	Tr. 0 0 0.0 0.0 0 0	-4.6 -0.7 -Tr. -0.1 -0.2	Tr. 0.0 0.0 0.0 0.0	23·25 — — — —	2 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0 0 0	0 0 0 0	
Siwa	1.3 1.0 0.4 0.5	1.8 1.7 1.3 0 1 0.7	2.7 1.9 1.9 0.9 1.7	1,1 0,9 1,2 0,1 0,6	1.7 1.4 	4.2 Tr. 0.0 0.0 0.0	$\begin{vmatrix} +2.1 \\ -1.2 \\ -0.3 \\ -0.1 \\ -0.3 \end{vmatrix}$	2.8 Tr. 0.0 0.0	25 23 —	2 1 0 0	3 0 0 0	1 0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	
Tor	0.7 0.5	1.8 1.4	2.0 2.2	1.2 0.8	1.4 1.1	0.0 0.0	-2.2 -0.1	0.0 0.0		0 0	0		0 0	0 0	0 0	0 0	

Table A 4. - DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA.

DECEMBER - 1968

		Precip	i ta tion			rm	0 metres	s tres	is tres	e Vis tres	drising Metres	lstorm Letres			
· Station	Rain	Snow	Ice. Pellets	Hail	Frost	Thunderstorm	Mist Vis > 1000	Fog Vis <1000 Metres	Haze Vis ≥ 1000 Metres	Thick Haze Vis	Dust or Sandrising Vis ≥ 1000 Metres	Dust or Sandstorm Vis <1000 Metres	Gale	Clear Sky	Cioudy Sky
Sallum Mersa Matruh Alexandria Port Said El Arish Ghaza	5 8 14 6 —	0 0 0 0	0 0 0 0 0 -	0 0 0 0	0 0 0 -	0 0 1 0	0 2 3 1 —	0 0 5 1	0 0 0 0 -	0 0 0	4 6 4 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3 0 0 -	8 13 5 	0 4 8
Tanta	6	0	0	0	0	0	6	3	0	0	l	0	0	19	1
Caire (A)	5	0	0	0	0	0	2	3	5	0	4	2	1	13	0
Fayoum	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	3 8 0 0	0 2 1 0 0	0 9 1 7 3	0 0 0 0	0 1 2 1 0	0 0 0 0	0 0 0 0	24 24 24 25 16	0 0 0 0
Siwa	3 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 2 0 0 0	0 0 0 0	0 0 0 7 0	0 0 0 0	1 1 0 0 2	1 2 0 0 0	0 0 0 0	21 22 31 27	2 2 - 0 0
Tor	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	1 0	0 0	7 1	0 0	0 0	22 25	0

1

TABLE A 5.- NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

DECEMBER — 1968

					2141 15												
	(8)	urs)	(hours)			Num	ber in					s of			ing fr	om t	he
Station	calm (hours)	Variable (hours)	Unrecorded (h	Wind speed in knots	345 / 014	015 / 044	045 / 074	075 / 104	105 / 134	135 / 164	1	1	225 / 254	1	1	1	, ž
Sallum	9	0	0	1 -10 1127 2847 ≥48 All speeds	5 1 0 0	11 0 0 0	5 0 0 0 5	8 0 0 0 8	10 0 0 0	12 0 0 0 12	24 11 0 0 35	22 33 3 0 58	20 95 3 0	69 167 0 0 236	62 118 0 0 180	41 15 0 0 56	289 440 6 0 735
Mersa Matruh (A)	1	0	0	$ \begin{array}{c c} 1-10 \\ 11-27 \\ 28-47 \\ \geq 48 \\ \text{All speeds} \end{array} $	14 1 0 0 15	5 0 0 0 5	7 0 0 0 7	12 1 0 0 13	16 2 0 0 18	21 9 0 0 30	37 29 1 0 67	58 85 5 0 148	53 148 11 0 312	41 83 4 0 128	28 32 0 0 60	11 29 0 0 40	303 419 21 0 743
Alexandria (A)	5	0	2	1—10 11—27 28—47 ≥48 All speeds	15 0 0 0 15	42 5 0 0 47	11 2 0 0 13	28 0 0 0 28	35 0 0 0 35	32 2 0 0 34	56 18 0 0 74	123 110 3 0 236	36 60 4 0	45 19 0 0 64	47 20 0 0 67	23 1 0 0 24	493 237 7 0 737
Port Said (A)	9	0	1	1—10 11—27 28—47 ≥48 All speeds	16 0 0 0	54 7 0 0 61	31 0 0 0 31	11 0 0 0 11	26 0 0 0 26	22 4 0 0 26	78 64 1 0 143	73 151 3 0 227	65 71 0 0 136	14 12 0 0 26	15 4 0 0 19	12 0 0 0 12	417 313 4 0 734
Tanta	52	J	0	1—10 11—27 28—47 ≥48 All speeds	30 0 0 0 30	29 5 0 0 34	26 0 0 0 26	19 0 0 0 19	11 0 0 0	44 1 0 0 45	227 16 0 0 243	129 21 0 0 150	63 0 0 0 63	39 0 0 0 39	13 0 0 0 13	18 0 0 0 0 18	648 43 0 0 691
Cairo (A)	42	0	1	1—10 11—27 28—47 ≥48 All speeds	7 0 0 0	30 5 0 0 35	37 22 0 0 59	40 1 0 0 41	29 5 0 0 34	32 0 0 0 32	76 62 4 0 142	63 99 7 0 169	53 35 1 0 89	20 28 0 0 48	27 1 0 0 28	17 0 0 0 17	431 258 12 0 701
Fayoum	57	3	0	1—10 11—27 28—47 ≥48 All speeds	54 0 0 0 54	87 3 0 0 90	20 0 0 0 20	14 0 0 0 14	10 0 0 0	36 0 0 0 36	100 17 0 0 117	98 12 0 0 110	112 22 0 0 134	31 1 1 0 33	35 0 0 0 35	31 0 0 0 31	628 55 1 0 684
Minya(A)	144	4	2	1—10 11—27 28—47 ≥ 48 All speeds	132 3 0 0 135	13 0 0 0 0	3 0 0 0 3	1 0 0 0	3 0 0 0 3	65 5 0 0 70	109 10 0 0 119	21 10 0 0 31	34 0 0 0 34	26 13 0 0 39	27 0 0 0 27	119 0 0 0 119	553 41 0 0 594
Asyout (A)	8	1	37	1—10 11—27 28—47 ≥48 All speeds	7 1 0 0 8	14 0 0 0 14	12 0 0 0 12	21 2 0 0 23	28 2 0 0 30	28 3 0 0 31	23 26 0 0 49	16 10 0 0 26	52 18 0 0 70	216 24 0 0 249	118 12 0 0 130	56 9 0 0 65	591 107 0 0 69 8
		ļ	<u> </u>]								

TABLE A 5 (contd.)—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

DECEMBER - 1968

	ra)	urs)	lours)			Num	ber in				rences irectio				ng fr	om tl	10
Station	Calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	015 / 044	045 / 074	075 / 104	105 / 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	1	All directions
Luxor	0	1	0	110 1127 2847 ≥48 All speeds	34 0 0 0 34	51 0 0 0 51	29 0 0 0 0 29	75 0 0 0 75	45 0 0 0 45	0 0 0	143 1 0 0 144	40 6 0 0 46	41 3 0 0 44	70 3 0 0 73	77 1 0 0 78	57 0 0 0 0 57	729 14 0 0 743
Aswan	J	3	0	110 11 - 27 2847 > 48 All speeds	359 79 0 0 438	45 1 0 0 46	7 0 0 0 7	1 0 0 0 1	3 0 0 0 3	5 0 0 0 5	14 0 0 0 14	18 0 0 0 18	14 0 0 0 0 14	15 0 0 0 15	23 7 0 0 30	130 19 0 0 149	634 106 0 0 740
Siwa	19	5	0	110 1127 2847 ≥48 All speeds	1 2 0 0 3	2 0 0 0 0 2	12 0 0 0 0 12	40 0 0 0 40	73 4 0 0 77	31 7 0 0 38	29 16 0 0 45	6 0 0	126 34 0 0	153 39 0 0 192	70 25 0 0 95	7 5 0 0 12	582 138 0 0 720
Dakhla	43	θ	3	110 1127 2847 > 48 All speeds	27 1 0 0 28	23 0 0 0 0 23	31 0 0 0 31	49 0 0 0 49	28 0 0 0 0 28	10 0 0 0 10	64 0 0 0 64	44 5 0 0 49	5 0 0	6 0 0	131 10 0 0 141	82 9 0 0 91	662 36 0 0 698
Kharga	33	1	65	1—10 11—27 28—47 -> 48 All speeds	93 36 0 0 129	73 8 0 0 81	18 0 0 0 18	4 0 0 0 4	17 0 0 0 0	24 1 0 0 25	22 7 0 0 29	14 2 0 0 16	20 0 0 0 0 20	41 5 0 0 46	72 1 0 0 73	164 23 0 0 187	562 83 0 0 645
Hurghada	11	0	16	1—10 11–27 28—47 > 48 All speeds	19 i 06 0 0 125	24 22 0 0 46	11 0 0 0 11	9 0 0 0 9	16 0 0 0 16	8 6 0 0 14	7 3 6 0 10	14 5 0 0 19	6 0 0 6	0	0	67 152 0 0 219	284 433 0 0 717
Quaeir	2	0	0	1-10 11-27 28-47 ≥48 All speeds	51 65 0 0	28 2 0 0 30	7 0 0 0 7	7 0 0 0 0	14 1 0 0 15	4 4 0 0 8	5 0 0 5	24 3 0 0 27	5 0 0	25 0 0	126 53 0 0 179	12 60 0 0 72	524 218 0 0 742

UPPER AIR CLIMATOLOGICAL DATA

Table B 1. — MONTHLY WEARS AND MONTHLY ABSOLUTE HIGHER AND LOWER VALUES OF ALTITUDE, AIR TEMPERATURE AND DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

DECEMBER - 1968

uoı	Pressure	Alt	itude of Pro	essure Surfa	ce (gpm)		Tempo	erature (°C)		Dew	Point (°C)
Station	Surface (Millibar)	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
Mersa Matruh 0000 UT	Surface	26 26 26 25 24 24 24 23 21 17 15 12 6 5	* 1012m.b. 131 1487 3061 4272 5660 7288 9262 10463 11877 13667 16162 18297 19272 20402 21816 23569	* 1020m.b. 194 1550 3142 4372 5774 7419 9406 10937 12071 13848 163 92 18470 19390 20512 21905 23606	1000m.b. 28 1373 29:7 4124 5492 7095 9032 10205 11620 13440 16000 18120 19176 20310 21720 23532	26 26 25 24 24 24 22 117 15 12 6 5 4 2	11.6 13.5 6.6 -1.4 -8.9 -18.5 -31.1 -45.7 -52.5 -57.7 -61.5 -66.9 -64.5 -63.3 -60.6 -57.6 -58.4	15.2 16.3 14.9 5.1 -5.6 -15.0 -27.5 -37.8 -46.8 -52.4 -51.7 -59.6 -69.8 -C0.5 -58.7 -55.9 -57.5	8.5 9.0 0.5 -8.3 -14.3 -25.0 -37.7 -54.3 -57.1 -63.6 -67.8 -75.2 -67.2 -66.0 -63.0 -60.6 -59.4	23 26 26 25 24 24 24 22 19 11 5	6.8 7.9 -1.6 -12.2 -20.1 -29.2 -39.7 -53.1 -61.2 -64.5 -67.9
Helwan 0000 UT	Surface	31 31 31 31 31 31 31 31 31 31 31 10 16 15	1600m.b. 134 1491 3073 4291 5687 7319 9312 10518 11947 13752 16219 18413 19292 20410 21794 23628 26215	1008m.b. 207 15°0 3149 4373 5777 7<26 94_8 10655 12096 13853 16422 18580 19535 20682 22107 23933 26499	995m.b. 88 1400 2964 4140 5481 7045 8976 10148 116145 18240 19173 20292 21640 23513 26047	31 18 31 31 31 31 31 31 31 31 27 23 19 16 15	12.1 12.0 7.5 -0.1 -7.3 -17.1 -26.6 -53.2 -51.0 -58.0 -63.6 -69.3 -67.4 -65.1 -62.8 -66.2 -58.7 -54.7	17.8 13.9 14.6 4.5 -0.7 -12.4 -26.2 -36.5 -46.1 -52.0 -56.4 -63.1 -63.0 -62.0 -56.6 -55.4 -53.2 -48.0	7.9 9.8 1.19.916.527.639.450.357.864.072.076.073.467.168.367.661.662.8	31 18 31 31 31 30 31 31 31 24 3	5.7 6.3 - 3.6 - 15.4 - 13.1 - 30.7 - 42.1 - 53.7 - 59.9 - 70.5
Aswan 0000 UT	Surface	30 30 30 30 30 30 30 30 29 27 22 20 15 15 15	992m.b. 124 1507 3124 4372 5802 7483 9534 10774 12219 14004 16425 18539 19455 20568 21948 23764 26328 30796	997m.b. 108 1547 3185 4447 5883 7571 9633 10901 12401 14270 16785 18900 19805 20883 22205 23940 26416 30962	988m.b. 43 1483 3059 4295 5707 7353 9366 10600 12058 13839 16259 18370 19319 20446 21834 23635 26262 30629	30 30 30 30 30 30 30 29 27 22 20 15 15 15 15 12	12.9 14.0 6.8 -1.3 -10.3 -22.3 -37.2 -46.6 -56.4 -64.8 -73.8 -68.2 -65.3 -62.8 -60.9 -58.6 -57.0 -51.7	19.0	9.5 5.5 2.3 6.2 -15.8 -26.3 -42.8 -57.5 -62.1 -71.7 -86.6 -72.3 -70.8 -67.3 -70.2 -69.0 -67.1 -60.6	30 30 30 30 30 30 30 29 28 23 2 ———————————————————————————————	0.8

N = Number of cases the element has been observed during the month.

^{*} The atmospheric pressure corrected to the elevation of the radiosonde station.

UPPER AIR CLIMATOLOGICAL DATA Table B 1 (contd.).—MONTHLY MEANS, ABSOLUTE HIGHER AND LOWER VALUES OF ALTITUDE, AIR TEMPERATURE AND DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES DECEMBER — 1968

Altitude of Pressure Surface (gpm) Temperature (°C) Dew Point (°C) Pressure Station Surface (Millibar) N N Highest Lowest Mean N Mean Highest Lowest Mean 997mb. 101 Îmb. 1020mb. 23.6 13.0 9.5 Surface 28 19.0 28 12.6 27 8.4 22.8 1000 28 126 198 03 27 18.1 28 9 9 850 28 1490 1559 1359 28 7.6 13.4 3.0 700 0.3 7 4 26 --14.7 97 3074 4.5 3144 2980 27 25 -21.7 -16.0BOO 93 4284 4373 4079 26 7.03.7 Mersa Matrub (A) 1200 500 -12.5-24.724 __30.4 24 5091 5791 5525 24 -17.3-42.3400 23 **-29.3** -25.0-37.7 93 7323 7455 7111 23 92 -54.3300 23 9321 9477 9023 23 _44.1 -38.1-53.5250 --56.6 19 -61.4 20 10526 10697 10209 20 -49.8 -46.1-61.8 12 -65.7200 16 11964 12127 11758 16 -57.0-53.4150 -55.5 -62.65 -67.1 13 13782 13905 13656 13 -60.3**-69.3** 100 12 -60.5 -65.016274 12 16391 16132 -66.3-60.270 6 18486 18538 18460 6 -64.260 4 19424 19458 19400 -61.9-60.6-63.0 1 50 **--59.4** -58.6-62.04 20559 20596 20535 4 -57.940 3 21972 21998 56.3 -54.6 21955 3 -55.930 2 23806 23820 23792 2 -54.**4** -53.020 1 26440 1 -48.510 5.8 993mb. Surface 1001mb. 991mb. 31 19.7 25.6 15.0 31 31 1000 22.8 16.5 11 5.5 19.6 31 129 192 63 11 3.9 31 850 31 1499 1550 1407 31 8.9 18.7 1.0 700 1.1 6.8 6.3 31 -15.131 3079 3157 2956 31 -21.7 0.0 -13.631 600 31 4307 4409 4162 31 6.2 -24.5 31 -30.0 500 9.7 31 5712 5840 5542 31 -15.7-34.3 30 -40 . 6 -27.721.7 400 30 7350 7514 7156 30 -50.**9** 29 -53.1 300 29 9366 9554 9105 29 42.4 35.3 Helwan 1200 29 48.0 -60.0 28 __CO 4 250 29 10583 10788 10258 -50.5 --63.8 21 66.3 -53.0 200 29 _57 7 12037 12272 29 11661 7 -67.3 -69.5 28 150 13797 14035 13454 28 -**62** . 0 55.3100 25 16462 25 -66.858.2 -72.816263 15968 60.3 -68.8 21 70 21 18436 18630 18220 -61.966.2 60 21 19171 21 **-62.6** 58.2 19380 19547 50 21 20310 21 -53.7 65.3 20508 20690 -60.5 _51 0 63.2 40 19 21905 22005 21735 19 -58.0 -60.4 **3**0 -55.7 --50.2 23800 23942 23446 16 16 -61.4 -40.8 20 2:368 -51.4ß 26508 26206 ß 10 1 31080 1 -55.218.8 31 3.3 99 lmb. 988mb. 996mb. 23.6 31.0 Surface 31 31 1000 150 31 114 85 5.8 31 - 6.2 20.0 21 14.4 850 31 1503 1548 1477 -14.9 31 11.0 2.7 700 3129 3179 3072 31 7.3 31 0.6 5.6 31 -19.4 3.2 600 31 4377 4441 4309 31 -27.7 -14.230 500 30 5806 5883 5721 30 -- 9.8 5.5 --37.3 T.U. 30 -21.6 -18.5 -25.9 400 30 7497 7582 7390 30 29 -50.1 -33.0 41.0 300 29 9555 9644 9421 29 -36.729 -57.7 __50.2 (A) 1200 29 10888 10649 29 -45.3 38.8 250 10793 -RR 1 50.8 26 200 27 12344 27 --55.6 -59.7 12252 12111 -58.9 -69.1 1 -72 · 4 150 20 14032 14154 13903 20 -64.2-76 . 7 19 -70.**3** -66.7 100 19 16476 16646 16337 12 --62.2 -69.0 18800 -65.970 12 18612 18490 ABWAR --68.0 -57.2 60 11 19555 19740 19419 11 -63.353.0 -63.3 50 10 20686 20886 20545 10 -58.6 -59.5 -52.710 40 10 22096 22324 21958 --55.4 -- 56.8 30 10 23944 24187 23805 10 --52.**7** -47.0-42.2 -54.2 20 26786 26455 7 -51.07 26547 10

N = The number of cases the element has been observed during the month.

^{*} The atmospheric pressure corrected to the elevation of the radiosnde station.

TABLE B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE; THE HIGHEST WIND SPEED IN THE UPPER AIR

DCEEMBER — 1968

					Fre	ezing L	evel							First	Tropop	ause				Higher	st wir	ıd spe	ed
			Mean			Highes	t		Lowes	t		Mean			Highest	,		Lowest		E I	(mp.)		ots
!	Station	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpin.	Pressure (n.b.)	Dew Point (°C)	Aititude (gpm)	Ргевиге (mb.)	Dew Point	Altitude (gpm)	pressure (mb.)	Temperature (°C)	A!titude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Fressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (m	Direction (000 - 360)	Speed in Knots
		(N)	(N)	(N)							(N)	(N)	(N)				!						
l l	M. Matruh .	2675 (22)	738 (±2)	-6.7 (21)	3520	675	_ 8.7	1560	844	- 1.4	11443 (13)	218 (13)	-57.5 (13)	14840	126	-66.5	896 0	303	-54 .5	11600	214	2 7 0	165
0000 U.T.	Helwan	3007 (31)	708 (31)	-14.0 (31)	3900	644	—23.5	1620	880	- 0.8	13237 (25)	164 (25)	-64.3 (25)	16308	100	-71.4	8180	2 3 7	-46.1	11100	228	2 58	150
	Aswan	4191 (30)	615 (30)	-18.1 (30)	4700	5 80		3580	660	9.4	15367 (15)	120 (15)	-69.2 (15)	18680	69	-71.1	11020	240	-49.3	16430	106	2 7 0	186
		(N)	(N)	(N)							(N)	(N)	(N)										
ان	M. Matruh	2883 (25)	718 (25)	-12.5 (21)	3960	635	_22.7	1 7 50	816	-	11887 (13)	20 5 (13)	-58.8 (13)	15600	113	-72.3	8 9 00	306	-54.0	10 800		260	146
1200 U.T.	Helwan	3189 (31)	695 (31)	-14.9 (31)	4409	600	—19 .6	1600	834	- 2.3	13296 (27)	168 (27)	-64.2 (27)	17640	111	-70.5	10455	250	-53.0	11290	228	280	182
	Aswan	4254 (31)	610 (31)	-20.0 (29)	4900	566	—21. 5	3 50 0	666	-19.8	14806 (15)	138 (15)	-67.8 (15)	17350	86	-71.7	12100	208	-55.0	1 2515	191	270	150

N - The number of cases the element has observed beenduring the month .

Table B 3.—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEA SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES MERSA MATRUH (A)— DECEMBER 1968

			77	Vind between ran	nges of direction	(000 - 360)•		Calm	oer of (TN) wind nte)
Time	Ptessure Surface (Millibar)	345 015 015 014 044 044 N m N m	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	105 13 // 134 16 N (ff) N	'	195 / 224 N (ff) m	225 255 254 284 N (ff) N (ff) m m	$ \begin{array}{c cccc} 285 & 315 \\ 314 & 344 \\ \hline N & N & M \end{array} $	ber of winds	Total Number of Observations (TN) Mean Scalar wind Speed (Konts)
0000 U.T.	Surface	0 - 1 12 0 - 0 - 0 1 11 0 - 0 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0 0 - 0 - 0 - 0 - 0 - 0 0 - 0	0 - 2 10 0 - 1 8 0 - 0 - 0 0 - 0 0 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	10 1 3 10 0 — 11 1 21 — 0 — — 1 7 — 0 — —	11	6 15 1 11 5 14 4 18 5 21 8 16 6 30 6 24 4 44 9 35 6 41 8 37 2 58 14 46 5 63 12 71 2 82 12 75 1 59 9 83 0 - 5 70 0 - 1 48 1 42 0 - 0 - 1 36 0 - 1 58 - - - - - - - -	2 10 0 -15 3 23 2 13 6 17 0 -5 5 31 0 -6 42 0 3 57 1 45 3 119 0 -2 58 0 -1 68 0 -1 0 -0 0 -0 0 -0 0 -0 0 -0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	26
1200 U.T.	Surface	1 2 0 - 2 18 1 8 0 - 0 - 0 - 0 - 0 - 0 - 1 11 0 - 0 - 0 - 0<	0	1 4 1 0 - 0 0 - 2 0 - 0	20	4 15 2 20 3 11 1 22 0 -1 40 1 55 0 -1 0 -1 0 -1 -1 -1	4 24 2 18 4 22 3 25 5 22 10 20 6 33 11 27 3 55 14 30 4 30 14 42 4 57 10 52 3 77 11 65 3 72 10 75 2 75 9 79 1 57 6 82 0 — 2 46 0 — 2 46 0 — 1 31 0 — 1 46 — — — — — — — — 0 — 1 46 0 — 1 46 0 — 1 - 0 — 1 -	9 13 4 12 7 15 4 12 5 17 1 1 1 1 1 1 1 1	3 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	28

N = The number of cases the element has been observed during the month,

TN - The total number of cases the wind has been observed for all dirictions during the month.

Table B 3—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

HELWAN-DECEMBER 1968

					w	ind between	en ranges	of direction	on (000—36	50) °				Calm	TN)	pu (
Tim•	Pressure Surface (Millibar)	345 / 014	015 / 044	045 / 074	075 / 104	105 / 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	315 / 344	5 5	Number ations (T	Nean Scalar wind Speed (Knots)
	,	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	Number	Total Numbe	Nean Speed
0000 U. T.	Surface	1 2 4 2 16 0 — 0 — 0 — 0 — 0 — 0 — — — — — — — —	2 4 3 8 2 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1	9 6 9 0	1 7 1 5 1 10 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0	7 3 2 4 0 0 0 0 0 0 0 0	0 - 4 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	2 12 1 3 2 18 1 8 1 5 0 — 0 — 0 — 0 — 0 — — — — — —	0 — 4 25 4 26 2 30	0	2 6 1 7 4 22 12 33 9 42 12 52 15 53 12 81 8 89 4 86 2 80 — — — — — — — — — — — — — — — — — — —	1 6 0 - 3 3 14 5 27 5 35 3 34 2 46 2 54 1 80 0	0 — 3 10 1 25 1 36 0 — 0 — 0 —	5 0 0 0 0 0 0 0 0 0 0 	31 17 28 28 26 25 22 18 13 5 2 ——————————————————————————————————	5 7 17 28 36 47 54 76 87 85 80
0000 U. T.	Surface	0	5 11 4 18 1 14 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	1 4 0 12 12 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0	2 3 0 -8 0 - 0 0 0 - 0 0 0 - 0 0 0 - 0 0 0 - 0 0 0 0 0	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	4 14 0 11 11 1 22 0	2 9 0	6 6 2 4 10 25 10 34 15 39 9 36 5 76 46 3 94 3 85 1 70 0 — 0 — 0 — 0 — 0 — 0 — — — — — — —	0	4 7 3 9 5 10 5 13 3 31 1 44 2 69 2 65 1 88 0 — 1 57 0 — 0 — 0 — 0 — 0 — 0 — 0 —	0 — 0 2 28 1 50 1 53 0 — 0 —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31 11 30 30 29 23 20 15 11 6 2 1 1	8 10 17 26 37 41 58 75 85 83 63 57 43 45 54 36

N = The number of cases the element has been observed during the month.

TN = Total number o cases the wind has been observed for all directions during the month,

TABLE B 3 (contd.)-NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES.

ASWAN (A) — DECEMBER 1963

]			Wi	nd hetween	n ranges o	f direction	(000-360)}°				calm	or of (TN) wind (ts)
Time	Pressure Surface Millibar	345 / 014 N (ff)	015 / 044 N (ff)	045 / 074 N (ff)	075 / 104 N (ff)	105 / 134 N (ff)	135 / 164 N (ff)	165 / 194 N (ff)	195 / 224 N (ff)	225 / 254 N (ff)	255 / 284 N (ff)	285 / 314 N (ff)	315 / 344 N (ff)	Number of ca winds	Total number observations (Mean scalar wi
0000 U.T.	Surface 1000 850 700 600 500 400 300 250 200 150 100 70 60 50 40 30 20 10	m m 22 8	m	0 — 4 10 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0	0	1 4 - 3 12 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	m	0 - 1 22 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	m m 14 10 23 8 42 4 48 7 79 5 105 3 73 5 65 3 3 3 3 3 5 12 1 25 2 16 0 —	m m 0	m 3 9 -	m m 1 6	1	B o B
1200 U.T.	Surface 1000 850 700 600 500 400 300 250 150 100 70 60 50 40 30 20	18 9 4 10 1 7 0		3 2 6 0	0			0 —	0 -	7 20 6 48 7 61 5 84 9 4 39 2 128 2 128 1 1 68 - 0 — - 1 18	21 82 20 92 15 96 11 63 6 38 3 26 1 47 2 22 0 —	1 2 3 11 4 20 2 34 3 39 3 42 4 84 4 88 1 102 3 71 2 50 1 39 1 17 3 23 1 42 0 —	2 21 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 1 21	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	31 7 31 9 31 18 30 29 29 43 29 55 28 77 28 88 25 100 20 96 15 59 10 36 7 32 5 27 5 19 2 14 2 6

N = The number of cases the element has been observed during the month.

TN = The total number of cases the wind has been observed for all directions during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR - DECEMBER 1968

This month was slightly cooler and less rainy than normal. The month was characterized by two cold waves during the periods (5th - 9th) and (23rd - 26th). The second cold wave was the more intense and yielded the lowest maximum air temperature for the month (13.4°C) on the 24th. Three warm spells were experienced during the period (10th-12th), on the 18th and the period (27th - 29th). The last warm spell yielded the highest maximum air temperature for the month (23.9°C) on the 29th.

The extreme maximum soil temperatures were lower than the corresponding values of last December at all depths between 2, 100 cm. and the differences ranged between 0.2°C at 2 cm. depth and 1.3°C at 5 cm. depth. The extreme minimum soil temperatures were also lower than the corresponding values of last December at all depths between 2,100 cm. and the differences ranged between 0.2°C at 20 cm. and 1.0°C at 5 cm.

The total actual duration of bright sunshine was 7.4 hours more than the corresponding value of December 1967.

TAHRIR - DECEMBER 1968

This month was slightly cooler and less rainy than last December. The month was characterized by two cold waves during the periods (6th – 9th) and (23rd – 26th). The second cold wave was the more excessive and yielded the lowest maximum air temperature for the month (17.2°C) on the 26th. Three warm spells were experienced on the 2nd and during the periods (10th – 13th) and (28th – 29th). The second warm spell yielded the highest maximum air temperature for the month (25.2°C) on the 12th.

The extreme maximum soil temperatures were slightly lower than the corresponding values of last December at 2,20 cms. depths and the differences were 0.3°C, 0.2°C. At other depths, the extreme soil maxima were higher than last December and the differences ranged between 0.1°C at 10 cm. depth and 0.9°C at both 50,100 cm. depths.

The extreme minimum soil temperatures were higher than the corresponding values of last December at 2,20, 50 cm. depths and the differences ranged between 0.5, 0.6°C. At other depths, the extreme soil minima were lower than last December with differences ranging between 0.2°C, 0.3°C.

The mean daily Pan evaporation was 0.78 mm. more than the corresponding value of December 1967. The total actual duration of bright sunshine was 7.9 hours more than the corresponding value of December 1967.

BAHTIM — DECEMBER 1968

This month was mild and more rainy than last December. The month was characterized by two cold waves during the periods (6th - 10th) and (22nd - 27th). The second cold wave was the more pronounced and yielded the lowest maximum air temperature for the month (17.5°C) on the 24th.

The extreme maximum soil temperatures were lower than the corresponding values of last December at 2,10 cm. depths and the differences were 3.1°C, 0.6°C respectively. At other depths, the extreme soil maxima were higher than last December with differences ranging between 1.0°, 1.1°C.

The extreme minimum soil temperatures were higher than last December at all depths, and the differences ranged between 2.7°C at 2 cm., 0.3°C at 20 cm.

The mean daily Pan evaporation was 0.08 mm. less than the corresponding value of December 1967. The mean daily actual duration of birhgt sunshine was 0.2 hour less than the corresponding value of December 1967.

KHARGA - DECEMBER 1968

This month was slightly cooler than normal and rainless. The month was characterized by four cold waves during the periods (5th – 9th), on the 15th, (22nd – 24th) and on the 27th. The first cold wave was the most intense and yielded the lowest maximum air temperature for the month (19.8°C) on the 8th. Three warm spells were experienced on the 2nd and during the periods (12th – 13th), (30th – 31st). The second warm spell yielded the highest maximum air temperature for the month (29.8°C) on the 13th.

The extreme maximum soil temperatures were lower than the corresponding values of last December at depths between 2,20 cms. and the differences ranged between 4.0°C at 2 cm. and 0.3°C at 20 cm. At 50, 100cm. depths the extreme soil maxima were higher than last December and the differences were 0.1°C, 0.5°C respectively. The extreme minimum soil temperatures were lower than the corresponding values of last December at 2,5,100 cms. depths with differences ranging between 1.4°C at 2 cm., 0.1°C at 100 cm. At 10, 20 cm, depths the extreme soil minima were 0.3°C, 0.2°C respectively higher than last December, while at 50 cm. depth the values were the same.

The mean daily Pan evaporation was 0.81 mm. less than the corresponding value of December 1967. The total actual duration of bright sunshine was 34.5 hours more than the corresponding value of December 1967.

Mean of day of vapour pressure = (0600+1200+1800) U.T. observations \div 3

Note.— During this month records of the mercury in steel hygrograph were not available at Tahrir and Kharga centres. For these centres the mean of day of air temperature, relative humidity and vapour pressure are calculated according to the tollowing equations:

Mean of day of air temperature = [(0600+1200+1800)] U.T. dry bulb observations +minimum air temperature] \div 4

Mean of day of relative humidity =(0600+1800) U.T. observations $\div 2$

Table C1.—AIR TEMPERATURE AT 1½ METRES ABOVE GROUND DECEMBER — 1968

8TATION		Air Te	mperati	re (°C)		Mean Duration in hours of daily air temperature above the following values										
	Mean Max.	Mean Min.	of the	Night time mean	time	- 5°C	0°C	5°C	10°C	15°C	20° C	25°C	3 0°C	35°C	40°C	45°0
El Kasr	19.7	9.4	14.0	11.8	16.6	24.0	24.0	24.0	21.1	9.7	1.7	0.0	0.0	0.0	0.0	0.0
Tehrir	21.8	8.9	13.6	-	16.9	-	-	_	_	_		-	_	_	_	_
Bahtim	21.0	7.5	13.7	11.3	16.6	24 0	24.0	23.9	19.1	8.9	2.0	0 .0	0.0	0.0	0.0	0.0
Kharga	2 3 .8	5.7	14.9	11.1	18.7	_	-	-		_		_		_		_

Table C 2.—EXTREME VALUES OF AIR TEMPERATURE AT 13 METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS.

DECEMBER - 1968

	Max.	remp, at	$1\frac{1}{2}$ metr	es (°C)	Min. 7	Cemp. at	1½ metre	es (°C)	Min. Temp. at 5 cms. above (°C)					
STATION	Highest		Lowest		Highest		Lowest		Dry soil		Grass			
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date		
El Kaer	20.0													
	23.9	29	13.4	24	12.2	4	6.4	19	3.1	19		_		
Tahrir	25.2	12	17.2	26	13.8	11	5.7	29	3.1	30	-			
Bahtim	24.0	1,2	17.5	24	11.6	25	4.0	30	0.3	10	-			
Kharga	29.8	13	19.8	s	13.8	4	1.8	20	0.0	20				

Table C 3.—(SOLAR+SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY, VAPOUR PRESSURE AT 1½ METRES ABOVE GROUND, EVAPORATION & RAINFALL

DECEMBER -- 1968

	y) Radis- oal/cm		ion of B ine (ho		Relative Humidity				Vapour pressure (mms)						Evapora- tion(mm ⁸)				
8TATION	(Solar + Sky) l	Total Actual monthly	Total Fossible monthly	%	Mean of day	1200 U.T.	Lowest	Date	Mean of day	1200 U.T.	Highest	Date	Lowest	Date	Piche	Pan class A	Total Amou- nt Monthly	Max. Fall in one day	Date
				1	 	·			1 1						·	<u>` </u>		<u> </u>	<u>'</u>
El Kasr	204.8	198,6	313.9	68	71	57	30	10	8.4	9.4	12.4	31	4.7	10	6.6	5.04	30 . 0	8,2	23
Tahrir	281 .6	215,9	316.8	68	74	46	2 0	13	8.0	8.1	13.0	20	4.2	16	5.1	3.84	4.3	1.8	6
Bahtim	273.4	185.6*	317.4	65	67	46	24	11	7.6	8.0	12.5	19	4.4	11	4.8	3 , 59	3.6	1.8	25
Kharga	305.7	304.6	32 9.2	93	46	30	17	13	5.5	6.1	8.1	8	3.0	14	8.5	6.19		0.0	
																		0.0	

^{*} Total for 28 days

Table C 4.—EXTREME SOIL TEMPERATURE AT DEFFERENT DEPTHS (ems) IN DIFFERENT FIELDS

DECEMBER — 1968

STATION	est (H)		Extre		temper erent d	,	•	lry field	Extreme soil temperature (°C) in gras field at different depths (cms.)								
	Highest Lowest	2	5	10	20	50	100	200	300	2	5	10	20	50	100	200	\$00
l Kasr	H L	23.4 7.0	20.5 7.3	18.8 8.3	16.9 11.6	17.2	19.5 17.0	23.6 23.1	_	_		_	_		_	_	
ahrir	H L	29.5 6.6	26.7 7.0	22.2 9.4	19.4 13.8	19.7 16.4	21.7 18.2	24.4 20.5	25.5 23.4		_	_	_	_	_	_	_
ahtim	H L	29.2 8.0	25.2 9.7	21.6 13.6	20.5 16.6	22.8 19.2	24.6 21.7	$26.1 \\ 24.2$	25.8 25.2		_	_	_	_	_ _	_	
Charga	H L	31.7 5.2	26. 4 8. 5	23.3 13.0	22.2 17.0	24.1 20.5	27.0 23.6	29.1 27.2	29.5 28.6	-		_	_	<u>-</u>	_	_	

Table C 5,—SURFACE WIND

DECEMBER -- 1968

STATION		d Speed r			Max, Gust (knots) at 10 metres							
	Mean of the day	Night time mean	Day time mean	≥ 10 konts	≥ 15 knots	≥ 20 knots	≥ 25 knots	≥ 30 knots	≥ 35 knots	≥ 40 knots	Value (knots)	Date
l Kasr	2.6	2.5	2.7			_			-			
ahrir	2.3	1.8	2.9	24	14	8	3	2	0	0	40	25
ahtim	2.6	2.1	3 .2	2 5	17	6	4	2	0	0	43	25
harga	2.2	1.4	3.0	24	10	3	0	0	0	0	27	18

PRINTED IN ARAB REPUBLIC OF EGYPT BY THE GENERAL ORGANIZATION FOR GOVT. PRINTING OFFICES. CAIRO

First Under-Secretary of State
ALY SULTAN ALY

Chairman of the Board of Directors

902-1971-150